



[Manuals.plus](#) /

> [MSpa](#) /

> MSpa Camaro Premium Series Inflatable Hot Tub & Spa Instruction Manual

MSpa P-CA069

MSpa Camaro Premium Series Inflatable Hot Tub & Spa Instruction Manual

1. PRODUCT OVERVIEW

The MSpa Camaro Premium Series Inflatable Hot Tub & Spa (Model P-CA069) is designed for relaxation and hydrotherapy. This manual provides essential information for the safe and efficient setup, operation, and maintenance of your hot tub. Please read all instructions carefully before use.

Key Features:

- **Plug & Play System:** Features a patented self-inflation function for quick setup.
- **Wired Controller:** Integrated wired controller for easy access to all functions.
- **Anti-Icing System:** Automatically activates the heater when water temperature drops below 1°C (33.8°F) to prevent freezing.
- **Smart Filtration:** Reminds users to clean and replace filter cartridges for optimal water quality.
- **All-Around Bubbling Design:** 360° air jet system with 138 jets for a comprehensive body massage.
- **PTC Heating Technology:** Ensures efficient and rapid water heating.
- **Whisper Quiet Design:** Engineered for quiet operation.
- **One-Piece Unit:** Inflation, heating, and bubbling systems are integrated into a single, easy-to-move unit.
- **Timer Function:** Allows scheduling of heating cycles.
- **Children Safety Lock:** Locks the controller to prevent unintended operation.



Image: The MSpa Camaro hot tub in use, showcasing its design and capacity for multiple persons.

2. SETUP INSTRUCTIONS

Proper setup is crucial for the safe and efficient operation of your MSpa hot tub. Follow these steps carefully. For a visual guide, please refer to the 'how to setup' video below.

Setup Guide Video

Your browser does not support the video tag.

Video: A comprehensive guide demonstrating the unboxing, assembly, inflation, and initial setup of the MSpa hot tub.

2.1 Unboxing and Preparation

1. Open the package and carefully remove all contents. Ensure all components listed in your user manual are present.
2. Spread out the ground mat in a flat, clear area where you intend to place the hot tub. This protects the base of the spa.



Image: The MSpa Camaro hot tub fully inflated, showing its exterior design.

2.2 Electrical Safety Check (PRCD Test)

Before each use, perform the Portable Residual Current Device (PRCD) test to ensure electrical safety:

1. Plug the power cord into a grounded electrical outlet.
2. Press the RESET button on the PRCD. The indicator should turn on.
3. Press the TEST button. The indicator should turn off.
4. Press the RESET button again. The indicator should turn on.
5. If the PRCD fails any of these steps, do not use the spa. Disconnect the power and contact a licensed electrician.

2.3 Inflation

The MSpa features a self-inflation system:

1. Unfold the deflated spa on the ground mat.
2. Turn the inflation valve knob anticlockwise to the 'ON' position.
3. Long press the BUBBLE button on the wired controller to start inflation. Continue until the manometer indicates the yellow section is pushed out, signifying proper inflation.
4. For models with covers, pull up the spa covers when inflation is half completed, then continue inflation.
5. Stop inflation by pressing the BUBBLE button again.



Image: A hand pressing the bubble button on the control panel to initiate inflation.

2.4 Water Filling

1. Fill the hot tub with water using a garden hose until the water level reaches between the minimum and maximum water lines indicated inside the spa.

2.5 Air Pressure Check After Filling

After filling with water, recheck the air pressure:

1. Ensure the manometer points to the Green section.
2. If the White section is pushed out, the spa is over-inflated. Slightly rotate the valve anticlockwise to release some air until the White section is no longer visible.
3. Tighten the valve clockwise once the correct pressure is achieved.

2.6 Cover Installation

Install the spa cover and inflatable bladder to help maintain water temperature and keep debris out:

1. Place the inflatable bladder inside the spa, ensuring it fits snugly. Inflate the bladder until it is firm but not hard.
2. Place the spa cover over the hot tub, aligning it properly.
3. Zip the tub with the cover. Secure the cover using the buckles provided.



Image: The MSpa Camaro hot tub with its protective cover partially in place.



Image: A close-up of the cover's zipper mechanism, featuring a security lock for child safety.

3. OPERATING THE HOT TUB

The MSpa wired controller allows you to manage all functions of your hot tub.



Image: The MSpa wired control panel, showing buttons for heater, bubble, filter, timer, and temperature adjustment.

3.1 Heating Function

1. Press the **HEATER** button to activate the heating function. The indicator light will turn on.
2. Use the **UP** and **DOWN** buttons to adjust your desired water temperature.

3.2 Bubble Massage Function

1. Press the **BUBBLE** button to activate the 360° air jet system.
2. For Elite Collection models, press the **BUBBLE** button repeatedly to cycle through different massage intensity levels (Level 1, Level 2, Level 3).
3. **Note:** The bubbling massage function automatically shuts down after 20 minutes of operation for safety.

3.3 Jet Function (Elite Collection Only)

1. Press the **JET** button to turn on/off the water jet function.
2. The jet nozzle can be adjusted to your personal preference.
3. **Note:** The Bubble button can only be adjusted between L1 (300W) and L2 (500W) while the Jet function is on. The JET function will shut down automatically after 1-hour operation.

3.4 Filter Function

1. Press the **FILTER** button to turn on/off the filtering function.
2. **Note:** If the **FILTER** button is flashing in red, it indicates that the filter cartridge needs to be changed.

3.5 Timer Function

1. Press the **TIMER** button to enter the heating timer setting mode.
2. Set the desired heating duration (1-99 hours) by pressing the **UP** or **DOWN** buttons.

3.6 Children Safe Mode

1. To activate: Press the **UP** and **DOWN** buttons simultaneously for 3 seconds. The display will show 'SAFE'. In this mode, all buttons are locked.
2. To deactivate: Press the **UP** and **DOWN** buttons simultaneously for 3 seconds again.

3.7 Celsius/Fahrenheit Toggle

1. Press the **C/F** button to switch the temperature display between Celsius and Fahrenheit.

3.8 Ozone Function (Elite Collection Only)

1. Press the **OZONE** button to turn on/off the Ozone function.
2. **Note:** For bathers' safety, the ozonator cannot be operated when the Bubble or Jet function is on. Do not soak in the spa when Ozone is activated. The Ozonator will automatically turn off after 2-hour operation.

4. MAINTENANCE

Regular maintenance ensures the longevity and hygiene of your MSpa hot tub.

4.1 Filter Cartridge Maintenance

The filter cartridge is essential for clean water:

1. **Cleaning:** The filter cartridge should be cleaned after each use. Remove the cartridge base from the water inlet, detach the filter cartridge, and rinse it thoroughly with water.
2. **Replacement:** Replace the filter cartridge every 3-5 days, or when the filter indicator flashes red.
3. **Note:** Do not discard the cartridge base when replacing the filter cartridge. Only change the base if it becomes loose after prolonged use.

4.2 Draining the Spa

To drain the hot tub:

1. Install the drain valve adapter to the spa's drain outlet and connect it to a garden hose to direct the water away.
2. Open the drain valve cap at the bottom of the spa to allow water to drain.
3. Once drained, press the **BUBBLE** button to dry out any remaining water in the piping system.

4.3 Cleaning and Storage

1. Wipe up any remaining water inside the spa with a clean cloth.
2. Unscrew the air valve cap on the spa pool to deflate the hot tub.
3. Carefully fold the deflated tub.
4. Store the hot tub and all accessories in the original dust bag in a dry, temperate location, away from direct sunlight and extreme temperatures.

5. TROUBLESHOOTING

If you encounter any issues with your MSpa Camaro hot tub, please refer to the troubleshooting section in the full user manual for specific solutions. Common issues often relate to water temperature, filtration, or air pressure. Ensure all connections are secure and the power supply is stable. If problems persist, contact customer support.

6. PRODUCT SPECIFICATIONS

Specification	Detail
Brand	MSpa
Model Name	CAMARO (P-CA069)
Color	Body & Inner Liner: Black
Product Dimensions	80"L x 80"W x 28"H
Material	Polyvinyl Chloride (PVC)
Voltage	120 Volts
Shape	Round
Capacity	245 Gallons
Number of Jets	138
Seating Capacity	Up to 6 adults
Assembly Required	No (Self-inflating)
Power Source	AC
Item Weight	84.9 pounds
Heater	1350W
Massage Air Jet	700W (3 levels: 300W, 450W, 700W)
Heat Increasing Rate	2–3°F/hr
Max. Water Temperature	104°F
Filter Pump	24V/50W
Certification	ETL approved



Image: Technical diagram illustrating the dimensions of the MSpa Camaro hot tub.

7. WARRANTY INFORMATION

This MSpa product comes with a manufacturer's warranty. Please refer to the warranty card included with your purchase or visit the official MSpa website for detailed terms and conditions regarding coverage, duration, and claims procedures. Keep your proof of purchase for warranty validation.

8. CUSTOMER SUPPORT

For further assistance, technical support, or inquiries about spare parts, please contact MSpa customer service. Contact details can typically be found on the official MSpa website (www.the-mspa.com) or in your product packaging. When contacting support, please have your model number (P-CA069) and purchase date available.