

[Manuals.plus](#) /

> [Legend Flame](#) /

> LegendFlame Ashley Electric Fireplace with Jaden 36-inch Insert and 60-inch Mantel Surround User Manual

Legend Flame EF443B

LegendFlame Ashley Electric Fireplace User Manual

Model: EF443B | Mantel: MT443A-W



Figure 0.1: LegendFlame Ashley Electric Fireplace with Jaden Insert.

1. IMPORTANT SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate, or install this product. Failure to do so could result in electric shock, fire, serious injury, or death.

- Always disconnect power before cleaning or performing maintenance.
- Do not block air vents.
- Keep combustible materials at least 3 feet (0.9 m) away from the front of the fireplace.
- This appliance is hot when in use. To avoid burns, do not let bare skin touch hot surfaces.
- Do not operate any fireplace with a damaged cord or plug, or if the heater has malfunctioned.

2. PACKAGE CONTENTS

The LegendFlame Ashley Electric Fireplace is shipped in two separate packages, which may arrive on different days. Ensure all components are present before beginning assembly.

- Electric Fireplace Insert (Jaden 36-inch)
- Mantel Surround (Ashley 60-inch)
- Remote Control
- Hardware Pack for Assembly
- Instruction Manual



Figure 2.1: The fireplace system is delivered in two separate packages.

3. SETUP AND INSTALLATION

3.1 Site Selection

Choose a flat, stable surface for installation. Ensure there is adequate clearance from combustible materials. The fireplace is designed for indoor use only.

3.2 Assembly

Assemble the mantel surround first according to the included assembly instructions. Once the mantel is assembled, carefully insert the electric fireplace unit into the designated opening. Secure the fireplace insert to the mantel using the provided hardware. Some users have noted that the accent lighting cord may be short; ensure proper routing or make adjustments if necessary to reach the connection point.



Figure 3.1: The assembled LegendFlame Ashley Electric Fireplace in a room.

3.3 Mantel Features

The mantel features a classic American design with integrated mood lighting and marble-effect back panels, finished in cream white paint.

36" FIREBOX



Figure 3.2: Detailed view of the mantel's design and features.

3.4 Dimensions

The overall dimensions of the 60-inch model are approximately 60.2 inches (W) x 44.9 inches (H) x 9.6 inches (D). Refer to the diagram for detailed measurements.

DIMENSION



Figure 3.3: Detailed dimensions of the 60-inch mantel and 36-inch insert.



Figure 3.4: Dimensional comparison of 60-inch and 56-inch models.


3.5 Electrical Connection

Plug the fireplace into a standard 120V, 60Hz grounded outlet. Do not use extension cords or power strips.

4. OPERATING INSTRUCTIONS

The fireplace can be operated using the manual controls located behind the louvre or with the included remote control.

MANUAL & REMOTE CONTROL



Manual control button for basic functions Hidden behind the louvre for a clean appearance

Figure 4.1: Manual control buttons and remote control functions.

4.1 Manual Controls

- **Power Switch:** Turns the unit on or off.
- **Flame Effect Button:** Cycles through flame brightness settings.
- **Heater Button:** Activates the heater (750W/1500W settings).

4.2 Remote Control Functions

The remote control provides full functionality for the fireplace.

- **Power:** Turns the fireplace on or off.
- **Flame:** Adjusts flame brightness (5 levels).
- **Plus/Minus:** Adjusts temperature or timer settings.
- **Heater:** Toggles between 750W and 1500W heat settings.
- **Mood Light:** Controls the integrated mood lighting.
- **Countdown Timer:** Sets an automatic shut-off timer (up to 9 hours).
- **Weekly Timer:** Programs the fireplace to operate on a weekly schedule.
- **Crackling Sound:** Activates or deactivates the simulated wood burning sound.

HIGH QUALITY MANTEL

Mood Light

Classic American Design



Marble effect back panels

Cream White Paint

Figure 4.2: Firebox features including crackling sound, heater, and 8-inch log set.

LOW RUN COST

LED flame effect: 0.0065 kW/hour

QUIET FAN OPERATED FIRE

Low and high heater settings

Figure 4.3: Flame brightness settings and crackling sound feature.

5 FLAME BRIGHTNESS



Figure 4.4: LED flame effect and quiet fan operation for heating.

5. MAINTENANCE

5.1 Cleaning

Always unplug the fireplace before cleaning. Use a soft, damp cloth to clean the surfaces. Avoid abrasive cleaners or solvents. For the simulated marble finish, use extreme caution; some cleaning agents or even adhesive tapes may remove the paint or finish. Test any cleaning solution on an inconspicuous area first.

5.2 General Care

Regularly check the power cord for damage. Ensure air vents are clear of dust and debris to maintain proper airflow and heating efficiency.

6. TROUBLESHOOTING

- **Fireplace does not turn on:**
 - Ensure the power cord is securely plugged into a grounded outlet.
 - Check the circuit breaker.
 - Verify the power switch on the unit is in the "ON" position.
- **No heat output:**
 - Confirm the heater function is activated via manual control or remote.
 - Check for any obstructions in the heater vents.
- **Accent lighting cord too short:**
 - Some units may have a shorter accent lighting cord. If unable to connect, carefully re-route the cable or consider drilling a new exit hole if comfortable with modifications, ensuring not to damage other components. Contact support if unsure.
- **Flame effect not working:**

- Ensure the flame effect is activated.
- Check for any internal obstructions or damage.

7. SPECIFICATIONS

Feature	Detail
Brand	Legend Flame
Model Name	EF443B (Insert), MT443A-W (Mantel)
Power Source	Corded Electric
Product Dimensions (60" W)	60.2" W x 44.9" H x 9.6" D
Material	Marble, Wood
Finish Type	Painted (Cream White)
Heat Output	5100 BTU (750W/1500W)
Heating Coverage	Up to 400 square feet
Special Features	Flame Effect, Timer, Mood Light, Crackling Sound
Included Components	Log Set, Mantel, Remote Control
UPC	850026916553

8. WARRANTY INFORMATION

This LegendFlame Electric Fireplace comes with a Limited Warranty. Please refer to the warranty documentation included with your purchase for specific terms and conditions. Keep your proof of purchase for warranty claims.

9. CUSTOMER SUPPORT

For technical assistance, replacement parts, or any questions regarding your LegendFlame Electric Fireplace, please contact Legend Flame customer service. Contact information can typically be found on the manufacturer's website or on the packaging materials.

Note: Legend Flame is a USA - California based company.

ABOUT US


 **LegendFlame** is a USA - California based company and we are proud to bring your family together with warmth and happiness. Our customer service is always ready to help whenever needed.

Figure 9.1: Information about LegendFlame company.

