

Yaheetech YA-00120468

Yaheetech Double Metal Bed Instruction Manual

Model: YA-00120468 | Brand: Yaheetech

1. INTRODUCTION

Thank you for choosing the Yaheetech Double Metal Bed. This manual provides detailed instructions for the safe assembly, operation, and maintenance of your new bed frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

2. SAFETY INFORMATION

Important Safety Warnings:

- When assembling the metal bed, be aware of potential sharp edges or pinch points.
- The stability of the bed depends on correct assembly. Ensure all connections are secure.
- Do not exceed the maximum load capacity of **272 kg (600 lbs)**.
- Keep children away from the assembly area.
- Use only the provided hardware. Substituting parts may compromise safety.

3. COMPONENTS LIST

Before assembly, verify that all parts are present and undamaged. If any parts are missing or damaged, please contact customer support.

Part	Description	Quantity
Headboard	Decorative top section of the bed frame.	1
Footboard	Bottom section of the bed frame.	1
Side Rails	Long metal beams connecting headboard and footboard.	2
Support Legs	Vertical supports for the bed frame.	Multiple (e.g., 10)
Metal Slats	Horizontal bars supporting the mattress.	Multiple
Hardware Pack	Bolts, nuts, washers, Allen key.	1 set

4. ASSEMBLY INSTRUCTIONS

Estimated assembly time: 45-60 minutes. Two people recommended for easier assembly.

Step 1: Unpack and Identify Parts

Carefully unpack all components and lay them out on a clean, soft surface to prevent scratches. Identify each part using the components list.

Step 2: Assemble Headboard and Footboard

Attach the side rails to the headboard and footboard using the provided bolts and Allen key. Ensure all connections are finger-tight before fully tightening.



Figure 1: Fully assembled bed frame, showing headboard and footboard design.

Step 3: Install Support Legs

Attach the central support legs to the main frame. These legs provide additional stability and weight distribution.



Figure 2: Illustration of reinforced supports, highlighting the 10 robust legs for stability.

Step 4: Secure Metal Slats

Insert the metal slats into the designated slots on the side rails. Ensure each slat is firmly seated to provide proper mattress support. Some slats may require aligning the iron tube with the notch and pressing firmly to fix.




Figure 3: Detail showing how to align the iron tube with the notch and press to secure the slats.



Figure 4: L-plate fixation for enhanced stability of the bed frame.

Step 5: Final Tightening

Once all parts are in place, go back and fully tighten all bolts. Do not overtighten. Ensure the bed frame is stable and does not wobble.

5. OPERATING INSTRUCTIONS

This bed frame is designed to accommodate a standard 140x200cm mattress. Simply place your mattress on top of the assembled metal slats. The elevated headboard and footboard help keep the mattress securely in place.

• Max. weight capacity: **272kg**

Applicable Mattress Size:

140 x 200cm




Figure 5: Dimensional diagram of the bed frame, indicating compatibility with a 140x200cm mattress and a maximum weight capacity of 272kg.

The bed frame offers 32.5 cm of clearance underneath, providing additional storage space for items like shoes or suitcases.



Figure 6: View of the under-bed storage space, demonstrating its utility for storing boxes or other items.

6. MAINTENANCE

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the powder-coated finish.
- **Regular Inspection:** Periodically check all bolts and connections to ensure they remain tight. Retighten if necessary to maintain stability and prevent squeaking.
- **Protection Pads:** The bed frame is equipped with anti-slip protection pads on the bottom of the legs to protect your floor from scratches and reduce potential sliding. Ensure these pads are intact.



Figure 7: Detail of the anti-slip protection pads located at the base of the bed legs.

7. TROUBLESHOOTING

- **Bed Squeaks:** If the bed squeaks, check all bolts and connections. Tighten any loose fasteners. Ensure the mattress is properly seated on the slats.
- **Instability/Wobbling:** Verify that all support legs are firmly on the ground and that all connections are fully tightened. Ensure the bed is on a flat, level surface.
- **Mattress Sliding:** The elevated headboard and footboard are designed to prevent mattress sliding. If your mattress still slides, consider using a non-slip mattress pad between the mattress and the slats.

8. SPECIFICATIONS

Feature	Detail
---------	--------

Feature	Detail
Brand	Yaheetech
Model Number	YA-00120468
Color	White
Overall Dimensions (L x W x H)	208 x 146.5 x 88.5 cm (81.9 x 57.7 x 34.8 inches)
Maximum Weight Capacity	272 Kilograms (600 lbs)
Item Weight	21 Kilograms (46.3 lbs)
Special Features	Squeak-resistant, Fade-resistant
Compatible Mattress Size	140x200cm (Double)
Under-bed Clearance	32.5 cm (12.8 inches)
Finish Type	Powder Coating (Matte)
Assembly Required	Yes

9. WARRANTY AND SUPPORT

For warranty information or customer support, please refer to the documentation included with your purchase or contact Yaheetech directly through their official website or the retailer where the product was purchased.

Contact Information:

- Visit the Yaheetech Brand Store: [Yaheetech Store on Amazon](#)
- Refer to your purchase receipt for specific seller contact details.