

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [ALPHA BIDET](#) /
- › [ALPHA BIDET JX2 Round Bidet Toilet Seat Instruction Manual](#)

ALPHA BIDET JX2-RB

ALPHA BIDET JX2 Round Bidet Toilet Seat Instruction Manual

Model: JX2-RB

1. PRODUCT OVERVIEW

The ALPHA BIDET JX2 Round Bidet Toilet Seat offers advanced hygiene features designed for comfort and convenience. Key features include tankless endless warm water, a new bowl mist function, an LED night light, quiet operation, a wireless remote control, a durable stainless steel nozzle, and a sittable lid.



Image 1.1: The ALPHA BIDET JX2 Round Bidet Toilet Seat and its wireless remote control.



Image 1.2: The ALPHA BIDET JX2 installed, showcasing its modern design and LED night light.

2. SETUP AND INSTALLATION

Installation of the ALPHA BIDET JX2 is designed to be straightforward. The unit comes with all necessary components for a standard installation, including a 7/8" T-valve, mounting kit, remote control, and supply hose. Most connections can be secured by hand, minimizing the need for additional tools.

2.1 Included Components

- ALPHA BIDET JX2 Toilet Seat
- Wireless Remote Control
- Remote Control Holder
- 7/8" T-Valve
- Supply Hose
- Mounting Kit (Fastening Bolts, Rubber Grommets, Washers, Fastening Nuts, Brackets)
- Batteries (for remote control)




Image 2.1: Diagram illustrating the various components included for installation.

2.2 Installation Steps (Summary)

1. Remove existing toilet seat.
2. Install the mounting plate onto the toilet bowl.
3. Connect the T-valve to the toilet's water supply line.
4. Attach the bidet's supply hose to the T-valve and the bidet unit.
5. Slide the bidet seat onto the mounting plate until it clicks into place.
6. Plug the bidet unit into a grounded electrical outlet.
7. Insert batteries into the wireless remote control.

For a visual guide on installation, please refer to the official product video below.

Video 2.2: Official product video demonstrating the installation process of the Alpha JX bidet seat.

3. OPERATING INSTRUCTIONS

The ALPHA BIDET JX2 is operated using its intuitive wireless remote control. The remote allows for personalized settings to enhance your hygiene experience.

3.1 Remote Control Functions

- **Rear Wash:** Activates the posterior cleansing function.
- **Front Wash:** Activates the feminine cleansing function.
- **Dry:** Initiates the warm air drying cycle.
- **Nozzle Position:** Adjusts the nozzle's forward or backward position for optimal cleansing.
- **Water Temperature:** Controls the temperature of the wash water (tankless for endless warm water).
- **Seat Temperature:** Adjusts the heated seat temperature for comfort.
- **Water Pressure:** Modifies the intensity of the water spray.
- **Wash & Dry:** Combines a wash cycle followed by a drying cycle.
- **Easy Wash:** A pre-set, simplified wash cycle.
- **Stop:** Halts any active bidet function.



Image 3.1: The self-cleaning stainless steel nozzle, providing precise and hygienic cleansing.

3.2 Special Features

- **Endless Warm Water:** The tankless heating system provides a continuous supply of warm water

without temperature fluctuations.

- **Bowl Mist:** A pre-use mist function helps to keep the toilet bowl clean.
- **LED Night Light:** An integrated LED light illuminates the toilet bowl, providing soft guidance in the dark.
- **Sittable Lid:** The durable lid is designed to be strong enough to sit on, offering additional convenience.



Image 3.2: Visual representation of the bowl mist feature in action.



Image 3.3: The LED night light feature, providing subtle illumination.

4. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and optimal performance of your ALPHA BIDET JX2. The stainless steel nozzle is self-cleaning, extending and rinsing itself before and after each use.

4.1 Cleaning the Unit

- Unplug the unit from the power outlet before cleaning.
- Use a soft, damp cloth and a mild, non-abrasive cleaner to wipe down the exterior surfaces.
- Avoid using harsh chemicals or abrasive materials that could damage the finish.
- For nozzle cleaning, refer to the remote control functions for manual extension if needed.

5. TROUBLESHOOTING

If you encounter any issues with your ALPHA BIDET JX2, please review the following general advice. For specific problems not listed, contact customer support.

5.1 Common Issues

- **No Power:** Ensure the unit is properly plugged into a grounded outlet and the circuit breaker has not tripped.
- **No Water Spray:** Check that the water supply valve is fully open and the supply hose is not kinked.
- **Water Temperature Issues:** Verify the water temperature setting on the remote control. Allow a moment for the tankless heater to adjust.
- **Remote Control Not Responding:** Check and replace the batteries in the remote control if necessary. Ensure there are no obstructions between the remote and the bidet unit.

6. SPECIFICATIONS

Feature	Detail
Brand	ALPHA BIDET
Model Number	JX2-RB
Shape	Round
Color	Beige
Material	Plastic
Product Dimensions	19.2"L x 15"W
Item Weight	13.84 pounds
Included Components	7/8" T-valve, Mounting Kit, Remote Control, Supply Hose
Batteries Required	Yes (Alkaline)
UPC	674276881627

7. WARRANTY AND SUPPORT

The ALPHA BIDET JX2 Round Bidet Toilet Seat comes with a **3-year warranty**. For warranty claims, technical support, or any product-related inquiries, please contact ALPHA BIDET customer service through their official channels.