

LEIVI B012-01

LEIVI B012-01 Electric Bidet Toilet Seat User Manual

Model: B012-01 | Brand: LEIVI

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your LEIVI B012-01 Electric Bidet Toilet Seat. Please read this manual thoroughly before installation and use to ensure proper function and safety.



Figure 1: LEIVI B012-01 Electric Bidet Toilet Seat with wireless remote control.

2. PRODUCT FEATURES

The LEIVI B012-01 Electric Bidet Toilet Seat offers a range of features designed for enhanced hygiene and comfort:

- **Adjustable Instant Warm Water Wash:** Provides immediate warm water for cleansing.
- **Warm Air Dry:** Offers adjustable warm air for drying after use.
- **Multiple Spray Modes:** Includes strong wash, soft wash, front wash (feminine), rear wash, pulsing, and oscillating spray options.
- **Dual Nozzle System:** Separate nozzles for front and rear cleansing.
- **Ergonomic Heated Seat:** Adjustable seat temperature for comfort.

- **Wireless Remote Control & Side Panel:** Convenient control options for all functions.
- **Auto LED Nightlight:** Illuminates the toilet bowl for nighttime use.
- **Activated Carbon Filter:** Helps neutralize odors.
- **Self-Cleaning Nozzle:** Nozzle cleans itself automatically before and after each use.
- **Soft-Close Lid and Seat:** Prevents slamming.
- **Quick Release:** Allows for easy removal of the seat for cleaning.



Figure 2: Overview of key features including heated seat, warm air dry, instant warm water, and various wash modes.

Fast & Easy Installation

1. Remove your current seat.
2. Install the bidet seat base plate.
3. Slide the bidet seat onto the base plate.
4. Connect the T adapter to fill valve inlet.
5. Connect the filter, bidet seat hose and the water supply hose.

Tips: Before installation, please turn off the water supply valve and empty the toilet tank by flushing the toilet.



Figure 3: Self-cleaning wand and detachable nozzle for easy maintenance.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- LEIVI Electric Bidet Seat (Round, Silver)
- Wireless Remote Control with Magnetic Wall Mount
- Installation Accessories (T-adapter, water supply hoses, mounting hardware, bidet filter)
- User Manual



Figure 4: Durable Stainless Steel T-Adapter included for water connection.




Figure 5: Flexible Stainless Steel Braided Hose for secure water connection.



Figure 6: Premium Bidet Filter to ensure clean water supply.

4. SETUP AND INSTALLATION

Before installation, ensure you have a standard round toilet and a nearby electrical outlet (120 Volts). Turn off the water supply valve and empty the toilet tank by flushing.

1. **Remove Your Current Seat:** Unscrew and remove the existing toilet seat and lid.
2. **Install the Bidet Seat Base Plate:** Place the mounting brackets over the toilet bowl holes and secure them with the provided screws.
3. **Slide the Bidet Seat onto the Base Plate:** Align the bidet seat with the base plate and slide it forward until it clicks into place.
4. **Connect the T-Adapter:** Disconnect the existing water supply hose from the toilet tank. Install the T-adapter to the toilet tank's fill valve inlet.
5. **Connect Hoses:** Connect one end of the bidet hose to the T-adapter and the other end to the bidet seat's water inlet. Connect the original toilet supply hose to the remaining port on the T-adapter. Install the bidet filter in-line if desired.
6. **Restore Water Supply & Check for Leaks:** Slowly turn on the water supply valve and check all connections for leaks.
7. **Plug In the Bidet:** Plug the bidet's power cord into a grounded 120V electrical outlet.

FAST & EASY INSTALLATION

1. Remove your current seat.

2. Install the bidet seat base plate.

3. Slide the bidet seat onto the base plate. A quick release button allows for easy removal.

4. Connect the T adapter to fill valve inlet.

5. Connect the filter, bidet seat hose and the water supply hose.

Tips: Before installation, please turn off the water supply valve and empty the toilet tank by flushing the toilet.

Figure 7: Visual guide for the installation process.

PLEASE CONFIRM YOUR TOILET SIZE BEFORE PLACING ORDER!

ELONGATED



Fits

ROUND



May Not Fit



Outlet Required

Figure 8: Important toilet size confirmation and electrical outlet requirement.

Your browser does not support the video tag.

Video 1: Official LEIVI Electric Bidet Toilet Seat overview and installation guide.

5. OPERATING INSTRUCTIONS


The bidet can be operated using the wireless remote control or the side panel. Note: Wash functions will only activate when the seat sensor detects a user.

5.1 Wireless Remote Control

The wireless remote allows for comprehensive control of all bidet functions. It can be wall-mounted or used handheld.

LED BACKLIGHT DESIGN REMOTE CONTROL

Easy and Convenient to Use at Night



NOTE: The wash functions will not work unless the sensor in the seat detects someone sitting down (with the built-in skin conductivity sensor).

Figure 9: Wireless remote control layout and functions.

- **STOP**: Stops all current operations.
- **MASSAGE**: Activates a pulsating water spray.
- **SWING**: Moves the nozzle back and forth for wider cleaning.
- **REAR**: Activates the rear wash.
- **BIDET**: Activates the feminine wash.
- **TEMP (+/-)**: Adjusts water and air temperature.
- **DRY**: Activates the warm air dryer.
- **POSITION (Up/Down)**: Adjusts the nozzle position.
- **FLOW (+/-)**: Adjusts water pressure.
- **SEAT (+/-)**: Adjusts heated seat temperature.

5.2 Side Panel Control

The side panel provides quick access to essential functions.



Figure 10: Side panel controls for basic functions.

- **Rear Wash Button:** Activates rear cleansing.
- **Front Wash Button:** Activates feminine cleansing.
- **Warm Air Dry Button:** Activates the warm air dryer.
- **Adjuster:** Push the side control to adjust water pressure, air dry temperature, and nozzle position.

6. MAINTENANCE

Regular cleaning and maintenance ensure optimal performance and hygiene.

6.1 Cleaning the Bidet Seat

- Use a soft, damp cloth and mild, non-abrasive cleaner.
- Do not use harsh chemicals, bleach, or abrasive pads.
- For thorough cleaning, use the quick-release button to detach the seat from the toilet.

6.2 Nozzle Cleaning

- The nozzle performs an automatic self-cleaning cycle before and after each use.
- For manual cleaning, gently pull out the nozzle and wipe it with a soft cloth and mild cleaner.

6.3 Filter Replacement

- The bidet filter should be replaced periodically, typically every 3-6 months, depending on water quality and usage.
- Refer to the filter's specific instructions for replacement procedures.

7. TROUBLESHOOTING

If you encounter issues, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No water spray	Water supply valve closed; Seat sensor not activated; Nozzle clogged.	Open water supply valve; Ensure user is seated; Clean nozzle.
Water temperature too cold/hot	Temperature setting incorrect.	Adjust water temperature using remote/side panel.
Heated seat not working	Seat temperature setting too low; Power issue.	Adjust seat temperature; Check power connection.
Air dryer not working	Air dry setting incorrect; Air vent blocked.	Adjust air dry temperature; Clear any obstructions from air vent.
Remote control not responding	Batteries low/dead; Remote out of range.	Replace batteries; Move closer to the bidet seat.

8. SPECIFICATIONS

Feature	Specification
Brand	LEIVI
Model Number	B012-01
Color	Silver
Material	Polypropylene (PP)
Shape	Round
Product Dimensions	19.29"L x 15.03"W (490mm L x 382mm W)
Item Weight	12.72 pounds
Voltage	120 Volts

Feature	Specification
UPC	768477468159
Water Temperature	Adjustable, Instant Warm Water (5 levels: 86°F to 100.4°F)
Seat Temperature	Adjustable (4 levels: Room Temp to 98.6°F)
Air Dry Temperature	Adjustable (6 levels: Room Temp to 122°F)
Waterproof Rating	IPX4




Figure 11: Dimensions of the LEIVI B012-01 Round Bidet Seat.






9. WARRANTY

LEIVI warrants its Bidets to be free from defects in materials and workmanship during normal use when properly installed and serviced for a period of **three (3) years** from the date of purchase for all customers.

10. SUPPORT

For further assistance, technical support, or warranty claims, please contact LEIVI customer service through the retailer where the product was purchased or visit the official LEIVI website.

Related Documents - B012-01

	<p>T162A Smart Toilet Troubleshooting Guide LEIVI</p> <p>Troubleshooting guide for the LEIVI T162A Smart Toilet, covering common issues like product not working, water pressure, deodorization, and remote control problems.</p>
	<p>LEIVI D008 Series Heated Seat Instruction Manual</p> <p>Comprehensive instruction manual for the LEIVI D008 Series Heated Seat, detailing safety precautions, component identification, technical specifications, installation guides, maintenance procedures, troubleshooting tips, and warranty information.</p>
	<p>LEIVI T181 Series Smart Toilet Instruction Manual</p> <p>Comprehensive instruction manual for the LEIVI T181 Series Smart Toilet, covering installation, operation, maintenance, and troubleshooting.</p>
	<p>TOTO SW3946 WASHLET KS6 ELONGATED: Features, Specifications, and Standards</p> <p>Explore the TOTO SW3946 WASHLET KS6 ELONGATED electronic bidet seat. This document details its advanced features, comprehensive specifications, installation guidelines, and compliance standards, offering a complete overview for potential users and installers.</p>
	<p>JIMBBOOM Smart Toilet Installation Manual & Product Guide</p> <p>Comprehensive installation guide and product manual for the JIMBBOOM Smart Toilet (Model 460093US-01-25A-SE), covering safety instructions, setup, operation, maintenance, troubleshooting, and warranty information.</p>