



[Manuals.plus](#) /

> [Sekey](#) /

> Sekey 220L Foldable Wagon FW39-1 Instruction Manual

Sekey FW39-1

Sekey 220L Foldable Wagon FW39-1 Instruction Manual

Model: FW39-1 | Brand: Sekey

1. INTRODUCTION

Thank you for choosing the Sekey 220L Foldable Wagon FW39-1. This heavy-duty, collapsible wagon is designed for convenient transport of various items across different terrains. Its large capacity, robust construction, and easy maneuverability make it ideal for outdoor activities, gardening, shopping, and sports. This manual provides essential information for the safe and effective use, setup, and maintenance of your wagon.

2. SAFETY INFORMATION

- **Weight Capacity:** Do not exceed the maximum weight capacity of 330 pounds (150 kg). Overloading can cause damage to the wagon and potential injury.
- **Children and Pets:** This wagon is not designed as a child or pet carrier. If children or pets are transported, ensure constant supervision and take all necessary safety precautions.
- **Terrain:** While designed for all-terrain use, exercise caution on uneven, steep, or slippery surfaces. Always maintain a firm grip on the handle.
- **Brakes:** Engage the wheel brakes when the wagon is stationary, especially on inclines, to prevent unintended movement.
- **Folding/Unfolding:** Keep hands and fingers clear of moving parts during folding and unfolding to prevent pinching.
- **Maintenance:** Regularly inspect the wagon for any signs of wear, damage, or loose parts before each use. Do not use if damaged.

3. PACKAGE CONTENTS

Your Sekey 220L Foldable Wagon package includes:

- 1 x Sekey 220L Foldable Wagon (pre-assembled)
- 1 x Removable Bottom Board
- 2 x Mesh Cup Holders (integrated or attached)

4. SETUP INSTRUCTIONS

The Sekey 220L Foldable Wagon requires no assembly and can be set up in seconds.

1. **Unfolding the Wagon:** Place the folded wagon on a flat, stable surface. Gently pull the sides of the wagon outwards until it fully expands.
2. **Inserting the Bottom Board:** Once the wagon is expanded, place the removable bottom board firmly into the base of the wagon. This provides a stable and flat surface for your items.
3. **Adjusting the Handle:** The handle is adjustable. Pull it upwards to extend it to a comfortable height. The patented frame and adjustable handle ensure the cart aligns with your movements.
4. **Checking Brakes:** Ensure the wheel brakes are disengaged before moving the wagon.




Image: Unfolding the wagon and placing the bottom board.

5. OPERATING INSTRUCTIONS

5.1 Loading the Wagon

- Distribute weight evenly inside the wagon to maintain stability.
- Do not exceed the maximum load capacity of 330 pounds (150 kg).
- Utilize the two mesh cup holders for beverages, ensuring they are securely placed.

5.2 Moving the Wagon

- **Handle:** Hold the adjustable handle firmly. The anti-drop lock design helps keep the handle upright when not in use.
- **Wheels:** The 8-inch diameter, 4-inch wide tread all-terrain wheels are designed for various surfaces including sand, grass, road, and rough terrain. The anti-slip rubber strip enhances traction and reduces vibrations.
- **Maneuverability:** The 360° swivel wheels allow for incredible maneuverability, making tight turns effortless.




Image: Demonstrating the wagon's effortless turning capability.

5.3 Engaging Brakes

- The wagon is equipped with built-in brakes on two wheels.
- To engage the brakes, press down on the brake levers located on the wheels.
- To disengage, lift the brake levers upwards.




Image: Detail of the all-terrain wheel with brake mechanism.

5.4 Folding the Wagon for Storage

To fold the wagon for compact storage:

1. Empty all contents from the wagon.
2. Remove the bottom board.
3. Locate the pull tab in the center of the wagon's floor. Pull upwards on this tab to collapse the wagon inwards.
4. Secure the folded wagon with any integrated straps or clips to keep it compact.



Image: The wagon folded into a compact size for storage.

6. MAINTENANCE

- **Cleaning:** The wagon's fabric (Oxford Fabric, Polyvinyl Chloride) can be spot cleaned with mild soap and water. Allow to air dry completely before folding and storing. Do not machine wash.
- **Wheels:** Periodically check the wheels for debris, wear, or damage. Clean any dirt or sand from the wheel mechanisms to ensure smooth operation.
- **Frame:** Inspect the carbon steel frame for any signs of rust or damage. Wipe down with a dry cloth if wet.
- **Storage:** Store the wagon in a dry, cool place away from direct sunlight when not in use to prolong its lifespan.

7. TROUBLESHOOTING

- **Wagon difficult to fold/unfold:** Ensure the bottom board is removed before folding. Check for any obstructions in the folding mechanism. Apply gentle, even pressure.
- **Wheels not turning smoothly:** Inspect wheels for trapped debris (sand, dirt, small stones). Clean the wheel axles and ensure brakes are fully disengaged.
- **Wagon unstable when loaded:** Ensure weight is distributed evenly. Do not exceed the maximum weight capacity. Verify the bottom board is correctly seated.
- **Difficulty pulling on sand:** While designed for all-terrain, very soft, deep sand may require more effort. Consider pulling the wagon rather than pushing in such conditions.

8. SPECIFICATIONS

Model Number	FW39-1
Brand	Sekey
Product Dimensions (Expanded)	36.22" L x 22.44" W x 38.19" H
Material	Oxford Fabric, Polyvinyl Chloride (PVC)
Frame Material	Carbon Steel
Handle Material	Metal

Weight Capacity	330 Pounds (150 kg)
Item Weight	24.5 Pounds (11.1 kg)
Number of Wheels	4
Tire Type	Solid, All-Terrain (8" diameter, 4" wide tread)
Special Features	Big Capacity, Brakes, Maneuverability, Sand Friendly, Anti-Drop Handle

9. WARRANTY AND SUPPORT

Specific warranty information for the Sekey 220L Foldable Wagon FW39-1 is not provided in this manual. For details regarding warranty coverage, claims, or technical support, please contact Sekey customer service directly through their official website or the retailer where the product was purchased. Please retain your proof of purchase for any warranty inquiries.