

[Manuals.plus](#) /

› [XPOtool](#) /

› XPOtool Car Cover Size L (Model 63431) Instruction Manual

XPOtool 63431

XPOtool Car Cover Size L (Model 63431) Instruction Manual

Model: 63431

[Introduction](#) [Safety Instructions](#) [Setup](#) [Operating](#)
[Instructions](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#)

1. INTRODUCTION

This manual provides instructions for the proper use and care of your XPOtool Car Cover, Model 63431. This car cover is designed to protect your vehicle from various environmental elements such as rain, snow, hail, dust, and UV radiation. Please read these instructions carefully before first use to ensure optimal protection and longevity of the product.



Image 1.1: The XPOtool car cover provides comprehensive protection against various weather conditions and external damage.

2. SAFETY INSTRUCTIONS

- Ensure the car is clean and dry before applying the cover to prevent scratches and mildew.
- Do not apply the cover to a hot vehicle, especially after driving, as this can trap heat and damage the paintwork. Allow the vehicle to cool down completely.
- In strong winds, secure the cover properly using the elastic hem and adjustable straps to prevent it from blowing off and potentially causing damage to the vehicle or surroundings.
- Keep the cover away from open flames or extreme heat sources.
- Periodically check the cover for any damage or wear that might compromise its protective capabilities.
- The reflective triangles are designed to improve visibility in low light conditions. Ensure they are visible when the cover

is applied.

3. SETUP

3.1 Unpacking

Carefully remove the car cover from its packaging. Unfold the cover and identify the front and rear sections. The cover is designed to fit vehicles with dimensions of approximately 482 x 178 x 119 cm (Length x Width x Height).

Afmetingen



Image 3.1: Product dimensions and storage bag size.

3.2 Vehicle Preparation

Before applying the cover, ensure your vehicle is:

- **Clean:** Free from dirt, dust, and debris to prevent scratching the paintwork.
- **Dry:** Completely dry to avoid moisture being trapped, which can lead to mildew or paint damage.
- **Cool:** The engine and exhaust system should be cool to the touch.

4. OPERATING INSTRUCTIONS

4.1 Applying the Car Cover

1. Position the cover over the front of the vehicle, ensuring the front reflective triangle aligns with the front of the car.
2. Gently pull the cover over the entire vehicle, working from front to back.
3. Ensure the elastic hem fits snugly around the bottom edges of the vehicle.
4. Locate the adjustable straps with click closures. Pass these straps under the vehicle and connect them, then tighten them to secure the cover, especially in windy conditions.
5. Verify that the two reflective triangles (front and rear) are visible for enhanced safety.

Veiligheidskenmerken

Verbeterde zichtbaarheid in het donker



Image 4.1: Reflective triangles enhance visibility in low light.

4.2 Removing the Car Cover

1. Unfasten the adjustable straps.
2. Carefully fold the cover from back to front, or from both sides towards the center, to avoid dragging it on the ground and picking up dirt.
3. Store the folded cover in its provided storage bag in a clean, dry place.

4.3 Key Features

- **Multi-Layer Protection:** The cover features multiple layers including 150D Oxford fabric (water-repellent), non-woven fabric, polyester (100 g/m²), and 4mm EVA foam for comprehensive protection.
- **Hail Protection:** The integrated foam layer provides extra protection against hail, especially for the hood, windshield, and roof.
- **Ventilation:** Two ventilation openings prevent moisture buildup and allow air circulation.

- **Secure Fit:** An elastic hem and adjustable straps with click closures ensure a snug and secure fit.
- **Visibility:** Reflective triangles at the front and rear improve visibility in dark conditions.

Meerdere beschermlagen





Image 4.2: The multi-layer construction provides enhanced protection.


Kenmerken



Oranje strepen



Ventilatieopening



Zeer elastische zoom



Verstelbare riem

Image 4.3: Detailed view of the car cover's functional features.

5. MAINTENANCE

- **Cleaning:** If the cover becomes dirty, clean it with a soft brush or sponge and mild soap solution. Rinse thoroughly with water and allow it to air dry completely before folding and storing. Do not machine wash or tumble dry.
- **Storage:** When not in use, store the cover in its original bag in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Inspection:** Regularly inspect the cover for any tears, holes, or signs of wear. Minor damage can often be repaired with appropriate fabric repair kits to extend the cover's lifespan.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Cover does not fit properly.	Incorrect size or improper application.	Ensure you have the correct size L cover for your vehicle (482 x 178 x 119 cm). Re-apply the cover, ensuring it is centered and the elastic hem is fully engaged.
Cover blows off in wind.	Straps not secured or not tightened enough.	Ensure all adjustable straps are fastened and tightened securely under the vehicle.
Moisture under the cover.	Vehicle was wet when covered, or ventilation is obstructed.	Ensure the vehicle is completely dry before applying the cover. Check that ventilation openings are not blocked.
Scratches on paintwork.	Vehicle was dirty when covered, or cover is dirty inside.	Always ensure the vehicle and the inside of the cover are clean before application.

7. SPECIFICATIONS

Feature	Detail
Model Number	63431
Brand	XPOtool
Dimensions (L x W x H)	482 x 178 x 119 cm
Weight	3.34 kg
Material	150D Oxford fabric, Non-woven fabric, Polyester (100 g/m²), 4mm EVA foam
Color	Grey
Water Resistance	Water-repellent outer fabric
Special Features	Hail protection foam layer, 2 ventilation holes, 2 reflective triangles, elastic hem, adjustable straps with click closure.

Verkrijgbaar in verschillende maten

Middelgrote auto's



Maat: S
400 x 160 x 114 cm

Maat: M
406 x 160 x 114 cm

Maat: L
477 x 173 x 114 cm

Maat: XL
528 x 175 x 114 cm

Maat: XXL
567 x 198 x 114 cm

Grote auto's



Maat: S
430 x 165 x 145 cm

Maat: M
460 x 175 x 145 cm

Maat: L
490 x 185 x 145 cm

Maat: XL
520 x 185 x 145 cm

Image 7.1: Reference size chart for various car types.



Image 7.2: All-round protection capabilities of the car cover.

© 2023 XPOtool. All rights reserved.

For further assistance, please contact XPOtool customer support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question