Sytong XS03LRF-19mm

Sytong XS03LRF Thermal Monocular User Manual

Model: XS03LRF-19mm
Brand: Sytong

1. Introduction

This manual provides detailed instructions for the safe and effective operation of your Sytong XS03LRF Thermal Monocular with Rangefinder. Please read this manual thoroughly before using the device to ensure proper function and to prevent damage.
The Sytong XS03LRF is a handheld thermal imaging monocular equipped with a rangefinder, designed for portability and ease of use in various outdoor applications, including hunting and observation.

2. Safety Information

- Do not point the device directly at strong light sources (e.g., the sun) as this may damage the sensor.
- Keep the device away from extreme temperatures, high humidity, and corrosive substances.
- Do not attempt to disassemble or modify the device. Repairs should only be performed by authorized service personnel.
- Use only the specified charging accessories.
- Keep out of reach of children.
- Dispose of the device and its components responsibly according to local regulations.

3. Package Contents

Please check the package contents upon unboxing. If any items are missing or damaged, contact Sytong support immediately.

- Sytong XS03LRF Thermal Monocular
- USB Charging Cable
- Wrist Strap

- User Manual
- Protective Pouch (may vary by package)

4. Product Features

- **Integrated Rangefinder:** Handheld thermal imaging with an integrated rangefinder for precise distance measurements.
- **Compact Design:** Small design and comfortable hand strap for easy portability during outdoor activities.
- **High-Resolution Sensor:** Super Sensor with 384×288 resolution and high sensitivity detector for clear thermal images.
- **OLED Display:** 1024x768 resolution OLED display for crisp viewing.
- **Multiple Color Palettes:** Provides 5 options including Black Hot, White Hot, Defog, Red Hot, and Fusion.
- **Recording Capabilities:** Supports video recording and still picture capture.
- **Wi-Fi Connectivity:** Built-in Wi-Fi for connectivity and data transfer.

5. Setup

5.1 Charging the Device

Before first use, fully charge the device. Connect the USB charging cable to the device's charging port and plug the other end into a compatible USB power adapter (not included) or a computer USB port. The charging indicator will show the charging status.

5.2 Attaching the Wrist Strap

Attach the provided wrist strap to the designated loop on the monocular. This helps prevent accidental drops during use.



Image: Sytong XS03LRF Thermal Monocular showing the attached wrist strap and control buttons. This view highlights the ergonomic design and the location of the power and navigation buttons.

6. Operating Instructions

6.1 Powering On/Off

To power on the device, press and hold the power button (usually marked with a power symbol) for a few seconds until the display illuminates. To power off, press and hold the power button again until the device shuts down.



Image: Front view of the Sytong XS03LRF Thermal Monocular, showcasing the objective lens and the overall compact form factor. This image provides a clear view of the device's primary optical components.

6.2 Basic Operation

- **Focus Adjustment:** Rotate the objective lens or eyepiece to achieve a clear image.
- **Menu Navigation:** Use the navigation buttons (up/down arrows, M button) to browse through menu options.
- **Color Palettes:** Access the menu to select from available color palettes (Black Hot, White Hot, Defog, Red Hot, Fusion) to suit different observation conditions.
- **Rangefinding:** Activate the rangefinder function via the menu or a dedicated button (if available) to measure distances to targets. Follow on-screen prompts for accurate measurement.
- **Recording:** Press the record button to start/stop video recording or the capture button to take a still image.
- **Wi-Fi:** Enable Wi-Fi in the settings to connect to a smartphone or tablet for live view, remote control, and file transfer using the dedicated Sytong app.



Image: Side view of the Sytong XS03LRF Thermal Monocular, highlighting the textured grip area and the overall robust construction. This angle provides a good perspective on the device's ergonomic design.

7. Maintenance

7.1 Cleaning

- Use a soft, lint-free cloth to clean the device's body.
- For lenses, use a specialized lens cleaning cloth and lens cleaning solution. Avoid abrasive materials.
- Do not use strong detergents or solvents.

7.2 Storage

When not in use, store the monocular in its protective pouch or case in a cool, dry place, away from direct sunlight and extreme temperatures. Ensure the device is fully charged before long-term storage to preserve battery life.

8. Troubleshooting

Problem	Possible Cause	Solution
Device does not power on.	Low battery; device malfunction.	Charge the device fully. If problem persists, contact support.
Image is blurry.	Improper focus; dirty lens.	Adjust the focus ring. Clean the lens with a suitable cloth.
Wi-Fi connection issues.	Wi-Fi not enabled; app issues; interference.	Ensure Wi-Fi is enabled on the device and your smartphone. Restart both devices. Check for app updates.
Rangefinder not working.	Obstruction; out of range; sensor issue.	Ensure clear line of sight. Verify target is within specified range. Contact support if problem persists.

9. Specifications

Feature	Detail
Brand	Sytong
Model	XS03LRF-19mm
Sensor Resolution	384×288
Display Resolution	1024×768 OLED
Color Palettes	Black Hot, White Hot, Defog, Red Hot, Fusion
Recording	Video and Picture
Connectivity	Wi-Fi
First Available Date	March 8, 2023

10. Warranty and Support

Sytong provides customer support for its products. If you have any questions about the Sytong XS03LRF Thermal Monocular, require technical assistance, or need to inquire about warranty services, please contact Sytong directly. For support, refer to the contact information provided with your product packaging or visit the official Sytong website. The manufacturer aims to reply to inquiries within 24 hours.

Note: Warranty terms and conditions may vary by region. Please retain your proof of purchase for warranty claims.

© 2023 Sytong. All rights reserved.
This manual is subject to change without notice.