

[Manuals.plus](#) /

› [Septpenta](#) /

› Septpenta 2-Handle Bathroom Sink Faucet User Manual

Septpenta Septpentaqhw365vgs8-11

Septpenta 2-Handle Bathroom Sink Faucet User Manual

Model: Septpentaqhw365vgs8-11 | Brand: Septpenta

INTRODUCTION

Thank you for choosing the Septpenta 2-Handle Bathroom Sink Faucet. This manual provides comprehensive instructions for the installation, operation, and maintenance of your new faucet. Please read this manual thoroughly before installation and keep it for future reference to ensure safe and efficient use of the product.



Image: The Septenta 2-Handle Bathroom Sink Faucet, showcasing its elegant gold finish and three-piece design.

SAFETY INFORMATION

Please observe the following safety precautions to prevent injury or damage to the product:

- Always turn off the main water supply before beginning any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Ensure all connections are secure and leak-free before restoring water supply.
- Do not overtighten connections, as this may damage the components.
- If you are unsure about any part of the installation process, consult a qualified plumber.

PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation:

- 1 x Faucet Mixer (Main Spout)
- 2 x Handles (Hot and Cold)
- 1 x Diverter Head (if applicable, for specific models)
- 1 x Gasket/Seal Kit
- 2 x Long Water Supply Hoses
- 2 x Short Water Supply Hoses
- 1 x User Manual



Image: A complete view of all faucet components, including the main spout, two handles, connecting hoses, and small parts.

SPECIFICATIONS

Feature	Description
Brand	Septpenta
Model Number	Septpentaqhw365vgs8-11
Color	Gold

Feature	Description
Material	Copper
Features	Water-resistant
Item Weight	1.69 Kilograms
Recommended Use	Bathroom
Mounting Type	Deck Mount
Finish Type	Brass
Number of Handles	2
Number of Holes	3




Image: Detailed dimensions of the faucet spout and handles, showing height and width measurements in centimeters and inches.

SETUP AND INSTALLATION

Follow these steps for proper installation of your faucet:

- 1. Prepare the Installation Area:** Ensure the sink or countertop has three pre-drilled holes for the faucet and handles. Clean the area thoroughly.
- 2. Install the Faucet Spout:** Insert the main faucet body into the center hole of the sink/countertop. Secure it from underneath

with the provided washer and mounting nut. Ensure the gasket is properly seated to prevent leaks.



Image: A close-up view of the threaded base of the main faucet spout, showing the hexagonal nut and rubber gasket for secure installation.

3. **Install the Handles:** Insert the hot and cold handles into the remaining two holes. Secure them from underneath using their respective washers and mounting nuts.
4. **Connect Water Supply Lines:** Attach the flexible water supply hoses to the hot and cold water inlets on the handles. Ensure a tight connection.



Image: A detailed view of the braided flexible water supply hoses with their connection nuts, designed for durability and easy installation.

5. **Connect Handles to Faucet Spout:** Use the provided short hoses to connect the hot and cold outlets from the handles to the corresponding inlets on the main faucet spout. Refer to the installation schematic for correct routing.



Image: A diagram illustrating the complete plumbing connection for the 3-hole faucet, showing the hot and cold water lines connecting to the handles and then to the main spout.

6. **Test for Leaks:** Once all connections are secure, slowly turn on the main water supply. Check all connections for any signs of leakage. Tighten any leaking connections gently.

OPERATION

Your Septenta faucet is designed for precise control and ease of use:

- **Water Flow Control:** Turn the handles to control the water flow. The left handle typically controls hot water, and the right handle controls cold water.



Image: A visual representation showing the independent control of hot and cold water using the two separate handles of the faucet.

- **Temperature Adjustment:** Mix hot and cold water by adjusting both handles simultaneously to achieve your desired water temperature.
- **Swivel Spout:** The faucet spout features a 360-degree rotation, providing greater convenience and flexibility for various sink tasks.



Image: The faucet spout shown with an arrow indicating its 360-degree free rotation capability, enhancing usability.

- **Smooth Water Discharge:** The faucet is designed for rapid water discharge without splashing, ensuring efficient use.



Easy Installation
Leakproof
corrosion resistant
Water comes out quickly without splashing



Image: A collage showing the faucet in use, with clear water flow, hands being washed, and a strawberry being rinsed, highlighting its practical application.

Proper care will extend the life and maintain the appearance of your faucet:

- **Regular Cleaning:** Clean the faucet regularly with a soft cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Aerator Maintenance:** Periodically unscrew the aerator at the tip of the spout to clean out any mineral deposits or debris that may affect water flow. Rinse it under running water and reattach.




Image: A close-up view of the faucet's aerator located at the end of the spout, designed to provide a smooth, splash-free water stream.

- **Avoid Hard Water Stains:** Wipe the faucet dry after each use to prevent water spots and mineral buildup, especially in areas with hard water.
- **Inspect Connections:** Occasionally check all connections for any signs of leaks or corrosion. Address any issues promptly to prevent further damage.

TROUBLESHOOTING

If you encounter any issues with your faucet, refer to the following table for common problems and solutions:

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator or partially closed shut-off valve.	Clean the aerator. Ensure shut-off valves are fully open.
Leaking from Spout	Worn out cartridge or seals.	Contact customer support for replacement parts or professional assistance.
Leaking at Base/Connections	Loose connections or damaged gaskets.	Tighten connections. Replace damaged gaskets if necessary.

Problem	Possible Cause	Solution
Difficulty Adjusting Temperature	Issues with hot/cold water supply or handle mechanism.	Check water supply lines. Ensure handles move freely.

WARRANTY AND SUPPORT

Septpenta is committed to providing high-quality products. While specific warranty details are not provided in this manual, the product is designed for long-term use and durability.

For any questions regarding our products, including returns and exchanges, please do not hesitate to contact Septpenta customer support. We aim to provide a satisfactory response within 24 hours.

You can visit the official Septpenta store for more information and support: [Septpenta Store on Amazon](#)

© 2023 Septpenta. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question