Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

AquaCare 5252

AquaCare Magneton High-Pressure Handheld Shower Head User Manual

Model: 5252

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your AquaCare Magneton High-Pressure 8-mode Handheld Shower Head. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.
The AquaCare Magneton shower system is designed to provide a superior showering experience with its innovative magnetic docking system, multiple spray settings, and hygienic features.

Package Contents

- All Nickel Magnetic Handheld Shower Head
- Angle-adjustable Magnetic Docking Overhead Bracket
- Magnetic Docking Low-reach Wall Bracket
- 6 Ft Stainless Steel Shower Hose
- Teflon Tape
- Washers
- Installation Guide
- Warranty Information



Image: Contents of the AquaCare Magneton package, including the shower head, hose, and brackets.

Setup and Installation

The AquaCare Magneton shower head is designed for easy, tool-free installation on any standard shower arm.

Step 1: Prepare for Installation

1. Ensure your existing shower arm is clean and free of debris.
2. Wrap the threads of your shower arm with the provided Teflon tape (plumber's tape) in a clockwise direction for a watertight seal.

Step 2: Install the Overhead Bracket

1. Screw the angle-adjustable magnetic docking overhead bracket onto the shower arm. Hand-tighten firmly. Do not overtighten.
2. Ensure the bracket is oriented correctly to allow the shower head to dock securely.

Step 3: Install the Shower Hose

1. Attach the conical nut end of the 6 ft stainless steel shower hose to the overhead bracket. Hand-tighten.
2. Attach the hexagonal nut end of the shower hose to the handheld shower head. Hand-tighten. Ensure washers are properly seated in both connections.

Step 4: Install the Low-Reach Wall Bracket (Optional)

The bonus low-reach wall bracket can be mounted instantly and securely on any smooth surface using its silicone adhesive back. Optional screws and anchors are included for a more permanent installation.

1. Clean and dry the desired surface thoroughly.
2. Peel off the protective backing from the silicone adhesive.
3. Press the bracket firmly onto the surface for at least 30 seconds. Allow 24 hours for the adhesive to fully cure before use.
4. For screw installation, mark the desired location, drill pilot holes, insert anchors, and secure the bracket with screws.



Image: The AquaCare Magneton shower head with its magnetic docking system, illustrating how it connects to the bracket.

Operating Instructions

Magnetic Docking System

The patent-pending Socket-lock Guidance System allows for effortless docking. Simply place the back of the Magneton shower head against either magnetic bracket, and the connecting magnets will align automatically, locking securely into place.



Image: The Magneton shower head demonstrating its magnetic docking feature, showing the alignment of the magnetic components.

Adjusting Flow Settings

Your AquaCare Magneton shower head features 8 luxury flow settings. To change the spray pattern, rotate the dial on the face of the shower head to select your desired setting:

- **Power Rain:** A strong, drenching spray for full coverage.
- **Pulsating Massage:** Invigorating pulses for muscle relief.
- **Hydro-Mist:** A fine, gentle mist.
- **Dual Jet:** Concentrated streams for targeted rinsing.

- **ON/OFF Pause Mode:** Temporarily stops water flow without turning off the faucet, ideal for lathering or shaving.
- Three mixed settings combining the above patterns.



Image: Visual representation of the 8 distinct flow settings available on the AquaCare Magneton shower head.



Image: The shower head in action, showcasing the water-saving Stay-Warm Gentle Mist setting.

Maintenance

Stay-Clean Nozzles

The AquaCare Magneton features revolutionary Stay-Clean nozzles made from a special material that resists grime and degradation. This material works continuously to keep nozzles clean and clog-free, ensuring consistent water pressure and a hygienic shower experience.

To maintain optimal performance, occasionally rub the nozzles with your finger or a soft cloth to dislodge any mineral deposits that may accumulate over time. Avoid using harsh abrasive cleaners, as these can damage the finish and the Stay-Clean material.



Image: A visual comparison demonstrating the effectiveness of Stay-Clean material in preventing grime buildup on shower nozzles.

General Cleaning

Clean the exterior of the shower head and hose with a soft cloth and mild soap or a non-abrasive bathroom cleaner. Rinse thoroughly with water and dry with a soft cloth to prevent water spots.

Troubleshooting

Problem	Possible Cause	Solution
Low Water Pressure	Clogged nozzles or mineral buildup.	Rub the Stay-Clean nozzles to dislodge deposits. Ensure water supply is fully open.
Leaking Connections	Loose connections or worn washers.	Ensure all connections are hand-tightened. Check and replace washers if necessary. Reapply Teflon tape if needed.
Shower Head Not Docking Securely	Obstruction on magnetic surface or improper alignment.	Ensure magnetic surfaces on both the shower head and bracket are clean. Align the shower head directly with the bracket's magnetic area.

Problem	Possible Cause	Solution
Difficulty Changing Spray Settings	Mineral buildup in the spray dial mechanism.	Soak the shower head in a solution of white vinegar and water to dissolve mineral deposits, then rinse thoroughly.

Specifications

Feature	Detail
Brand	AquaCare
Model Number	5252
UPC	786696052522
Material	All Nickel Plated Premium ABS, Stainless Steel Shower Hose
Finish Type	Satin Nickel
Shower Head Face Diameter	5 inches
Hose Length	6 feet (72 inches)
Number of Spray Settings	8
Flow Rate	2.5 Gallons Per Minute (GPM)
Installation Type	Wall Mounted (Tool-Free)
Special Features	Magnetic Docking (Socket-lock Guidance System), Stay-Clean Nozzles, 2 Magnetic Brackets (Overhead & Low-reach Wall), Extra-long Hose
Item Weight	1.87 pounds
Product Dimensions	10"L x 5"W

Warranty and Customer Support

AquaCare provides a **Lifetime Warranty** directly from the manufacturer for your Magneton High-Pressure Handheld Shower Head. This warranty covers defects in materials and workmanship under normal use.
For warranty claims, technical assistance, or any questions regarding your product, please contact AquaCare American Customer Service. Refer to the contact information provided in your product packaging or visit the official AquaCare website for support. Please retain your proof of purchase for warranty purposes.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0BXYH9VXV

More documents and user manuals: **https://manuals.plus/**