

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Exmark](#) /
- › [Exmark 3219-3 Hex Nut Instruction Manual for Lazer Z, Turf Tracer, and Viking Series Equipment](#)

Exmark 3219-3

Exmark 3219-3 Hex Nut Instruction Manual

For Lazer Z, Turf Tracer, Viking, and other compatible Exmark Equipment

1. PRODUCT OVERVIEW

This document provides essential information regarding the Exmark Part Number 3219-3 Hex Nut. This genuine Exmark component is designed for specific applications in various Exmark lawn and garden equipment, ensuring proper fit and function.



Figure 1: Top view of the Exmark 3219-3 Hex Nut, showing its hexagonal shape and threaded center.

2. COMPATIBILITY

The Exmark 3219-3 Hex Nut is compatible with a range of Exmark equipment models. It replaces the previous part number 1-804525. Please verify compatibility with your specific equipment's owner's manual, as fitment can vary by sub-model, serial number, and production date.

Compatible with the following Exmark series and models:

- Aerator 21, Aerator 30
- Front Runner
- Lazer Ultra Vac QDS Bagger, Lazer Z Series (AC, AS, CT, DS-Series, HP, LC, XP, XS, UltraVac, Ultra Vac QDS Bagger)
- Metro, Metro Five Speed, Metro HP, Metro S-Series
- Navigator, Navigator Cutting Deck
- Turf Ranger, Turf Tracer Series (ECS, HP, S-Series, X-Series)
- Ultra Vac QDS Bagger
- Vantage X-Series
- Viking, Viking Hydro, Viking Hydro S-Series

3. INSTALLATION

Installation of the hex nut should be performed according to the specific instructions provided in your Exmark equipment's official owner's manual or service manual. Always ensure the equipment is turned off, cooled, and any moving parts are secured before attempting installation or replacement of any components.

Use appropriate tools and apply the correct torque specifications as outlined in your equipment's manual to prevent damage to the part or the equipment, and to ensure secure fastening.



Figure 2: Angled view of the Exmark 3219-3 Hex Nut, highlighting the internal threading.

4. MAINTENANCE

Regular inspection of all fasteners, including hex nuts, is crucial for the safe and efficient operation of your Exmark equipment. Check for any signs of loosening, wear, or corrosion. Tighten any loose fasteners to the manufacturer's specified torque. Replace any damaged or worn nuts immediately with genuine Exmark replacement parts to maintain equipment integrity and safety.

Your browser does not support the video tag.

Video 1: An overview of Exmark Original Genuine Lawn & Garden Replacement Parts. This video demonstrates the range of genuine Exmark parts available for maintaining your equipment, including various components like fuel treatments, lubricants, blades, belts, and filters, emphasizing the importance of using authentic parts for optimal performance and longevity.

5. SPECIFICATIONS

Attribute	Value
Part Number	3219-3
Replaces Part Number	1-804525
Manufacturer	Exmark
Item Weight	0.32 ounces
Product Dimensions	16 x 10 x 1 inches (Packaging dimensions, not the nut itself)

Note: The listed product dimensions refer to the packaging size for shipping and not the physical dimensions of the hex nut itself.

6. SAFETY INFORMATION

This product may be subject to Proposition 65 warnings. Always handle parts with care and follow all safety guidelines provided in your equipment's owner's manual. Wear appropriate personal protective equipment (PPE) during installation and maintenance. Keep out of reach of children.

7. WARRANTY AND SUPPORT

Genuine Exmark parts are manufactured to high standards. For warranty information or technical support, please refer to the official Exmark website or contact an authorized Exmark dealer. Using genuine parts helps ensure the longevity and performance of your equipment and may be required to maintain your equipment's warranty.

For further assistance, consult your equipment's specific owner's manual or visit the [Exmark Store](#).



[Exmark Vertex E-Series Stand-On Lawn Mower Operator's Manual](#)

This manual provides operating, maintenance, adjustment, and safety instructions for the Exmark Vertex E-Series stand-on lawn mower. Learn about safety features, controls, specifications, and proper usage for professional lawn care.



[Exmark RADIUS E-SERIES RAE708GEM60300 Parts Manual](#)

Detailed parts manual for the Exmark RADIUS E-SERIES RAE708GEM60300 zero-turn mower. Includes diagrams, part numbers, and assembly information for efficient maintenance and repair.



[Exmark METRO. 21 Operator's Manual](#)

Comprehensive operator's manual for the Exmark METRO. 21 lawn mower, covering safety, operation, maintenance, troubleshooting, and warranty information.



[Exmark QUEST™ Operator's Manual](#)

This operator's manual provides essential information for the safe and effective operation and maintenance of the Exmark QUEST™ zero-turn mower. It includes safety precautions, operating instructions, maintenance schedules, and troubleshooting tips.



[Exmark COMMERCIAL 30 Setup Instructions | Installation Guide](#)

Step-by-step setup instructions for the Exmark COMMERCIAL 30 mower, including handle installation, engine servicing, and parts verification. Covers serial numbers 411,294,212 and higher.



[Exmark RED Equipped User's Guide - Diesel Models](#)

Comprehensive user's guide for Exmark RED Equipped Diesel Mowers, detailing the RED Technology system, operator interface, controls, screen icons, engine modes, DPF regeneration processes, menu options, and troubleshooting for diesel models.