

XHSESA JV85 Pro A6 A7 A8 H9 Pro

XHSESA Replacement HEPA Filter Instruction Manual

For Jimmy JV85 Pro, A6, A7, A8, H9 Pro Vacuum Cleaners

1. INTRODUCTION

This manual provides essential instructions for the proper installation, maintenance, and care of your XHSESA Replacement HEPA Filter. Adhering to these guidelines will ensure optimal performance and longevity of the filter, contributing to the efficient operation of your vacuum cleaner.

2. PRODUCT OVERVIEW

2.1. What's in the Box

- Filter (Quantity: 3)

2.2. Key Features

- Designed for Jimmy JV85 Pro, A6, A7, A8, H9 Pro Vacuum Cleaners.
- Innovative cartridge design for increased airflow and suction.
- Reduces clogging and maximizes purification by removing particles and dirt.
- Easy installation process.

3. COMPATIBILITY

This replacement HEPA filter is specifically designed for use with the following Jimmy vacuum cleaner models:

- Jimmy JV85 Pro
- Jimmy A6
- Jimmy A7

- Jimmy A8
- Jimmy H9 Pro

Please verify your vacuum cleaner's model number before installation to ensure proper fit and function.

4. INSTALLATION

Follow these steps to install the replacement HEPA filter:

1. Ensure the vacuum cleaner is powered off and unplugged from any power source.
2. Locate the existing filter compartment on your Jimmy vacuum cleaner. Refer to your vacuum cleaner's original manual for specific instructions on accessing the filter.
3. Carefully remove the old filter. Dispose of the old filter according to local regulations.
4. Unpack the new XHSESA Replacement HEPA Filter.
5. Insert the new filter into the compartment, ensuring it is seated correctly and securely. The filter is designed for a precise fit.
6. Close the filter compartment.



Figure 1: Side view of the replacement HEPA filter, showing its pleated design.



Figure 2: Top view of the replacement HEPA filter, illustrating the central opening for airflow.

5. MAINTENANCE

Regular replacement of the HEPA filter is crucial for maintaining the cleaning performance and suction power of your vacuum cleaner. The filter is reusable and can be cleaned.

5.1. Filter Cleaning

To clean the filter, gently tap it to dislodge loose dust and debris. For a more thorough cleaning, rinse the filter under cool running water. Ensure the filter is completely dry before re-installing it into the vacuum cleaner. Do not use detergents or hot water, as this may damage the filter material.

5.2. Filter Replacement Frequency

The frequency of filter replacement depends on usage and environmental factors. For optimal performance, it is recommended to replace the filter every 3 to 6 months, or sooner if you notice a decrease in suction power or an increase in dust escaping the vacuum.

6. SPECIFICATIONS

Attribute	Detail
Brand	XHSESA
Compatible Models	Jimmy JV85 Pro, A6, A7, A8, H9 Pro
Material	Plastic
Reusability	Reusable
Product Dimensions (Approx.)	89mm (Diameter) x 51mm (Height)
Included Components	Filter




Figure 3: Dimensions of the replacement HEPA filter, showing approximate height and diameter.

7. TROUBLESHOOTING

If you experience issues after installing the filter, consider the following:

- **Reduced Suction:** Ensure the filter is installed correctly and securely. A loose or improperly seated filter can lead to air leaks and reduced suction. Check if the filter is clogged and requires cleaning or replacement.
- **Unusual Noises:** Verify that the filter is properly seated and not obstructing any moving parts within the vacuum cleaner.
- **Dust Escaping:** Confirm the filter is correctly installed and the filter compartment is fully closed. A damaged or excessively dirty filter may also allow dust to escape.

8. SUPPORT

For any questions or concerns regarding this product, please contact our customer support. We are committed to ensuring your satisfaction and will assist you in resolving any issues.