

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [EENOUR](#) /

› [EENOUR SB6620 LED Camping Lantern User Manual](#)

EENOUR SB6620

EENOUR SB6620 LED Camping Lantern User Manual

Model: SB6620

INTRODUCTION

Thank you for purchasing the EENOUR SB6620 LED Camping Lantern. This manual provides important information regarding the safe operation, maintenance, and specifications of your new lantern. Please read this manual thoroughly before use and retain it for future reference.

PACKAGE CONTENTS

Verify that all items are present in the package:

- EENOUR SB6620 LED Lantern
- USB-C Charging Cable
- User Manual (this document)
- Batteries (pre-installed)

パッケージ内容



製品パッケージ



取扱説明書



USB-Cケーブル

製品仕様

モデル	SB-6620	
バッテリー容量	2000mAh	
ライトストリップ	255mm 300mA 1900-2200k	
LEDライト	0.5W 2835 3500-4000k	
ライトストリップ	点灯時間	4~40Hr
	高輝度のルーメン	≥50LM
LEDライト	点灯時間	2.5~48Hr
	高輝度のルーメン	≥220Lm
LEDライト+ライトストリップ	点灯時間	1.5~18Hr
	高輝度のルーメン	≥280Lm
充電時間	2~4Hr	
サイズ	Φ100×145mm	
重量	210g	

Image: Contents of the EENOUR SB6620 LED Lantern package, showing the lantern, USB-C cable, and user manual.

PRODUCT FEATURES

- **Rechargeable Design:** Equipped with a universal Type-C charging port for convenient recharging.
- **Versatile Lighting:** Features 3 color switching options and 4 lighting modes.
- **Stepless Dimming:** Adjust brightness from 10% to 100% with a dial switch.
- **High Brightness & 360° Illumination:** Up to 280 lumens for effective, all-around illumination.
- **Extended Battery Life:** Provides up to 48 hours of continuous lighting.

- **Durable & Waterproof:** IPX6 rated for water and splash resistance, made from reinforced ABS material.
- **Portable:** Compact size and lightweight design (280g).
- **Multi-purpose:** Suitable for camping, hiking, emergencies, night fishing, and more.

高輝度で360°照明可能

本格のルーメンで照明でき、最大280ルーメンに達し、光が周囲全体を広く照らすことができる。携帯ほどのコンパクトサイズ、わずか210gの重量で持ち運びやすい。



Image: The EENOUR SB6620 LED Lantern illuminating a camping table, demonstrating its 360-degree high brightness.

様々なシーンで適用



テント



緊急用照明



ナイトライト



登山

Image: Collage showing the EENOUR SB6620 LED Lantern in diverse applications, including tent lighting, emergency use, as a night light, and for mountain climbing.

SETUP

Initial Charging

Before first use, fully charge the lantern. Connect the provided USB-C cable to the lantern's charging port and plug the other end into a compatible USB power source (e.g., wall adapter, power bank, computer USB port). The charging indicator will show the charging status. A full charge typically takes 3-4 hours.

Placement and Hanging

The lantern can be placed on any flat surface or hung using its integrated handle. The handle allows for easy attachment to tent hooks, stands, or car interiors.



Image: The EENOUR SB6620 LED Lantern hanging from a hook, demonstrating its versatility for placement.

OPERATING INSTRUCTIONS

Power On/Off and Mode Switching

The lantern features a single dial switch for all operations:

1. **Power On/Off:** Press the dial switch once to turn the lantern on. Press it again to turn it off.
2. **Mode Switching:** While the lantern is on, press the dial switch repeatedly to cycle through the 4 lighting modes:
 - Light Strip (Amber)
 - Candle Light Mode (Flickering Amber)
 - LED Light (Daylight White)
 - Mixed Mode (Light Strip + LED Light)



Image: Illustration of the dial switch operation and the four distinct lighting modes available on the EENOUR SB6620 LED Lantern.

Stepless Dimming

To adjust the brightness:

- While the lantern is on, rotate the dial switch clockwise to increase brightness (10% to 100%).
- Rotate the dial switch counter-clockwise to decrease brightness (100% to 10%).

Color Switching

The lantern offers 3 color options by combining the amber light strip with the daylight white LED. These are integrated into the 4 lighting modes as described above.

Charging the Lantern

When the battery is low, connect the USB-C cable to the charging port. The charging indicator will illuminate. Once fully charged, the indicator will change or turn off, depending on the model. Avoid overcharging to prolong battery life.

MAINTENANCE

- **Cleaning:** Wipe the lantern with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Storage:** Store the lantern in a cool, dry place when not in use. For long-term storage, charge the battery to about 50% every 3-6 months to maintain battery health.
- **Water Resistance:** The lantern is IPX6 waterproof, meaning it can withstand powerful water jets. However, it is not designed for prolonged submersion. Ensure the charging port cover is securely closed to maintain water resistance.

トップクラスのIPX6防水防滴

IPX6レベルは、IPX4よりどの方向から水の射出や短時間水中（1m、30分）でも完全に防ぎ、大雨での心配は必要ありません。



ご注意：水中の防水効果は使用時間により低下し、できるだけ水中に置かないでください

Image: The EENOUR SB6620 LED Lantern under a water spray, illustrating its IPX6 water resistance.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Lantern does not turn on.	Battery is depleted.	Charge the lantern fully using the USB-C cable.

Problem	Possible Cause	Solution
Brightness cannot be adjusted.	Dial switch not rotated correctly.	Ensure the lantern is on and rotate the dial switch slowly to adjust brightness.
Lantern not charging.	Faulty cable or power source.	Try a different USB-C cable or power adapter. Ensure connections are secure.
Water ingress after exposure.	Charging port cover not sealed.	Always ensure the charging port cover is tightly sealed before exposing the lantern to water.

SPECIFICATIONS

Feature	Detail
Model	SB6620
Battery Capacity	2000mAh
Light Output (Max)	280 Lumens
Battery Life (Max)	48 Hours (at lowest brightness)
Charging Time	3-4 Hours
Water Resistance	IPX6
Material	Acrylonitrile Butadiene Styrene (ABS)
Dimensions (Diameter x Height)	9.5 cm x 13 cm
Weight	280 g
Power Source	LED

パッケージ内容



製品パッケージ



取扱説明書



USB-Cケーブル

製品仕様

モデル	SB-6620	
バッテリー容量	2000mAh	
ライトストリップ	255mm 300mA 1900-2200k	
LEDライト	0.5W 2835 3500-4000k	
ライトストリップ	点灯時間	4~40Hr
	高輝度のルーメン	≥50LM
LEDライト	点灯時間	2.5~48Hr
	高輝度のルーメン	≥220Lm
LEDライト+ライトストリップ	点灯時間	1.5~18Hr
	高輝度のルーメン	≥280Lm
充電時間	2~4Hr	
サイズ	Φ100×145mm	
重量	210g	

Image: Detailed product specifications and dimensions for the EENOUR SB6620 LED Lantern.

SAFETY INFORMATION

- Do not look directly into the LED light to avoid eye strain.
- Keep out of reach of children.
- Do not disassemble or modify the lantern. This may cause damage and void the warranty.
- Use only the provided USB-C cable or a certified equivalent for charging.
- Avoid exposing the lantern to extreme temperatures or direct sunlight for prolonged periods.

- Dispose of the product responsibly according to local regulations.

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided with your purchase documentation or visit the official EENOUR website. Please have your model number (SB6620) and purchase date ready when contacting support.

