

Kewig M25

Kewig Motorcycle Phone Mount User Manual

Model: M25

Brand: Kewig

1. INTRODUCTION

Thank you for choosing the Kewig Motorcycle Phone Mount. This product is designed to securely hold your smartphone (4.7-7.2 inches) on various handlebars, including motorcycles, bicycles, e-bikes, and scooters. It features a robust construction with a vibration dampener and a high-speed secure lock mechanism to protect your device during rides. This manual provides detailed instructions for installation, operation, maintenance, and troubleshooting.



Image 1.1: The Kewig Motorcycle Phone Mount securely holding a smartphone.

2. WHAT'S IN THE BOX

Please verify that all the following components are included in your package:

- 1X Motorcycle Phone Mount Main Body
- 1X Clamp Arm
- 1X Mount Base
- 4 sizes of Spacers (for various handlebar diameters)

- 2X Wrench (for installation and anti-theft screw)

3. SETUP AND INSTALLATION

Follow these steps to properly install your Kewig Motorcycle Phone Mount:

1. **Choose the Right Spacer:** Select the appropriate rubber spacer that matches your handlebar diameter. The mount base is compatible with handlebars of 0.5" (12 mm), 0.875" (22 mm), 1.0" (25.4 mm), 1.125" (28.6 mm), and 1.26" (32 mm). Place the chosen spacer inside the mount base.
2. **Attach the Mount Base:** Position the mount base with the selected spacer onto your handlebar. Secure it tightly using the provided wrench. Ensure it is firm and does not rotate freely.
3. **Connect the Clamp Arm:** Attach the clamp arm to the mount base. The double socket arm allows for flexible positioning.
4. **Install the Phone Mount Main Body:** Connect the main phone mount body to the clamp arm.
5. **Secure with Anti-Theft Screw:** The double socket arm and handlebar mounting base are equipped with special safety screws. Use the provided special wrench to tighten these screws. This prevents easy removal of the mount. Once tightened, the angle can only be adjusted by loosening the knob, and the bracket cannot be disassembled without the special wrench.
6. **Adjust Phone Width:** Before placing your phone, adjust the width of the phone mount to fit your device. Loosen the two side screws on the back of the mount, then move the arms to the appropriate position to accommodate your phone's dimensions (length 4.68"-7.086", width 2.51"-3.46", thickness up to 0.787"). Tighten the screws to lock the width.



Image 3.1: Adjustable size design and handlebar diameter compatibility.

Double Anti-Theft



Image 3.2: Double anti-theft features for enhanced security.

4. OPERATING INSTRUCTIONS

Using your Kewig Motorcycle Phone Mount is designed to be convenient and secure:

1. **Insert Your Phone:** With one hand, gently push the top arm of the mount upwards and slide your smartphone into the holder. The mount is designed for quick, one-second phone insertion or removal.
2. **Engage High-Speed Secure Lock:** After placing your phone, tighten the knob located on the back of the motorcycle phone mount. This high-speed secure knob ensures your mobile phone is firmly attached, even when riding at high speeds or on bumpy roads.
3. **Adjust Viewing Angle:** The mount features a 720-degree free rotation design. You can easily adjust your phone to a horizontal or vertical screen orientation, or any preferred viewing angle, for optimal navigation and

visibility.

4. **Vibration Dampening:** The built-in soft silicone and vibration dampener effectively reduce vibrations from motorcycle riding, protecting your phone and its camera from potential damage. The non-contact design prevents squeezing or scratching of the phone camera.
5. **Charging Port Access:** The clever design ensures that the charging port of your phone remains accessible while mounted, allowing for convenient charging on the go.



Image 4.1: Easy one-hand operation for phone placement.




Image 4.2: High-speed secure knob and vibration dampener for phone protection.



Image 4.3: 720-degree free rotation for optimal viewing.




Image 4.4: Unobstructed charging port access.

5. MAINTENANCE

To ensure the longevity and optimal performance of your phone mount:

- **Cleaning:** Wipe the mount regularly with a soft, damp cloth to remove dust and dirt. Avoid using harsh chemicals or abrasive cleaners.
- **Check Tightness:** Periodically check all screws and knobs, especially the handlebar clamp and the high-speed secure knob, to ensure they remain tight and secure.
- **Inspect for Wear:** Regularly inspect the silicone pads and other components for any signs of wear or damage. Replace parts if necessary.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Phone feels loose in the mount.	High-speed secure knob not tightened; phone width not adjusted correctly.	Ensure the high-speed secure knob on the back is fully tightened. Re-adjust the side screws to match your phone's width precisely.
Mount rotates or slides on the handlebar.	Handlebar clamp not tight enough; incorrect spacer used.	Tighten the handlebar clamp screws firmly. Ensure you are using the correct size rubber spacer for your handlebar diameter.
Difficulty inserting/removing phone.	Phone width adjustment is too tight.	Loosen the side screws slightly and re-adjust the width to allow for smooth insertion and removal while maintaining a snug fit.

7. SPECIFICATIONS

Feature	Detail
Model Number	M25
Product Dimensions	7.08 x 3.46 x 0.78 inches
Item Weight	1.14 pounds
Color	Black
Material	PA66+GF30% high-strength material, 304 stainless steel telescopic rods, aluminum alloy handlebar mounting base
Compatible Phone Length	4.68" (119 mm) - 7.086" (180 mm)
Compatible Phone Width	2.51" (64 mm) - 3.46" (88 mm)
Compatible Phone Thickness	Up to 0.787" (20 mm)
Compatible Phone Screen Size	4.7" - 7.2"
Compatible Handlebar Diameters	0.5" (12 mm), 0.875" (22 mm), 1.0" (25.4 mm), 1.125" (28.6 mm), 1.26" (32 mm)
Mounting Type	Handlebars, round rails
Special Features	Vibration Dampener, High-Speed Secure Knob, Adjustable Length/Width, Anti-Theft Design

8. WARRANTY INFORMATION

Kewig products are manufactured to high-quality standards. This product comes with a limited warranty against defects in materials and workmanship. For specific warranty terms and conditions, please refer to the product packaging or visit the official Kewig website. Please retain your proof of purchase for warranty claims.

9. CUSTOMER SUPPORT

If you have any questions, concerns, or require assistance with your Kewig Motorcycle Phone Mount, please contact our customer support team. Refer to the contact information provided on the product packaging or the official Kewig website for the most up-to-date support channels.



© 2023 Kewig. All rights reserved.