Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VRURC T0305P

VRURC Mini Portable Charger User Manual

Model: T0305P

Introduction

Thank you for choosing the VRURC Mini Portable Charger. This user manual provides essential information for the safe and efficient operation of your new power bank. Please read this manual thoroughly before use and retain it for future reference.
The VRURC Mini Portable Charger is a compact and lightweight power bank designed specifically for iPhone models and AirPods. It features a built-in Lightning cable for convenient charging on the go.

Package Contents

Verify that all items are present in your package:

- VRURC Mini Portable Charger (2 units)
- USB-A to USB-C Charging Cable (2 units)
- User Manual (1 unit)

Image: Contents of the VRURC Mini Portable Charger package, showing two power banks, two USB-A to USB-C cables, and the user manual.

Product Overview

The VRURC Mini Portable Charger is designed for portability and ease of use. Its compact size allows it to be carried conveniently in a pocket or small bag.

Image: Two VRURC Mini Portable Chargers, highlighting their small size and integrated Lightning connector.



Image: The portable charger fitting easily into a pocket, emphasizing its compact and lightweight nature.

Setup

Charging the Power Bank

Before first use, fully charge your VRURC Mini Portable Charger. Use the provided USB-A to USB-C cable to connect the power bank's USB-C input port to a USB power adapter (not included) or a computer's USB port.

- Connect the USB-C end of the cable to the power bank's input port.
- Connect the USB-A end of the cable to a power source.
- The LED indicators on the power bank will illuminate to show charging status. All LEDs will be solid when fully charged.

Image: The power bank being recharged, demonstrating its pass-through charging capability.

Operating Instructions

Charging Your Device

The VRURC Mini Portable Charger features a built-in Lightning connector for direct charging of compatible Apple devices.

1. Ensure the power bank is sufficiently charged.
2. Align the built-in Lightning connector with your iPhone's or AirPods' charging port.
3. Gently insert the connector into your device's port. The device should begin charging automatically.
4. The power bank supports charging without removing phone cases, provided the case thickness does not exceed 4mm.

Image: The power bank directly connected to an iPhone, illustrating its direct charge capability and compatibility with phone cases up to 4mm thick.

Checking Battery Level

The LED indicators on the power bank display the remaining battery capacity. Refer to the product's visual indicators for current charge status.

Compatibility

This portable charger is compatible with all iPhone models (including iPhone 14, 13, 12, 11, X, XR, XS, XS Max, SE, 8, 8 Plus, 7, 7 Plus, 6, 6S series) and AirPods/AirPods Pro.



Image: Various Apple devices surrounding the power banks, demonstrating their wide compatibility.

Maintenance

- Keep the power bank away from extreme temperatures, direct sunlight, and liquids.
- Do not disassemble, modify, or attempt to repair the device.
- Clean the surface with a soft, dry cloth. Avoid using harsh chemicals or abrasive materials.
- Store in a cool, dry place when not in use.

Troubleshooting

Problem	Possible Cause	Solution
Power bank not charging	Charging cable is faulty or not properly connected. Power source is not active.	Ensure the USB-C cable is securely connected to both the power bank and the power source. Try a different USB-C cable or power adapter.
Device not charging from power bank	Power bank battery is depleted. Lightning connector not fully inserted. Device is not compatible.	Recharge the power bank. Ensure the Lightning connector is fully and correctly inserted into your device. Verify device compatibility.
Power bank gets hot during use	Normal operation during charging/discharging. Overload or short circuit.	Slight warmth is normal. If it becomes excessively hot, disconnect immediately and contact support. Ensure proper ventilation.

Specifications

- **Model:** T0305P
- **Battery Capacity:** 3500mAh per power bank (2 units included, total 7000mAh)
- **Input:** USB-C
- **Output:** Built-in Lightning connector
- **Dimensions:** 2.89 x 1.33 x 0.94 inches (per unit)
- **Weight:** 3.52 oz (per unit)
- **Compatibility:** iPhone 14/13/12/11/X/8/7/Pro/Max series, AirPods Pro

Warranty and Support

VRURC products come with a standard warranty. For specific warranty details and terms, please refer to the warranty card included in your product packaging or visit the official VRURC website.
If you encounter any issues or have questions regarding your VRURC Mini Portable Charger, please contact our customer support team. We are committed to resolving any problems within 12 hours.

Contact Information:

Email: Refer to product packaging or official website for support email.

Website: VRURC Official Store on Amazon

© 2025 VRURC. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0BZC6WPN1

More documents and user manuals: **https://manuals.plus/**