

VIANIS V86083EK

VIANIS 3-Head Outdoor Lamp Post Light with Outlet

MODEL: V86083EK - USER MANUAL

1. Introduction

Thank you for choosing the VIANIS 3-Head Outdoor Lamp Post Light with Outlet. This product is designed to provide reliable outdoor illumination and convenient power access. Featuring a durable aluminum construction, tempered glass, a dusk-to-dawn sensor, and an integrated power outlet, this lamp post is built for various outdoor environments. Please read this manual thoroughly before installation and operation to ensure proper use and safety.

Accessible Power Where you Need It The Most



Image 1.1: VIANIS 3-Head Outdoor Lamp Post Light installed in an outdoor setting.

2. Safety Information

WARNING: Risk of electric shock. Installation should be performed by a qualified electrician or a person familiar with the construction and operation of the product and the hazards involved. Disconnect power at the circuit breaker before installation or servicing.

- Ensure the power supply is turned off before beginning installation.
- All wiring connections must be in accordance with local and national electrical codes.
- Do not exceed the maximum wattage for the bulbs (3x 100W E26 bulbs, not included).

- The integrated outlet has a maximum load of 1080W. Do not overload the outlet.
- This product is designed for outdoor use and is waterproof. However, ensure all connections are sealed properly during installation.
- Keep children away from the installation area.

3. Package Contents

Verify that all components are present and undamaged before proceeding with installation. If any parts are missing or damaged, contact customer support.

- Lamp Post Base
- Pole Sections (various lengths)
- 3-Head Lamp Fixture with E26 Sockets
- Seeded Tempered Glass Panels
- Integrated Power Outlet (pre-installed on base)
- Mounting Hardware (screws, wire nuts, etc.)
- User Manual



Image 3.1: Exploded view of lamp post components.

4. Specifications

Feature	Specification
Model Number	V86083EK
Product Dimensions (L x W x H)	55.9L x 55.9W x 197.1H Centimetres (22 x 22 x 77.6 inches)
Item Weight	8.4 kg
Material	Aluminum, Tempered Glass
Power Source	Hardwired (AC 120V)
Bulb Base	E26 (Bulbs not included)
Max Wattage per Bulb	100 Watts
Integrated Outlet Max Load	1080W (14AWG input wire)

Feature	Specification
Sensor Type	Dusk to Dawn Photocell Sensor
Weather Resistance	Waterproof, Anti-Rust, Sunproof, Snowproof, Stormproof
Installation Type	Pole Mount / Semi Flush Mount



Image 4.1: Product dimensions and key features.

5. Installation Guide

This lamp post light is hardwired. Professional installation is recommended. Ensure power is disconnected at the circuit breaker before starting.

1. **Prepare the Mounting Location:** Choose a stable, level surface for the lamp post. Ensure there is access to a hardwired electrical connection.
2. **Assemble the Pole:** Carefully connect the pole sections together, ensuring they are securely fastened.
3. **Attach the Lamp Fixture:** Mount the 3-head lamp fixture to the top pole section. Ensure all wiring is routed correctly through the pole.
4. **Install Bulbs:** Insert three E26 base bulbs (max 100W each, not included) into the sockets.
5. **Mount the Base:** Secure the lamp post base to the prepared mounting surface using the provided hardware.
6. **Wire the Lamp Post:** Connect the lamp post's electrical wires to your household wiring. Follow local electrical codes for proper grounding and connections. Use appropriate wire connectors.
7. **Secure the Wiring:** Ensure all wiring is tucked safely within the pole and base, away from moisture and potential damage.
8. **Restore Power:** Once installation is complete and all connections are secure, restore power at the circuit breaker.




Image 5.1: Key features for installation and durability.

6. Operating Instructions

6.1. Dusk to Dawn Sensor

The VIANIS lamp post light features an integrated photocell sensor for automatic operation. The light will:

- Automatically turn on at 100% brightness when ambient light levels drop (dusk).
- Automatically turn off when ambient light levels increase (dawn).

Ensure the sensor is not obstructed by objects or direct artificial light sources, as this may interfere with its proper function.

Built in waterproof Outlet



Many Applications



Holiday Lights



Outdoor Applications

Image 6.1: Dusk to Dawn sensor operation.

6.2. Integrated Power Outlet

The lamp post includes a convenient, weather-resistant power outlet located on the base. This outlet provides an additional power supply for outdoor devices.

- The outlet is designed to withstand various weather conditions.
- Maximum load capacity for the outlet is 1080W. Do not exceed this limit to prevent damage or safety hazards.
- Always ensure the protective cover is closed when the outlet is not in use to maintain weather resistance.



Image 6.2: Integrated power outlet detail.

Built-in An Extra Outlet

14AWG Input Wire | Max Load : 1080w



Image 6.3: Features of the built-in outlet, including protection against electric shock and splash-proof design.

7. Maintenance

The VIANIS lamp post light is constructed from durable aluminum and tempered glass, designed for minimal maintenance.

- **Cleaning:** Periodically clean the lamp post and glass panels with a soft, damp cloth. Avoid abrasive cleaners or solvents that could damage the finish or glass.
- **Inspection:** Regularly inspect the wiring and connections for any signs of wear or damage. Ensure the protective cover of the outlet is intact.
- **Bulb Replacement:** Ensure power is off before replacing bulbs. Allow bulbs to cool completely before handling.



Image 7.1: Weather resistance features of the lamp post.




Image 7.2: Lamp post light in rainy conditions.

8. Troubleshooting

Problem	Possible Cause	Solution
Light does not turn on at dusk.	<ol style="list-style-type: none">1. Power supply issue.2. Faulty bulb.3. Sensor obstructed or receiving too much light.	<ol style="list-style-type: none">1. Check circuit breaker and wiring connections.2. Replace bulb(s).3. Ensure sensor is clear and not exposed to other light sources.
Light stays on during the day.	<ol style="list-style-type: none">1. Sensor obstructed or dirty.2. Sensor malfunction.	<ol style="list-style-type: none">1. Clean sensor and ensure no obstructions.2. Contact customer support if problem persists.
Outlet is not providing power.	<ol style="list-style-type: none">1. Power supply issue.2. Overload protection triggered.3. Device plugged in is faulty.	<ol style="list-style-type: none">1. Check circuit breaker and wiring.2. Unplug devices, wait a few minutes, and try again with a lower load.3. Test the device in another outlet.
Water inside the fixture.	Improper sealing during installation or damaged seal.	Disconnect power, inspect seals and connections, re-seal as necessary. Contact customer support if damage is found.

9. Warranty and Support

This VIANIS product comes with a **One (1) year limited warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

The warranty does not cover:

- Damage caused by improper installation or maintenance.
- Damage caused by misuse, abuse, accident, or neglect.
- Damage from natural disasters or acts of God.
- Consumable parts (e.g., light bulbs).

For warranty claims or technical support, please contact VIANIS customer service. Please have your model number (V86083EK) and proof of purchase ready.

Manufacturer Contact Information: VIANIS