

[Manuals.plus](#) /

> [Joydeco](#) /

> Joydeco Blackout Curtains Instruction Manual - Model JD21020-LI-84

Joydeco JD21020-LI-84

Joydeco Blackout Curtains Instruction Manual

Model: JD21020-LI-84

1. INTRODUCTION

Thank you for choosing Joydeco Blackout Curtains. These curtains are designed to provide 100% light blocking, UV protection, and thermal insulation, enhancing comfort and privacy in your living space. This manual provides essential information for the proper setup, use, and maintenance of your curtains.

2. SAFETY INFORMATION

- Keep curtains away from heat sources and direct sunlight to prevent material damage or fire hazards.
- Install curtains out of reach of children and pets to prevent strangulation hazards from cords or loops.
- Always follow manufacturer's instructions for care and installation to ensure product longevity and safety.

3. PACKAGE CONTENTS

Your Joydeco Blackout Curtains package includes:

- Two (2) Joydeco Blackout Curtain Panels (Linen, 52"W x 84"L each)

Note: Curtain rods are not included and must be purchased separately.

4. SETUP INSTRUCTIONS

Before installation, ensure your window measurements are compatible with the curtain dimensions (52"W x 84"L per panel). These curtains are designed for standard curtain rods up to 1.6 inches in diameter.

4.1 Hanging Options

Your Joydeco curtains offer two versatile hanging styles:

- **Rod Pocket:** Slide your curtain rod through the sewn channel at the top of the curtain panel. This creates a

gathered, traditional look.

- **Back Tabs:** For a more tailored and pleated appearance, slide your curtain rod through the fabric loops located on the back of the top hem.

BACK TAB + ROD POCKET



Image: Detailed view of the curtain top, illustrating the rod pocket and back tab hanging methods. The rod pocket creates a gathered look, while the back tabs offer a more structured, pleated style.

4.2 Installation Steps

1. Measure your window and curtain rod to ensure proper fit and desired drape.
2. Select your preferred hanging method (Rod Pocket or Back Tabs).
3. Slide the curtain panels onto your curtain rod.
4. Mount the curtain rod securely above your window according to your rod's manufacturer instructions.
5. Adjust the curtains to achieve an even and aesthetically pleasing drape.




Image: A visual comparison highlighting the ease of installing Joydeco curtains with their pocket design, fitting 1/2" to 1.5" rods, versus other curtains that may require drilling and rings for installation.

5. OPERATING INSTRUCTIONS (USAGE)

Joydeco Blackout Curtains are designed for ease of use and optimal performance.

5.1 Light Blocking and Privacy

To achieve 100% light blocking, ensure the curtains fully cover your window opening. The dense, multi-layered fabric effectively blocks all incoming light, providing complete darkness for improved sleep, movie viewing, or enhanced privacy.

100% BLACKOUT

GUARANTEED DARKNESS
DAY OR NIGHT



PRIVACY
PROTECTION



TEMPERATURE
BALANCING



NOISE
REDUCING

Image: A bedroom scene demonstrating the curtains' 100% blackout feature, showing a dark room conducive to sleep, with icons for privacy, temperature balancing, and noise reduction.

5.2 Thermal Insulation

The thermal insulated weave helps regulate room temperature. During warmer months, the curtains block heat and UV rays, keeping your room cooler. In colder months, they help retain warmth, reducing heat loss. This contributes to energy savings year-round.



Image: An illustration depicting the thermal insulation properties of the curtains, showing how they shield against outdoor UV rays and reduce indoor heat by up to 58%.

5.3 Noise Reduction

The thick, textured fabric also contributes to noise reduction, creating a quieter and more peaceful indoor environment.

6. MAINTENANCE AND CARE

Proper care will help maintain the quality and performance of your Joydeco Blackout Curtains.

6.1 Washing Instructions

- Machine wash cold on a gentle cycle.
- Do not bleach.
- Tumble dry on low heat or hang to dry.
- Iron on low temperature if needed.

- Dry cleaning is compatible.



Image: A washing machine with laundry, representing the machine washable nature of the curtains. Icons indicate machine wash below 30°C/86°F, no bleach, no tumble dry, low temperature iron, and dry cleaning compatibility.

6.2 Wrinkle Removal

Upon arrival, curtains may have some wrinkles from packaging. These can often be removed by:

- Hanging the curtains for a few days, allowing gravity to smooth them out.
- Lightly steaming the curtains.
- Ironing on a low-temperature setting.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Curtains not fully blocking light	Gaps around the window frame; curtains not wide enough.	Ensure curtains extend beyond the window frame on all sides. Consider adding a valance or side panels to minimize light leakage.
Curtains appear wrinkled	Packaging creases.	Hang curtains for a few days, steam lightly, or iron on a low setting.
Curtains do not hang evenly	Uneven rod installation or fabric distribution.	Check if the curtain rod is level. Adjust fabric evenly across the rod.

8. SPECIFICATIONS

Feature	Detail
Brand	Joydeco
Model Name	JD21020-LI-84
Color	Linen
Material	Polyester (Faux Linen)
Product Dimensions (per panel)	84"L x 52"W
Opacity	Blackout (100% Light Blocking)
Special Feature	Thermal Insulated, UV Blocking, Noise Reducing

Feature	Detail
Hanging Method	Rod Pocket & Back Tab
Compatible Rod Size	Up to 1.6 Inches
Number of Items	2 Panels
Product Care Instructions	Machine Washable
Item Weight	2.18 pounds (total for 2 panels)
UPC	850056457910

9. WARRANTY AND SUPPORT

For warranty information or customer support regarding your Joydeco Blackout Curtains, please refer to the product packaging or contact Joydeco customer service directly through their official website or the retailer where the product was purchased. Specific warranty details may vary.

