

## Tolxh #527262002-5PK

# Tolxh #527262002-5PK No Mar Pad for Ryobi P320 Nailer Instruction Manual

Model: #527262002-5PK

## INTRODUCTION

---

This manual provides instructions for the installation, use, and maintenance of the Tolxh #527262002-5PK No Mar Pads. These replacement pads are designed for use with the Ryobi P320 Nailer to protect work surfaces from marring or damage during operation. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.

## SAFETY INFORMATION

---

- Always ensure the nailer is disconnected from its power source before attempting any installation or maintenance.
- Wear appropriate personal protective equipment (PPE), such as safety glasses, when operating power tools.
- Keep hands and fingers clear of moving parts and the nailer's firing mechanism.
- Inspect the no-mar pad for wear or damage before each use. Replace if necessary.

## PACKAGE CONTENTS

---

Your package should contain the following items:

- 5 x Tolxh #527262002-5PK No Mar Pads




Image 1: Contents of the Tolxh #527262002-5PK No Mar Pad package.

## INSTALLATION INSTRUCTIONS

---

Follow these steps to properly install the no-mar pad onto your Ryobi P320 Nailer:

1. **Disconnect Power:** Ensure your Ryobi P320 Nailer is completely disconnected from its power source (battery removed or air hose detached).
2. **Locate No-Mar Pad Slot:** Identify the area on the nose of your nailer where the no-mar pad is designed to attach. This is typically a small slot or groove.
3. **Align the Pad:** Take one Tolxh #527262002-5PK No Mar Pad. Align the pad with the slot on the nailer's nose. The pad is designed to slide or snap into place.
4. **Secure the Pad:** Gently but firmly push the no-mar pad onto the nailer until it is securely seated. It should fit snugly and not wobble.
5. **Verify Installation:** Once installed, gently tug on the pad to ensure it is firmly attached and will not easily dislodge during use.



Image 2: Close-up view of a single Tolxh #527262002-5PK No Mar Pad, illustrating its shape for installation.

## MAINTENANCE

---

- **Cleaning:** Periodically clean the no-mar pad with a damp cloth to remove any accumulated dust, debris, or adhesive residue.
- **Inspection:** Regularly inspect the pad for signs of wear, cracks, tears, or deformation. A worn pad may not effectively protect your work surface.
- **Replacement:** If the pad shows significant wear or damage, replace it immediately with a new Tolxh #527262002-5PK No Mar Pad to maintain optimal performance and protection.
- **Storage:** Store unused pads in a clean, dry place away from direct sunlight and extreme temperatures.

## TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Pad falls off during use.	Pad not securely installed; pad worn or damaged.	Re-install the pad firmly. If worn, replace with a new pad.

Problem	Possible Cause	Solution
Work surface is still being marred.	Pad is worn out; incorrect pad for application; debris under pad.	Inspect and replace worn pad. Ensure pad is clean. Verify compatibility with nailer and task.
Pad is difficult to install.	Misalignment; debris in nailer slot.	Ensure correct alignment. Clean the nailer's nose area.

## SPECIFICATIONS

---

**Model:** #527262002-5PK

**Brand:** Tolxh

**Compatibility:** Ryobi P320 Nailer

**Material:** Durable polymer

**Quantity:** 5 pads per pack

## WARRANTY AND SUPPORT

---

Tolxh is committed to customer satisfaction. While specific warranty details are not provided, the manufacturer offers an after-sale guarantee:

*"If you are not satisfied with the product, please contact us! We will show you our sincere attitude and satisfactory solution."*

For support or inquiries regarding your Tolxh #527262002-5PK No Mar Pads, please refer to the seller's contact information on your purchase platform.