

[Manuals.plus](#) /

› [Lamshaw](#) /

› Lamshaw Stainless Steel Metal Replacement Strap for TOOBUR IDW13 1.8" Smart Watch - Instruction Manual

Lamshaw IDW13

Lamshaw Stainless Steel Metal Replacement Strap for TOOBUR IDW13 1.8" Smart Watch - Instruction Manual

1. PRODUCT OVERVIEW

This manual provides instructions for the Lamshaw Quick Release Stainless Steel Metal Replacement Strap, designed for various 1.8-inch smartwatches. Crafted from high-quality stainless steel, this strap offers a durable and stylish alternative to standard watch bands.

Compatible Smartwatch Models:

- TOOBUR IDW13 1.8" Smart Watch
- TEMINICE IDW13 1.8" Smart Watch
- VRPEFIT IDW13 1.8" Watch
- Konitee IDW13 1.8" Smart Watch
- Gydom IDW13 1.8" Smart Watch
- Faweio IDW13 1.8" Smart Watch



Image 1: Lamshaw Stainless Steel Metal Replacement Strap (Black) installed on a compatible smartwatch.



Provide Comfortable Durable and Classic Smart Band

Image 2: An assortment of Lamshaw stainless steel watch bands in black, silver, rose gold, and gold finishes.

2. SETUP AND INSTALLATION

2.1 Installing the Strap

The Lamshaw replacement strap features a quick-release design for easy installation. Locate the quick-release pins on each end of the strap. Align one end of the pin with the lug hole on your smartwatch, then slide the quick-release lever to retract the other end of the pin. Insert the pin into the opposite lug hole and release the lever. Gently tug on the strap to ensure it is securely attached.

2.2 Adjusting the Strap Length

The strap is designed to fit wrists ranging from 5.71" to 8.19" (145mm-208mm). A tool is provided to assist with link removal or addition for a customized fit. To adjust the length:

1. Identify the removable links on the strap. These typically have small arrows indicating the direction to push the pin.
2. Place the strap in the provided link removal tool, aligning the pin with the tool's pusher.
3. Carefully turn the tool's handle to push the pin out of the link.
4. Remove the desired number of links.
5. To reassemble, align the remaining links and insert the pin in the opposite direction of the arrow, gently tapping it back into place if necessary.
6. Ensure all pins are fully seated and the strap is securely connected before wearing.

Your browser does not support the video tag.

Video 1: Demonstration of the Lamshaw metal watch band, showcasing its appearance and how it looks on a wrist.

3. OPERATING THE CLASP

The strap features a push-button deployment clasp for secure and convenient wearing. To open the clasp, press the two buttons on the sides simultaneously. To close, simply press the two ends of the clasp together until you hear a click, ensuring it is fully engaged.

Stainless Steel Series

Crafted from 304 premium steel with high-tech surface for a noble look. Deployment clasp for double sided insurance. Refined adapters, easy to install and remove. From the design to color choice, the aesthetic is what you want it to be.

Elevate your status to measure time in its finest way.



Nano-electroplating

Deep pigment penetration, not only on the surface
Luster and color lasts longer than its fellows



Ours



Others

Image 3: A person wearing the Lamshaw stainless steel watch band, demonstrating its fit and appearance.

Your browser does not support the video tag.

Video 2: Overview of the Lamshaw Stainless Steel Metal Replacement Straps, highlighting their design and how they look when worn.

4. MAINTENANCE AND CARE

To maintain the appearance and longevity of your stainless steel watch strap, follow these care guidelines:

- **Cleaning:** Wipe the strap regularly with a soft, damp cloth to remove dirt and oils. For deeper cleaning, use a mild soap solution and rinse thoroughly, ensuring no moisture remains in the links or clasp.
- **Avoid Harsh Chemicals:** Do not expose the strap to harsh chemicals, solvents, or abrasive cleaners, as these can damage the finish.
- **Storage:** Store the strap in a dry place when not in use to prevent moisture buildup.
- **Scratches:** While stainless steel is durable, it can still scratch. Avoid contact with rough surfaces or sharp objects.

5. TROUBLESHOOTING

5.1 Difficulty Adjusting Length

If you encounter difficulty removing or adding links, ensure the link removal tool is properly aligned with the pin. Apply steady, even pressure. If a pin is stuck, ensure you are pushing in the direction indicated by any arrows on the link. If the tool seems ineffective, verify it is not damaged. For persistent issues, professional assistance from a jeweler or watch repair shop may be required.

5.2 Strap Not Fitting Correctly

Double-check that your smartwatch model is listed as compatible with this strap. Ensure the quick-release pins are fully engaged in the lug holes. If the strap feels too loose or too tight, re-evaluate the number of links removed or added. The strap is designed for wrists between 5.71" and 8.19" (145mm-208mm).

5.3 Missing Parts or Defective Items

If your package arrived with missing components (e.g., link removal tool, pins) or if the strap is defective, please contact customer support immediately for assistance.

6. PRODUCT SPECIFICATIONS

Feature	Detail
Material	Stainless Steel
Clasp Type	Push Button Deployment Clasp
Wrist Size Range	5.71"-8.19" (145mm-208mm)
Compatibility	TOOBUR IDW13, TEMINICE IDW13, VRPEFIT IDW13, Konitee IDW13, Gydom IDW13, Faweio IDW13 1.8" Smart Watches



Image 4: Detail of the stainless steel construction and nano-electroplating process for enhanced durability and color retention.

7. WARRANTY AND CUSTOMER SUPPORT

Lamshaw offers a 30-day warranty from the date of purchase for all quality-related issues. If you receive a defective item

or experience any problems with your strap, please contact our customer support team for a replacement or refund. Our goal is to ensure your satisfaction with our products.

For support, please refer to the contact information provided with your purchase or visit the Lamshaw official website.

© 2024 Lamshaw. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question