

JUSTKEY Argus G Pod Kit

VOOPOO Argus G Pod Kit User Manual

Model: **Argus G Pod Kit** | Brand: **JUSTKEY**

1. INTRODUCTION

Thank you for choosing the VOOPOO Argus G Pod Kit. This device is designed for both Mouth-to-Lung (MTL) and Restricted Direct-to-Lung (RDL) vaping, offering a compact and rechargeable solution with advanced ITO atomization technology and a multi-layer leak-proof design. Please read this manual carefully before use to ensure proper operation and maintenance.

For more information and support, please visit the official VOOPOO website.

2. SAFETY INFORMATION

Always follow these basic safety precautions when using the Argus G Pod Kit:

- Keep the device out of reach of children and pets.
- Do not expose the device to extreme temperatures, direct sunlight, or water.
- Use only the provided Type-C cable for charging.
- Do not disassemble or modify the device.
- If you experience any unusual smells, overheating, or malfunction, discontinue use immediately and contact customer support.
- Dispose of the device and cartridges responsibly according to local regulations.

3. PACKAGE CONTENTS

Please check the package for the following items:

- 1 x ARGUS G Device
- 1 x ARGUS Pod 0.7Ω Cartridge
- 1 x ARGUS Pod 1.2Ω Cartridge
- 1 x Type-C Cable
- 1 x Instruction Manual
- 1 x Strap
- 1 x Argus Pod Series Introduction Card

仕様

サイズ：110.9mm×25.7mm×13.5mm

バッテリー容量：内蔵1000mAh

バッテリー出力：5~25W

カートリッジ容量：2ml

入力電圧範囲：3.2 - 4.2 V

材質：アルミニウム合金、PCTG

抵抗値範囲：0.5 - 3.0Ω

推奨リキッド：ニコチン≤50mg

保護機能：加熱/短絡/過充電/過放電/過熱/

最大電力保護

パッケージ内容

1×ARGUS G本体

1×ARGUS Pod 0.7Ωカートリッジ

1×Type-C ケーブル

1×ARGUS Pod 1.2Ωカートリッジ

1×取扱説明書

1×ストラップ

1×Argus Podシリーズの紹介カード



JUSTKEYにて販売中

Image: Contents of the VOOPOO Argus G Pod Kit package, including the device, two cartridges, Type-C cable, manual, strap, and introduction card.

4. PRODUCT OVERVIEW

The Argus G Pod Kit features a streamlined unibody design with a smooth feel, integrating advanced ITO atomization technology for enhanced flavor. It is equipped with a user-friendly OLED screen and a multi-function button for easy control.



Image: A display of the VOOPOO Argus G Pod Kit in multiple available colors, showcasing its sleek design.

キラキラで手触りも滑らか
MTL だけではなくRDLでもOK

VOOPOO Argus Gが登場

美学を感じさせる
7つのスタイル

- ①独創的なITO霧化技術
- ②多層リークプルーフ
- ③OLED画面で一目瞭然
- ④流線型デザイン
- ⑤エアフロー調整可能

カラバリ豊富なセット7選



Image: An illustration highlighting key features of the Argus G, including its ITO atomization technology, multi-layer leak-proof design, OLED screen, streamlined form, and adjustable airflow.

5. SETUP GUIDE

5.1 Charging the Device

The Argus G Pod Kit has a built-in 1000mAh battery. Before first use, fully charge the device.

1. Connect the Type-C cable to the charging port on the device.
2. Connect the other end of the cable to a suitable USB power source (e.g., wall adapter, computer USB port).
3. The OLED screen will display the charging status. The device is fully charged when the battery indicator shows full.

仕様



サイズ：110.9mm×25.7mm×13.5mm

バッテリー容量：内蔵1000mAh

バッテリー出力：5~25W

カートリッジ容量：2ml

入力電圧範囲：3.2 - 4.2 V

材質：アルミニウム合金、PCTG

抵抗値範囲：0.5 - 3.0Ω

推奨リキッド：ニコチン≤50mg

保護機能：加熱/短絡/過充電/過放電/過熱/
最大電力保護

パッケージ内容



1×ARGUS G本体

1×Type-C ケーブル

1×取扱説明書

1×Argus Podシリーズの紹介カード

1×ARGUS Pod 0.7Ωカートリッジ

1×ARGUS Pod 1.2Ωカートリッジ

1×ストラップ



JUSTKEYにて販売中

Image: Close-up of the Argus G device showing the 1000mAh battery capacity and the Type-C charging port, along with the OLED screen displaying charging status.

5.2 Filling the Pod Cartridge

The Argus Pod cartridges have a 2ml capacity. Ensure the cartridge is properly filled before use.

1. Remove the pod cartridge from the device.
2. Locate the silicone stopper on the side of the pod.
3. Carefully open the stopper and fill the pod with your preferred e-liquid. Do not overfill.
4. Securely close the silicone stopper.
5. For first-time use or with a new cartridge, wait 5-10 minutes after filling to allow the coil to saturate with e-liquid. This prevents dry hits and extends coil life.

ITO霧化技術による楽しい味

VOOPOO独創的なITO霧化技術を採用し、ニコチンソルトのよりスムーズな透過と十分な微粒化ができ、より繊細でやわらかな味わいを実現して、心地よいMTL体験を提供します。

ユニボディアエウェイデザイン

气道内はシリコン素材で気密性を高め、滑らかさと気密性を確保。

3穴エアフローコントロールで、エアフロー調整がスムーズになります。



MTL だけではなくRDLでもOK とても滑らかな味わい



JUSTKEYにて販売中

Image: Illustration demonstrating the ITO atomization technology and the filling process for the Argus Pod cartridges, showing both 0.7Ω and 1.2Ω options.

5.3 Installing the Pod Cartridge

Once filled, install the pod cartridge into the device.

- Align the filled pod cartridge with the pod slot on the Argus G device.
- Push the pod firmly into the slot until it clicks into place. The magnetic connection will secure it.

6. OPERATING INSTRUCTIONS

6.1 Power On/Off

- To turn on the device: Press the multi-function button 5 times rapidly.
- To turn off the device: Press the multi-function button 5 times rapidly. The OLED screen will indicate power off.

6.2 Vaping

The Argus G supports both button-activated and auto-draw vaping.

- **Auto-Draw:** Simply inhale from the mouthpiece to activate the device and produce vapor.
- **Button Ignition:** Press and hold the multi-function button while inhaling from the mouthpiece.

6.3 Adjusting Wattage (Power Switching)

The device supports a wattage range of 5W to 25W.

- To adjust wattage: Press the multi-function button 3 times rapidly. The wattage value on the OLED screen will blink.
- Press the button repeatedly to cycle through wattage values.
- Stop pressing to confirm the desired wattage.

6.4 Puff Clear

- To clear the puff counter: Press the multi-function button 4 times rapidly. The puff counter will reset to zero.

6.5 Lock/Unlock

- To lock or unlock the device: Press the multi-function button 5 times rapidly. The OLED screen will indicate "LOCK" or "UNLOCK". When locked, the device cannot be accidentally activated.

6.6 Airflow Adjustment

The Argus G features adjustable airflow for a customized vaping experience.

- Locate the airflow adjustment slider on the side of the device.
- Slide it up or down to increase or decrease the airflow. More airflow typically results in a looser draw and more vapor, while less airflow provides a tighter draw and more intense flavor.



強力なバッテリー

1000mAhの内蔵バッテリーは、3～4日の安定した出力に簡単にサポートします。バッテリー残量が少ない状態でも、30パフ以上の吸うことが可能です。

1回の充電で3～4日使用可能

JUSTKEYにて販売中

多機能ボタンはすべてをコントロールし、使用はより簡単に！

- Power On/Off
- Botton Ignition
- Power Switching
- Puff Clear
- Lock/Unlock

USER-FRIENDLY OLED INTERFACE
GET TO KNOW EVERYTHING

OLEDで一目瞭然



Image: Diagram illustrating the four air inlets for smoother airflow and the patented multi-layer leak-proof structure of the Argus G pod cartridge, including silicone rings for sealing.

7. MAINTENANCE

7.1 Cleaning the Device

- Regularly clean the device, especially the pod connection area, with a dry cloth or cotton swab.
- Ensure no e-liquid residue accumulates in the charging port.
- Do not use harsh chemicals or abrasive cleaners.

7.2 Cartridge Replacement

The pod cartridges are consumable parts and should be replaced when you notice a burnt taste, reduced vapor production, or a change in flavor.

- To replace, simply pull the old cartridge out of the device.

- Insert a new, filled cartridge as described in Section 5.3.

長寿命カートリッジ より経済的な選択

ITO霧化技術で、オイルの供給をスピードアップし、より大きな加熱面積を実現しています。5W～25Wのワット数設定で安定した味を提供し、コイルの寿命を延ばします。

1つのポッドで最大**7回**
まで再利用可能



高い互換性

ARGUS G は ARGUS POD Cartridge および ARGUS POD Empty Cartridge と互換性があります。ARGUS Z、ARGUS POD SE、ARGUS POD、ARGUS P I とカートリッジを共有しています。



ARGUS P I



ARGUS Z



ARGUS POD



ARGUS POD SE



ARGUS G

Image: A visual representation of the Argus G's long-life cartridge, emphasizing its reusability up to 7 times and economic benefits due to ITO atomization technology.

8. TROUBLESHOOTING

If you encounter issues with your Argus G Pod Kit, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No vapor / Device not firing	Low battery, Pod not installed correctly, Coil issue, Device locked	Charge device, Reinstall pod, Replace pod, Unlock device (5 clicks)

Problem	Possible Cause	Solution
Burnt taste	Low e-liquid, Coil dry/worn out, Chain vaping	Refill pod, Replace pod, Allow time between puffs
Leaking	Overfilling, Damaged pod, Condensation	Do not overfill, Replace pod, Clean condensation regularly
"Atomizer Short" error	Coil short circuit, Poor connection	Clean pod contacts, Replace pod
"Low Power" error	Battery is low	Recharge the device
"High Temperature" error	Device overheating	Stop vaping, allow device to cool down

9. SPECIFICATIONS

Feature	Specification
Dimensions	110.9mm x 25.7mm x 13.5mm
Weight	100 g
Battery Capacity	Built-in 1000mAh
Output Power	5-25W
Cartridge Capacity	2ml
Input Voltage	3.2-4.2V
Resistance Range	0.5-3.0Ω
Recommended E-liquid	Nicotine ≤50mg
Protection Features	Overtime, Short-circuit, Overcharge, Output Over-current, Over-discharge, Overtemperature, Max Power Protection
Material	Aluminum Alloy, PCTG
UPC	787996243344

仕様



サイズ：110.9mm×25.7mm×13.5mm

バッテリー容量：内蔵1000mAh

バッテリー出力：5~25W

カートリッジ容量：2ml

入力電圧範囲：3.2 - 4.2 V

材質：アルミニウム合金、PCTG

抵抗値範囲：0.5 - 3.0Ω

推奨リキッド：ニコチン≤50mg

保護機能：加熱/短絡/過充電/過放電/過熱/
最大電力保護

パッケージ内容



1×ARGUS G本体

1×Type-C ケーブル

1×取扱説明書

1×Argus Podシリーズの紹介カード

1×ARGUS Pod 0.7Ωカートリッジ

1×ARGUS Pod 1.2Ωカートリッジ

1×ストラップ



JUSTKEYにて販売中

Image: A diagram showing the dimensions and key specifications of the VOOPOO Argus G Pod Kit.

10. COMPATIBILITY

The Argus G Pod Kit is compatible with the entire ARGUS POD Cartridge series, including ARGUS Pod 0.7Ω and 1.2Ω cartridges. It shares cartridge compatibility with other devices in the Argus series such as ARGUS Z, ARGUS POD SE, ARGUS POD, and ARGUS P1.

ARGUS Pods Family

FULL COMPATIBILITY



Image: A visual chart demonstrating the full compatibility of Argus Pod cartridges across various VOOPOO Argus series devices, including Argus P1, Argus G, Argus Pod, Argus Z, and Argus Pod SE.

11. WARRANTY AND SUPPORT

Your VOOPOO Argus G Pod Kit comes with a standard manufacturer's warranty. Please refer to the warranty card included in your package for specific terms and conditions. For technical support, troubleshooting assistance, or warranty claims, please contact your retailer or visit the official VOOPOO website.

For customer service inquiries, you may also refer to the seller's information: ★ ★ ★