

Electro-Voice EVERSE 8

Electro-Voice EVERSE 8 Loudspeaker & Gator Cases Tote Bag User Manual

Model: EVERSE 8

Brand: Electro-Voice

INTRODUCTION

The Electro-Voice EVERSE 8 is a portable, battery-powered 8-inch 2-way loudspeaker designed for a wide range of audio applications, including live music, vocal reinforcement, and audio playback. It features Bluetooth connectivity, automatic feedback suppression, and music ducking. This product bundle also includes a Gator Cases Heavy-Duty Speaker Tote Bag, providing convenient and protected transport for your EVERSE 8 loudspeaker. This manual provides essential information for the setup, operation, maintenance, and troubleshooting of your new equipment.



Image: Electro-Voice EVERSE 8 Loudspeaker shown alongside the Gator Cases Heavy-Duty Speaker Tote Bag.

SETUP

1. Unpacking and Inspection

- Carefully remove all components from the packaging.
- Inspect the loudspeaker and tote bag for any signs of damage during transit.
- Retain the original packaging for future storage or transport.

2. Loudspeaker Placement

- The EVERSE 8 can be placed on a flat, stable surface using its built-in feet with no-skid rubber pads.
- For extended sound throw, mount the loudspeaker on a standard tripod speaker stand.
- It can also be used as a stage monitor by placing it long-side down at a 55° monitor angle.
- For upward projection, use the 30° kick-back angle.




Image: Angled view of the Electro-Voice EVERSE 8 loudspeaker, highlighting its compact design.




Image: Front view of the Electro-Voice EVERSE 8 loudspeaker, showing the speaker grille and logo.

3. Battery Installation and Charging

- The EVERSE 8 is powered by a custom-designed high-capacity Li-ion battery pack.
- To install or remove the battery pack, use the tool-free screws.
- Connect the loudspeaker to an AC power source using the provided power cable to charge the battery. The battery is fully optimized for audio use and includes protection circuitry.

4. Tote Bag Usage

- The Gator Cases GPA-TOTE-08 is designed for compact 8" speaker cabinets.
- Unzip the heavy-duty dual zipper to open the entire top of the bag for easy loading and unloading of the EVERSE 8 loudspeaker.
- Utilize the secure-wrap, reinforced dual handles and straps for comfortable carrying and weight distribution.
- Store cables and accessories in the large front pocket.



Image: Angled view of the Gator Cases Heavy-Duty Speaker Tote Bag, showing its robust construction and front pocket.



Image: Front view of the Gator Cases Heavy-Duty Speaker Tote Bag, highlighting the Gator Cases logo and zipper design.

OPERATING INSTRUCTIONS

1. Powering On/Off

- Locate the power switch on the rear panel of the EVERSE 8.
- Toggle the switch to the 'ON' position to power on the unit.
- Toggle to 'OFF' to power down.



Image: Rear panel of the Electro-Voice EVERSE 8 loudspeaker, showing inputs, controls, and power switch.

2. Audio Input and Mixing

- The EVERSE 8 features a built-in four-channel digital mixer.
- Connect microphones or instruments to the input jacks (Input 1, Input 2, Input 3/4).
- Adjust input levels using the corresponding controls on the rear panel or via the QuickSmart Mobile app.
- The mixer includes studio-quality effects and processing, 48 V phantom power for condenser microphones, and feedback suppression.

3. Bluetooth Connectivity

- Enable Bluetooth on your mobile device.
- Select "EVERSE 8" from the list of available devices to pair.
- For stereo setups, the EVERSE 8 supports Bluetooth true wireless stereo streaming. Refer to the QuickSmart Mobile app for detailed stereo pairing instructions.

4. QuickSmart Mobile App

- Download the QuickSmart Mobile app for comprehensive control and monitoring of your EVERSE 8.
- The app allows for remote adjustment of mixer settings, effects, and system parameters.

5. Additional Features

- **12 V DC Port:** Provides power for wireless microphone systems. An optional accessory tray can be attached to secure receiver hardware.
- **Charging Port:** A USB charging port is available for mobile devices when streaming.
- **Weatherized Design:** With the included weatherized input cover, the EVERSE 8 meets IP43 rating (water resistant for splashes and light rain) when running on battery power and Bluetooth streaming.

MAINTENANCE

1. Cleaning

- **Loudspeaker:** Use a soft, dry cloth to clean the exterior of the EVERSE 8. For stubborn dirt, a slightly damp cloth with mild soap can be used, ensuring no liquid enters the ports or openings.
- **Tote Bag:** The rugged water-resistant polyester construction can be wiped clean with a damp cloth. For deeper cleaning, follow fabric care instructions.

2. Storage

- Store the loudspeaker and tote bag in a cool, dry place away from direct sunlight and extreme temperatures.
- When storing the EVERSE 8 for long periods, ensure the battery is partially charged (around 50%) to prolong its lifespan. The battery protection circuitry helps prevent over-discharge.
- Always use the Gator Cases tote bag for transport and storage to protect the loudspeaker from dust, scratches, and minor impacts.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
No sound output	Power not connected or unit off. Input levels too low. Bluetooth not paired or source volume low. Cables faulty or incorrectly connected.	Ensure power is on and connected. Increase input levels on the mixer or app. Re-pair Bluetooth device; check source volume. Check all cable connections and try different cables.
Short battery life	Battery not fully charged. High volume usage. Battery degradation over time.	Ensure battery is fully charged before use (up to 12 hours run time at lower volumes). Reduce volume if extended battery life is needed. Contact customer support if battery performance significantly degrades.
Bluetooth connection issues	Device too far from speaker. Interference from other devices. Speaker already paired to another device.	Move device closer to the speaker. Turn off other Bluetooth devices nearby. Disconnect from previous device or reset Bluetooth on speaker.
Feedback (howling)	Microphone too close to speaker. Input gain too high.	Utilize the automatic feedback suppression feature. Move microphone further from the speaker or adjust its position. Reduce the input gain for the microphone channel.

SPECIFICATIONS

Electro-Voice EVERSE 8 Loudspeaker

Speaker Size	8 Inches
Speaker Type	Woofer
Power Source	Battery Powered
Connectivity Technology	Bluetooth
Special Feature	Stereo pairing; Portable
Recommended Uses	Music performances, DJ events, fitness classes, public speaking events, other gatherings, both indoors and outdoors
Material	Polypropylene
Weather Resistance	IP43-rated (water resistant for splashes and light rain with cover)
Battery Run Time	Up to 12 hours

Gator Cases Heavy-Duty Speaker Tote Bag

Material	Rugged Water Resistant Polyester
Interior	Protective, Padded, Lined
Closure	Heavy-Duty Dual Zipper
Handles	Secure-Wrap, Reinforced Dual Handles and Straps
Storage	Large front pocket for cables and accessories

WARRANTY AND SUPPORT

For detailed warranty information regarding your Electro-Voice EVERSE 8 loudspeaker, please refer to the warranty card included with your product or visit the official Electro-Voice website. For the Gator Cases Heavy-Duty Speaker Tote Bag, consult Gator Cases' official documentation or website for their specific warranty terms.


Should you require technical assistance, troubleshooting beyond this manual, or service, please contact the respective manufacturer's customer support. Ensure you have your product model number and purchase date available when contacting support.

- **Electro-Voice Support:** www.electrovoice.com/support
- **Gator Cases Support:** www.gatorcases.com/support



© 2024 Electro-Voice & Gator Cases. All rights reserved.

Documents - Electro-Voice – EVERSE 8



[pdf] User Manual Owner's Manual Installation Guide Instructions Guide Accessories 971EV8TB Electro Voice Everse 8 Tray w 12V DC Black CRUTCHFIELD COM HNEWBERRY EVERSE Accessory owner s manual Mounting bracket for a wireless mic receiver at Crutchfield crutchfieldonline ImageBank v20230428163900 Manuals 971 ||| mElectro-Voice **EVERSE 8** tray EVERSE8-TRAY-B, EVERSE8-TRAY-W Quick installation guide Safety 1. Read these instructions. 2. Keep these instructions. 3. Heed all warnings. 4. Follow all instructions. 5. Do not use this apparatus near water other than ex- plicitly called out in the EVERS E 8 User manu... lang:en score:38 filesize: 1.02 M page_count: 4 document date: 2023-04-28

Electro-Voice launches EVERSE 8 weatherized battery-powered loudspeaker
Mittwoch, 26. Oktober 2022 09:01

Electro-Voice EVERSE 8



Electro-Voice announces the global introduction of the EVERSE 8 weatherized battery-powered loudspeaker with Bluetooth audio and control. The first battery-powered loudspeaker from Electro-Voice and the first weatherized model of its type, EVERSE 8 takes advantage of decades of Electro-Voice engineering expertise along with the latest advancements in technology - to provide a truly portable and truly wireless audio experience at a price and performance level unmatched by current, comparable products on the market.

Whether used for live music, vocal reinforcement and/or audio playback, musicians, DJs, production/rental companies, fitness/activity instructors and other professional, amateur and recreational users can all benefit from EVERSE 8's superior sound quality, user-friendliness and all-in-one PA system design - a concept that opens up real pro-audio performance for a wider range of users than ever before. EVERSE 8 comes in a black or white finish, adding an aesthetic angle to its versatility.

With a maximum SPL rating of 121 dB and wide, even 100° x 100° coverage,

1 / 2 Read More

[\[pdf\]](#)

Electro Voice launches EVERSE 8 weatherized battery powered loudspeaker proaudio de news live
27043 electro voice everse |||

Electro-Voice launches **EVERSE 8** weatherized battery-powered loudspeaker
Mittwoch, 26. Oktober 2022 09:01 Electro-Voice **EVERSE 8** Electro-Voice announces the global introduction of the **EVERSE 8** weatherized battery-powered loudspeaker with Bluetooth audio and control. The first battery-powered loudspea...
lang:en score:33 filesize: 402.37 K page_count: 2 document date: 2022-11-19

[\[pdf\]](#)

User Manual Installation Guide Instructions Specifications Accessories

QIG F01U405177 01 EVERSE8Accessorytray en BDL EVERSE8 User Manual SoundDD shop plicitly
called out in the EVERSE 8 manual Unplug apparatus during lightning storms or when unused for long
periods of time TRAY MANUAL t 1673861622 soundddd Specification EV |||

Safety 1. Read these instructions. 2. Keep these instructions. 3. Heed all warnings. 4.
Follow all instructions. 5. Do not use this apparatus near water other than ex- plicitly
called out in the **EVERSE 8** User manual. 6. Clean only with a dry cloth. 7. Do not
block any ventilation openings. Install i...

lang:en score:33 filesize: 1021.2 K page_count: 2 document date: 2022-02-21



[\[pdf\]](#)

User Manual Installation Guide Instructions Datasheet Guide Accessories

QIG F01U405178 01 EVERSE8 Battery pack assembly en BDL Installation Guide Electro Voice BAT B
prostage gr Έγγραφο Data Sheet products electrovoice binary |||

Safety 1. **SAVE THESE INSTRUCTIONS.** This manual contains important safety and
operating instructions ... ice in temperatures between 0 C 32 F and 35 C 95 F .
Recycle or dispose of properly. Features **EVERSE 8** high capacity Li-Ion battery is
custom designed to provide more than enough power to comple...

lang:en score:33 filesize: 657.54 K page_count: 2 document date: 2022-02-16





[pdf]


Electro Voice launches EVERSE 8 weatherized battery powered loudspeaker proaudio de en news live 27043 electro voice everse |||

Electro-Voice launches **EVERSE 8** weatherized battery-powered loudspeaker Wednesday, 26 October 2022 09:01 Electro-Voice **EVERSE 8** Electro-Voice announces the global introduction of the **EVERSE 8** weatherized battery-powered loudspeaker with Bluetooth audio and control. The first batterypowered loudspea... lang:en score:33 filesize: 402.35 K page_count: 2 document date: 2022-11-19



[pdf]

Electro Voice launches EVERSE 8 weatherized battery powered loudspeaker proaudio de news live 27043 electro voice everse tmpl component ||| Electro-Voice launches **EVERSE 8** weatherized battery-powered loudspeaker Mittwoch, 26. Oktober 2022 09:01 Electro-Voice **EVERSE 8** Electro-Voice announces the global introduction of the **EVERSE 8** weatherized battery-powered loudspeaker with Bluetooth audio and control. The first batterypowered loudspea... lang:en score:33 filesize: 402.37 K page_count: 2 document date: 2022-11-19



[pdf]


IM F01U401530 01 EVERSE 8 de BDL Electro Voice Licht produktiv B2B Portal licht Handbuch mediafiles ||| **EVERSE 8** EVERSE8US, EVERSE8EU, EVERSE8W de Installationshandbuch **EVERSE 8** Inhaltsverzeichnis 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 Schutz Wichtige Sicherheitsanweisungen Sicherheitsregeln fr Akku un... lang:de score:31 filesize: 17.53 M page_count: 66 document date: 2022-11-21



[pdf]

Electro Voice launches EVERSE 8 weatherized battery powered loudspeaker announces the global introduction of with Bluetooth audio and control The first batterypaudio de news live electro voice everse tmpl component format |||


Electro-Voice launches **EVERSE 8** weatherized battery-powered loudspeaker
Mittwoch, 26. Oktober 2022 09:01 Electro-Voice **EVERSE 8** Electro-Voice announces the global introduction of the **EVERSE 8** weatherized battery-powered loudspeaker with Bluetooth audio and control. The first batterypowered loudspea...
lang:en score:31 filesize: 402.37 K page_count: 2 document date: 2025-08-14



[pdf] Guide

FIXED TERM Monteiro Jose BT MKM1 Electro Voice Everse12 Quick Start user Guide battery powered loudspeaker everse qug v01 en m sbl sk files ev |||


Product registration Register your EVERSE: electrovoice.com/register Quick setup To set up the lou ... ng to the loudspeakers. The app can connect to up to six loudspeakers. Bluetooth Pairing Request **EVERSE 8** A5A5 would like to pair with your iPhone. Cancel Pair Subsequent pairing To pair additi...
lang:en score:31 filesize: 2.92 M page_count: 2 document date: 2024-02-15



[pdf] User Manual Instructions Troubleshooting Guide Declaration of Conformity

EVERSE UM V03 en Electro Voice Everse 12 Manual 503d0766466be678f2ad337f6df897390c68 gzhls at blob ldb 9 7 0 4 |||

EVERSE Batterypowered Loudspeaker EVERSE8US, EVERSE8EU, EVERSE8W, EVERSE12EU, EVERSE12US en User m ... along with new advancements in technology, to provide truly portable and truly wireless audio. The **EVERSE 8** utilizes a 2-way configuration with an 8-inch woofer. It includes a high-output, titanium, ...
lang:en score:30 filesize: 15.94 M page_count: 84 document date: 2024-04-18



[\[pdf\]](#) User Manual

loa di dong ev everse user manual ↓ EVERSE User Manual ↓ ManualLoa động EV Electro Voice Dòng EVERSELoa Everse serie đầy đủ model Giá rêloa manualloa manualtrungchinhaudio vn media lib 17 05 2024 |||

EVERSE Battery-powered Loudspeaker EVERSE8US, EVERSE8EU, EVERSE8W, EVERSE12EU, EVERSE12US ja EV1 2023-10 01 Electro-Voice Electro-Voice EVERSE EVERSE EVERSE Electro-Voice Dynacord **EVERSE 8** 2 SST Electro-Voice 100x 100 SPL EVERSE 12 Electro-Voice SST 12 2 100 x 60 EV...


lang:i-klnglon **score:30** filesize: 16.88 M page_count: 84 document date: 2024-05-17



[\[pdf\]](#)

Electro Voice launches EVERSE 8 weatherized battery powered loudspeaker Wednesday 26 October 2022 09 01 s capabilities defy its compact form factor and set uncompromising new proaudio de en news live 27043 electro voice everse tmp1 component |||

Electro-Voice launches **EVERSE 8** weatherized battery-powered loudspeaker Wednesday, 26 October 2022 09:01 Electro-Voice **EVERSE 8** Electro-Voice announces the global introduction of the **EVERSE 8** weatherized battery-powered loudspeaker with Bluetooth audio and control. The first batterypowered loudspea... lang:en **score:29** filesize: 402.35 K page_count: 2 document date: 2022-11-19




[\[pdf\]](#) Datasheet Declaration of Conformity

ELECTRO VOICE Everse 8 Black 4 days ago — I primo altoparlante alimentato a batteria di Electro Voice e il modello resistente alle intemperie del suo genere doc strumentimusicali net datasheet products id 171278 |||

Diffusori Diffusori Portatili ELECTRO VOICE **Everse 8** Black domenica 08 ottobre, 2023 Cod.Art. : 171278 li.n SPEAKER BLUETOOTH A BATTERIA 8 400W I primo altoparlante alimentato a batteria di Electro-Voice e il a primo modello resistente alle intemperie del suo genere, **Everse 8** ic sfrutta decenni...

lang:it **score:29** filesize: 20.9 K page_count: 2 document date: 2023-10-08



[\[pdf\]](#)


IM F01U401530 01 EVERSE 8 de BDL 25 nov 2022 — Bei Mono Setups mit nur einem Lautsprecher ist die PAN Funktion nicht aktiviert DUCKER Der reduziert den Pegel des Signals der Signale an anderen Handbuch images prolighting manuals |||

EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W de Installationshandbuch

EVERSE 8 Inhaltsverzeichnis 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 Schutz

Wichtige Sicherheitsanweisungen Sicherheitsregeln fr Akku un...

lang:de **score:28** filesize: 17.53 M page_count: 66 document date: 2022-11-22



[\[pdf\]](#)

User Manual Instructions Troubleshooting Guide Dimension Guide Declaration of Conformity

UM F01U401530 03 EVERSE 8 en BDL HEREEVERSE Weatherized Battery Powered Speaker with Bluetooth and Mic — AV Now Fitness SoundEVERSE speaker user manualcdn shopify s files 1 0098 6061 2154 manual v 1677815091 EVERSE8 ManualHEREElectro Voice EV Everse Professionel BT

SpeakerEVERSE SoundEVERSE8 ManualEVERSE manualkinvox assetsv2 kinovox aad418a9 edfa 4791 b670 caeb18f374e5 Manualcdn ManualEVERSE8 SpeakerElectro EVERSE8W batteri højtaler

HVIDEVERSE Manualkinvox f66b8478 145c 41cb 9ab3 41a56c329295 ||| ||| EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W en User manual EVERSE 8 Table of contents 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7

1.8 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1

Safety Important safet ||| EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W en User manual EVERSE

8 Table of contents 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 Safety Important safet

EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W en User manual **EVERSE 8**

Table of contents 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 Safety Important safety

instructions Battery and internal charger safety r...

lang:en **score:28** filesize: 16.17 M page_count: 60 document date: 2023-01-19




[\[pdf\]](#) Catalog

TCA Untitled loa electro voice everser 8 catalogue trungchinhaudio vn media lib 07 12 2022 |||

Catalogue Electro-Voice **Everse 8** ...

lang:en **score:28** filesize: 2.43 M page_count: 5 document date: 2022-12-07



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

Loa Electro Voice ZLX G2 User Manual liên công suất EV 12P loa electro voice zlx g2 user manual trungchinhaudio.vn media lib 19 03 2024 |||

ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2, ZLX15PG2 en User manual ... deseada IFETEL ID: Pakistan: Republic of Korea: : : : : : : Bosch Security Systems, LLC **EVERSE 8** 100-240 Vac, 50-60 Hz, 1000 W Bosch Security Systems, LLC. User manual 2023-10 01 ...

lang:en **score:28** filesize: 7.93 M page_count: 80 document date: 2024-03-19



[\[pdf\]](#) Catalog

Trung Chinh Audio catalogue loa electro voice everser 8 trungchinhaudio.vn media lib 20 10 2023 |||

Catalogue Electro-Voice **Everse 8** ...

lang:en **score:28** filesize: 4.67 M page_count: 5 document date: 2023-10-20



[Electro-Voice EVERSE8 Battery Pack Quick Installation Guide](#)

Concise and SEO-optimized guide for installing and using the Electro-Voice EVERSE8 battery pack. Includes features, technical specifications, safety precautions, and battery care instructions.

lang:i-klngon **score:28** filesize: 634.47 K page_count: 5 document date: 2023-04-16




[pdf] Flyer

Flyer Electro Voice EVERSE 8 Portable Battery Powered inch 400W Weatherized Loudspeaker with Bluetooth White EV EVERSE8 Letter Aug2022 v18 proacousticsusa media wysiwyg |||

EVERSE 8 WEATHERIZED BATTERY-POWERED LOUDSPEAKER WITH BLUETOOTH AUDIO AND CONTROL 121 dB SPL MAXIMUM REAL PRO-AUDIO PERFORMANCE **EVERSE 8** s superior sound quality, output capacity, and wide, even coverage is unmatched by any other battery-powered loudspeaker available today. The difference is clear...

lang:en score:27 filesize: 13 M page_count: 2 document date: 2022-08-29




[pdf] Installation Guide Instructions Guide

QIG F01U405178 01 EVERSE8 Battery pack assembly en BDL Features Parts included Installation Technical data ZJNEVERSE8BATB 11 kookaburra au documents instructions |||

Features **EVERSE 8** high capacity Li-Ion battery is custom designed to provide more than enough power to complete the show. Cloth carry bag included to protect the battery during transport and storage. Available in black and white. To remove and reinstall the battery for inspection or replacement:...

lang:en score:27 filesize: 1.2 M page_count: 2 document date: 2023-09-27




[pdf] User Manual Instructions Troubleshooting Guide Dimension Guide Declaration of Conformity

UM F01U401530 03 EVERSE 8 en BDL Electro Voice Originální manuál 1 nov 2022 — WARNING TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK DO NOT OVEREXPOSE THIS APPLIANCE RAIN MOISTURE AVIS RISQUE DE CHOC ELECTRIQUE EVERSE8 W kreatek cz cdn audiopro files |||

EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W en User manual **EVERSE 8** Table of contents 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 Safety Important safety instructions Battery and internal charger safety r...

lang:en score:27 filesize: 16.17 M page_count: 60 document date: 2023-01-19




[pdf] User Manual Accessories

BRKT POLE QIG 01 en Electro Voice S držiak na stenu Manual brkt pole qig 02 m sbl sk files ev |||

Safety BRKT-POLE-S and BRKT-POLE-L support a working load limit of 34.1 kg 75 lb at a minimum stru ... dels ELX200 12 models - ELX200 15 models - ETX-10P 1 ETX-12P 1 ETX-15P - **EVERSE 8** EVERSE 12 1 PX1122M 1 PX1152M - PXM-12MP - 1 QRx 112/75 - QRx 115/7...


lang:en score:27 filesize: 1.83 M page_count: 2 document date: 2024-11-14



[pdf] Guide

EVERSE QUG en Product registration Quick setup To set up the loudspeaker Step Illustration 1 Connect AC power cord from a grounded receptacle to MAINS IN user guide 979438 products electrovoice ||| Product registration Register your EVERSE: electrovoice.com/register Quick setup To set up the lou ... ng to the loudspeakers. The app can connect to up to six loudspeakers. Bluetooth Pairing Request **EVERSE 8** A5A5 would like to pair with your iPhone. Cancel Pair Subsequent pairing To pair additi...

lang:en score:26 filesize: 1.53 M page_count: 2 document date: 2024-12-06




[pdf] Datasheet Declaration of Conformity

ELECTRO VOICE Everse 8 White StrumentiMusicali 23 hours ago · SPEAKER ALIMENTATO A BATTERIA CON AUDIO E CONTROLLO BLUETOOTH 400W Il primo altoparlante alimentato a batteria di Electro Voice e il modello resistente alle intemperie del suo genere sfrutta decenni esperienza ingegneristica insieme agli ultimi progressi tecnologici per fornire un audio veramente portatile senza fili livello prezzo doc strumentimusicali net datasheet products id 176297 |||

Diffusori Diffusori Portatili ELECTRO VOICE **Everse 8** White giovedì 10 luglio, 2025 Cod.Art. : 176297 li.n SPEAKER ALIMENTATO A BATTERIA CON AUDIO E CONTROLLO BLUETOOTH 400W a Il primo altoparlante alimentato a batteria di Electro-Voice e il ic primo modello resistente alle intemperie del suo gene...

lang:it score:26 filesize: 23.25 K page_count: 3 document date: 2025-07-10



[pdf] User Manual Instructions Troubleshooting Guide

ZLX G2 UM V01 en Manual Electro Voice 12P 12 inch 2 Way 1000W Powered Loudspeaker with Bluetooth ev zlx 15p g2 manual proacousticsusa media wysiwyg ||| ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2, ZLX15PG2 en User manual ... deseada IFETEL ID: Pakistan: Republic of Korea: : : : : : Bosch Security Systems, LLC **EVERSE 8** 100-240 Vac, 50-60 Hz, 1000 W Bosch Security Systems, LLC. User manual 2023-10 01 ...


lang:en score:26 filesize: 8 M page_count: 80 document date: 2023-10-31

[pdf] User Manual Accessories Catalog

PROFESSIONAL PORTABLE LOUDSPEAKERS 6 nov 2022 — Electro-Voice RE3 or R300 see user manual for details Attach the optional DVX3180A 457 mm 18 SMX2151 380 15 Power rating peak 1800 W EV PortableSpeakersCatalog Global Nov2022 v10 WEB LR 53429 products electrovoice binary ||| PROFESSIONAL PORTABLE LOUDSPEAKERS PORTABLE COLUMN SYSTEMS ACCESSORIES, INFO PORTABLE LOUDSPEAKERS B ... ation. Bluetooth is available in select countries. Please contact your local sales representative. **EVERSE 8** 2-way 400 W 121 dB 100 x 100 Polypropylene - 3 years for speaker 1 year for battery EVER...

lang:en score:26 filesize: 19.19 M page_count: 23 document date: 2022-11-14






[pdf]

UM F01U401530 03 EVERSE 8 ja BDL EVERSE8 products electrovoice binary |||

EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W ja **EVERSE 8** 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 FCC sDoC QuickSmart Mobile DSP DSP DSP DSP INPUT DSP Bluetooth True Wi...

lang:fr **score:26** filesize: 16.37 M page_count: 60 document date: 2023-02-23




[pdf]

User Manual Instructions Troubleshooting Guide Dimension Guide

UM F01U401530 02 EVERSE 8 en BDL EVERSE8 products electrovoice binary |||

EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W en User manual **EVERSE 8** Table of contents 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7 7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 Safety Important safety instructions Battery and internal charger safety rules...

lang:en **score:26** filesize: 16.92 M page_count: 64 document date: 2022-10-18



[pdf]

Specifications Datasheet Dimension Guide Accessories

EVERSE8 Accessory tray 12V DC Datasheet 51 en 91063097611 EV EVERSE8TRAYW Spec Sheet

Electro Voice EVERSE 8 Tray with Power Cable Included White TRAY EDS BDL products electrovoice binary |||

Electro-Voice EVERSE8 Accessory tray, 12V DC EVERSE8 Accessory tray, 12V DC Mounting tray with a ... e mm 2.5 5.5 2 EVERSE8 Accessory tray, 12V DC Ordering information EVERSE8-TRAY-B Tray for **EVERSE 8**, 12V DC cable black Wireless microphone tray Order number EVERSE8-TRAY-B F.01U.399.470 EV...

lang:en **score:25** filesize: 908.32 K page_count: 2 document date: 2023-02-09

18

en | Description

EVERSE Battery powered loudspeaker

2

Description

Thank you for choosing an Electro-Voice powered loudspeaker system. Please take time to consult the manual to understand all the features built into your Electro-Voice system and fully utilize its performance capabilities.

EVERSE is a versatile, easy to use, compact, battery-powered loudspeaker system. It provides professional level performance and is housed in a robust weatherproof enclosure. EVERSE loudspeakers provide superior performance for musical performance, voice reinforcement and audio playback. EVERSE loudspeakers take advantage of decades of Electro-Voice's outstanding pro-audio and electronics expertise, along with new advancements in technology, to provide truly portable and truly wireless audio.

The EVERSE 8 features a 2-way configuration with an 8" inch woofer. It includes a throatnut, slantport, hornloaded cone tweeter, featuring a high-energy neodymium magnet for maximum output and reduced weight. The tweeter is mounted to an Electro-Voice patented SST constant directivity waveguide design, providing exceptionally high SPL, with over 100° x 100° coverage and improved sound dispersion and bass extension.

The EVERSE 12 utilizes a 2-way configuration with a 12 inch woofer and a light efficiency horn horn compression driver mounted on an Electro-Voice's patented SST baffles. It produces 5 dB higher SPL and delivers more than the EVERSE 8 with 100° x 60° coverage.

The rugged polypropylene enclosure features a weatherproof dust cover for the input section, allowing the loudspeaker to meet IP64 rating (splash and light rain resistant) for use on battery power and Bluetooth® streaming. The available accessory enclosure allows for additional weather resistance and protection when needed.

EVERSE loudspeakers feature Electro-Voice's QuickStart DSP and are **POWERED BY DYNACORD**, featuring a built-in 4-channel digital mixer with FX, feedback suppression, and docking features. The loudspeakers feature a custom designed, and fully optimized for audio use, high capacity battery pack. The battery pack provides more than enough power to complete the show, including a 12 V DC accessory port to power I/O or KIOSK wireless microphone systems.

The EVERSE 8 is available in both white and black. The EVERSE 12 is available only in black.

2.1

Short information

The following table lists products in the EVERSE family, with CTV (Commercial Type Number) and identifying product name QCC303P7000.

CTN	Description
EVERSE-US	8" 2-way speaker battery black US
EVERSE-EU	8" 2-way speaker battery black EU
EVERSE-W	8" 2-way speaker battery white US/EU
EVERSE-TRAVEL	Tray for EVERSE 8, 12V DC cable black
EVERSE-TRAVEL	Tray for EVERSE 12, 12V DC cable white
EVERSE-BATTERY	Rem resistant cover for EVERSE 8
EVERSE-TOTE	Padded tote bag for EVERSE 8
EVERSE-DIG	Battery pack assembly, EVERSE, black
EVERSE-DIG-W	Battery pack assembly, EVERSE, white
EVERSE-EU	12" 2-way speaker battery black US

QCC3031 DYNACORD 12 800-XXX-XXX

User manual

Electro-Voice

[Electro-Voice EVERSE Battery-Powered Loudspeaker User Manual](#)

Comprehensive user manual for the Electro-Voice EVERSE series of battery-powered loudspeakers, detailing features, system setup, and mobile app pairing.

lang:en score:25 filesize: 212.11 K page_count: 6 document date: 2023-08-16

[\[pdf\] User Manual Accessories](#)

BRKT POLE QIG 01 en Safety Feb 29 2024 — The use of mounting configurations other than recommended by Electro Voice in this manual are at the risk user ! Warning! Suspending any object is 02 products electrovoice binary |||

Safety BRKT-POLE-S and BRKT-POLE-L support a working load limit of 34.1 kg 75 lb at a minimum stru ... dels ELX200 12 models - ELX200 15 models - ETX-10P 1 ETX-12P 1 ETX-15P - **EVERSE 8** EVERSE 12 1 PX1122M 1 PX1152M - PXM-12MP - 1 QRx 112/75 - QRx 115/7...

lang:en score:25 filesize: 2.98 M page_count: 2 document date: 2023-08-10


[\[pdf\] User Manual Datasheet Guide](#)

EVERSE8 8 2 way battery powered speaker 5 days ago — High Quality Stereo Bluetooth® streaming with true wireless stereo TWS linking between two EVERSE speakers • **POWERED BY DYNACORD** built in digital 4 tai lieu mau datasheet loa electro voice everse trungchinhaudio vn media lib 20 10 2023 7 The is available both white and black Parts included Quantity Component 1 Speaker Battery pack assembly

in digital 4 tai lieu mau datasheet loa electro voice everse trungchinhaudio vn media lib 20 10 2023 7 The is available both white and black Parts included Quantity Component 1 Speaker Battery pack assembly installed User manual Page Loa Electro Voice Everse biểu diễn chuyên nghiệp Giá Tốt nhất |||

ElectroVoice EVERSE8 8 2-way battery powered speaker EVERSE8 8 2-way battery powered speaker L ... inking between two EVERSE speakers. **POWERED BY DYNACORD** with built-in digital 4-channel mixer. The **EVERSE 8** is a versatile, easy to use, compact, battery-powered loudspeaker system. It provides profe...

lang:en score:25 filesize: 1.64 M page_count: 3 document date: 2023-10-20



Electro-Voice | EVERSE 8" 2-way battery powered speaker

EVERSE 8" 2-way battery powered speaker

- Long run-time rechargeable, removable and replaceable 12-volt battery pack offers 10 hours of constant music playback at maximum output levels, or over 24 hours at 85 dB SPL.
- Real professional level output and Electro-Voice sound quality thanks to an 8" driver mounted in a SST waveguide and a 2-inch Vortex dome tweeter.
- Easy to use with QuickStart Mobile app and Electro-Voice's intuitive user interface.
- High Quality Stereo Bluetooth® streaming with true wireless stereo (TWS) linking between two EVERSE speakers.
- **POWERED BY DYNACORD** with built-in digital 4-channel mixer.

The EVERSE 8 is a versatile, easy to use, compact, battery-powered loudspeaker system. It provides professional level performance and is housed in a robust weatherproof enclosure. EVERSE loudspeakers provide superior performance for musical performance, voice reinforcement and audio playback. EVERSE loudspeakers take advantage of decades of Electro-Voice and Dynacord pro-audio and electronics expertise, along with new advancements in technology, to provide truly portable and truly wireless audio. The EVERSE 8 features a 2-way configuration with an 8" inch woofer. It includes a throatnut, slantport, hornloaded cone tweeter, featuring a high-energy neodymium magnet for maximum output and reduced weight. The tweeter is mounted to an Electro-Voice patented SST constant directivity waveguide design, providing exceptionally high SPL, with over 100° x 100° coverage. The rugged polypropylene enclosure features a weatherproof dust cover for the input section, allowing the loudspeaker to meet IP64 rating (splash and light rain resistant) for use on battery power and Bluetooth® streaming. The available accessory enclosure allows for additional weather resistance and protection when needed, while ensuring wired connections during operation. The EVERSE 8 features Electro-Voice's QuickStart DSP and is **POWERED BY DYNACORD**, featuring a built-in 4-channel digital mixer with FX (feedback control).

Feedback suppression, and docking features. The loudspeaker features a custom designed, and fully optimized for audio use, high capacity battery pack. The battery pack provides more than enough power to complete the show, including a 12 V DC accessory port to power I/O or KIOSK wireless microphone systems. The EVERSE 8 is available in both white and black.

Quantity	Component
1	Speaker
1	Battery pack assembly/kit
1	User manual

EVERSE 8


EVERSE-US, EVERSE-EU, EVERSE-W

en User manual

[Electro-Voice EVERSE 8 User Manual](#)

Comprehensive user manual for the Electro-Voice EVERSE 8 portable powered loudspeaker system, detailing its features, operation, safety guidelines, and technical specifications.


lang:en score:25 filesize: 16.17 M page_count: 60 document date: 2023-07-14



[Electro-Voice EVERSE Loudspeaker Quick User Guide](#)

A concise guide to setting up, pairing, and mounting Electro-Voice EVERSE loudspeakers, including quick start instructions and weatherization tips.

lang:en **score:25** filesize: 2.92 M page_count: 2 document date: 2024-01-11



[\[pdf\] Datasheet Dimension Guide Accessories](#)

EVERSE8 Accessory tray 12V DC Datasheet 51 fr 91063097611 Electro Voice Plateau d accessoires 12

VccCâble alimentation CC inclus pour alimenter votre récepteur RE3 ou R300 avec la batterie de l

enceinte EVERSE 8 • Disponible en noir et blanc 979624products electrovoice 979624 |||

Electro-Voice Plateau d accessoires EVERSE8, 12 Vcc Plateau d accessoires

EVERSE8, 12 Vcc Platea ... e d alimentation CC inclus pour alimenter votre rcepteur

RE3 ou R300 avec la batterie de l enceinte **EVERSE 8**. Disponible en noir et en

blanc. Caractristiques techniques Matriau Polypropylyne Coule...

lang:fr **score:25** filesize: 769.44 K page_count: 2 document date: 2024-11-18

[\[pdf\] Accessories Borchure Catalog](#)

loa cot electro voice evolve 30M brochure catalogue TCA Trung chnh audio PROFESSIONAL

PORTABLE LOUDSPEAKERS REAL PRO AUDIO UNPLUGGED EVERSE 8 PERFORMANCE s

superior sound quality output capacity and wide even coverage is unmatched by any other battery

powered loudspeaker 30m trungchinhaudio vn media lib 05 01 2023 |||

PROFESSIONAL PORTABLE LOUDSPEAKERS PORTABLE COLUMN SYSTEMS


ACCESSORIES, INFO PORTABLE LOUDSPEAKERS B ... ation. Bluetooth is

available in select countries. Please contact your local sales representative. **EVERSE**

8 2-way 400 W 121 dB 100 x 100 Polypropylene - 3 years for speaker 1 year for

battery EVER...

lang:en **score:25** filesize: 7.68 M page_count: 23 document date: 2023-01-05



[\[pdf\] Specifications Datasheet Dimension Guide Accessories](#)

EVERSE8 Accessory tray 12V DC Datasheet 51 en 91063097611 Vbizz Electro Voice EVERSE 8

accessory Specification SheetElectro Tray for Enhanced Audio Equipment Organization PA SYSTEM

MALAYSIABizz Sheetapi vbizz storage 15165 Sheet v 1730941732 |||


Electro-Voice EVERSE8 Accessory tray, 12V DC EVERSE8 Accessory tray, 12V DC

Mounting tray with a ... e mm 2.5 5.5 2 EVERSE8 Accessory tray, 12V DC Ordering

information EVERSE8-TRAY-B Tray for **EVERSE 8**, 12V DC cable black Wireless


microphone tray Order number EVERSE8-TRAY-B F.01U.399.470 EV...

lang:en **score:25** filesize: 908.32 K page_count: 2 document date: 2023-02-09




[pdf] User Manual

loa di dong ev everse user manual EVERSE Battery-powered Loudspeaker srsltid
AfmBOoruCfH2JNnH4h MvIT4ZG5SSL6ZzruZhrR0Nf7TU63Ad0ZxrEAW trungchinhaudio vn media lib 17
05 2024 |||
EVERSE Batterypowered Loudspeaker EVERSE8US, EVERSE8EU, EVERSE8W,
EVERSE12EU, EVERSE12US ja EV1 2023-10 01 Electro-Voice Electro-Voice
EVERSE EVERSE EVERSE Electro-Voice Dynacord **EVERSE 8** 2 SST Electro-
Voice 100x 100 SPL EVERSE 12 Electro-Voice SST 12 2 100 x 60 EV...
lang:i-klngon **score:23** filesize: 16.88 M page_count: 84 document date: 2024-05-17



[pdf]

UM F01U401530 03 EVERSE 8 zhCHS BDL Electro Voice 400w EV 400
S1 EVERSE8 drive google file d 12bwYyU 6fKX rvuNqq7wDqMxzc570y55 view usp link |||
EVERSE 8 EVERSE8US, EVERSE8EU, EVERSE8W zh-CHS **EVERSE 8** 1 1.1 1.2
1.3 1.4 1.5 1.6 1.7 1.8 2 2.1 2.2 2.3 3 4 4.1 4.2 4.3 4.4 4.5 5 5.1 5.2 5.3 5.3.1 6 6.1 7
7.1 7.2 7.3 7.4 8 9 9.1 9.2 10 10.1 FCC sDoC QuickSmart Mobile DSP DSP DSP
DSP INPUT DSP TWS FX zh-C...
lang:fr **score:23** filesize: 50.61 M page_count: 60 document date: 2023-08-26



[pdf] User Manual Instructions

ZLX G2 UM V01 en Electro Voice ZLX15G2 User Manual files thelostmanual org data display embed
toolleft true toolright false print zoom auto quot |||
ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2,
ZLX15PG2 en User manual ... deseada IFETEL ID: Pakistan: Republic of Korea: : : :
: : : Bosch Security Systems, LLC **EVERSE 8** 100-240 Vac, 50-60 Hz, 1000 W Bosch
Security Systems, LLC. User manual Downloaded from...
lang:en **score:23** filesize: 6.95 M page_count: 80 document date: 2024-08-08



[pdf] Datasheet

EVERSE8 RAINCVR Rain resistant cover for EVERSE 8 Datasheet 51 ja 86921744779 products
electrovoice binary |||
Electro-Voice EVERSE8-RAINCVR **EVERSE 8** EVERSE8-RAINCVR **EVERSE 8** IP44
1 600D IP IP44 x x mm 400 mm x 285 mm x 280 mm x x in 15.75 in x 11.22 in x 11.02
in x x mm 480 mm x 425 mm x 28.5 mm x x 18.9 x 16.7 x 1.12 g 370...
lang:de **score:23** filesize: 76.49 K page_count: 2 document date: 2023-03-24

