

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [KNODOS](#) /

› [KNODOS 54mm Espresso Tamping Station Instruction Manual](#)

## KNODOS 54mm

# KNODOS 54mm Espresso Tamping Station Instruction Manual

## INTRODUCTION

---

Thank you for choosing the KNODOS 54mm Espresso Tamping Station. This manual provides essential information for the proper setup, operation, and maintenance of your new espresso accessory. Designed to enhance your coffee preparation workflow, this station helps organize your tools and provides a stable platform for tamping.

## PRODUCT OVERVIEW

---

The KNODOS 54mm Espresso Tamping Station is a multi-functional organizer crafted from rosewood, specifically designed for 54mm Breville portafilters and related espresso tools. It features dedicated slots for a portafilter, tamper, and coffee distributor, along with non-slip surfaces for stability.

- **54mm Compatibility:** Precisely designed for 54mm Breville portafilters, ensuring a secure fit.
- **Integrated Organization:** Includes holders for an espresso tamper, coffee distributor, and portafilter basket.
- **Non-Slip Stability:** Features a non-slip surface that also functions as a tamping mat, providing a stable base for accurate tamping.
- **Durable Construction:** Made from high-quality rosewood for lasting use and an aesthetic appeal.



The KNODOS 54mm Espresso Tamping Station, crafted from rosewood, provides a dedicated space for your espresso tools.



The base of the tamping station features non-slip pads to ensure stability during use and protect your countertop.

## SETUP

---

Follow these steps to set up your KNODOS Espresso Tamping Station:

1. **Unpack:** Carefully remove the tamping station from its packaging.
2. **Placement:** Choose a stable, flat surface near your espresso machine for optimal workflow. Ensure the surface is clean and dry.
3. **Insert Mats:** Place the provided non-slip mats into the circular recesses of the station. These mats provide cushioning and prevent tools from sliding.



Each compartment is designed to hold a removable non-slip mat, providing a secure and clean surface for your tools.

## OPERATING INSTRUCTIONS

---

The tamping station is designed to streamline your espresso preparation process.

### Using the Portafilter Holder

Place your 54mm portafilter into the designated U-shaped slot. The design ensures the portafilter is held firmly in place, allowing for hands-free grinding, dosing, and distribution.



The station features a precisely cut slot to hold a 54mm portafilter, ensuring it remains stable during grinding and tamping.

### **Using the Tamper and Distributor Holders**

The two circular recesses are designed to hold your espresso tamper and coffee distributor. This keeps them upright, clean, and readily accessible for use.



Dedicated circular slots are provided for an espresso tamper and a coffee distributor, keeping them organized and easily accessible.



This view demonstrates how various espresso tools fit neatly into the tamping station, creating an organized workflow.

## MAINTENANCE AND CARE

To ensure the longevity and appearance of your KNODOS Espresso Tamping Station, follow these care instructions:

- **Cleaning:** Wipe the rosewood surface with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals, as these can damage the wood finish.
- **Non-Slip Mats:** The removable non-slip mats can be washed with mild soap and water. Ensure they are completely dry before placing them back into the station.
- **Drying:** Do not immerse the wooden station in water. Dry immediately after cleaning to prevent water damage.
- **Storage:** Store in a dry environment away from direct sunlight or extreme temperature changes to preserve the wood.

## TROUBLESHOOTING

If you encounter any issues with your tamping station, consider the following:

- **Portafilter Fit:** Ensure your portafilter is 54mm in size. This station is specifically designed for 54mm Breville portafilters. Other sizes may not fit correctly.
- **Stability Issues:** Verify that the station is placed on a flat, even surface. Check if the non-slip pads on the bottom are clean and intact.
- **Tool Fit:** While designed for standard tampers and distributors, some oversized accessories may not fit perfectly in the circular slots.

## PRODUCT SPECIFICATIONS

Feature	Specification
Product Dimensions	9 x 4 x 3 inches
Item Weight	1.83 pounds
Material	Rosewood
Compatibility	54mm Breville Portafilters



This image illustrates the compact dimensions of the tamping station, measuring 9 inches in length, 4 inches in width, and 3 inches in height.

## WARRANTY AND SUPPORT

KNODOS stands behind the quality of its products. For any questions, concerns, or support needs regarding your Espresso Tamping Station, please refer to the contact information provided with your purchase or visit the official KNODOS website. Please retain your proof of purchase for warranty claims.

