

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Ideal Standard](#) /
- › [Ideal Standard T470501 i.life A 60 cm Wall-Mounted Bathroom Basin User Manual](#)

Ideal Standard T470501

Ideal Standard T470501 i.life A 60 cm Wall-Mounted Bathroom Basin User Manual

1. INTRODUCTION

This manual provides essential instructions for the safe installation, proper operation, and effective maintenance of your Ideal Standard T470501 i.life A 60 cm wall-mounted bathroom basin. Please read these instructions thoroughly before commencing installation and retain them for future reference. Adherence to these guidelines will ensure the longevity and optimal performance of your product.



Front view of the Ideal Standard i.life A 60 cm wall-mounted bathroom basin, showcasing its clean lines and single tap hole.

2. SAFETY INFORMATION

- Always turn off the main water supply before beginning any plumbing work to prevent water damage.
- If you are unsure about any installation steps or plumbing procedures, consult a qualified and certified plumber.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, during installation.
- Ensure all connections are watertight to prevent leaks and potential damage to your property.
- The wall must be structurally sound and capable of supporting the weight of the basin when filled with water.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:


- 1 x Ideal Standard i.life A Bathroom Basin (Model T470501)

- Installation hardware (screws, wall plugs) - *Please note: Specific mounting hardware may vary or be sold separately. Refer to your product packaging.*

4. SETUP AND INSTALLATION

Follow these steps for proper installation of your wall-mounted basin:

1. **Preparation:** Confirm the wall is suitable for wall-mounted installation and can safely bear the basin's weight. Turn off the main water supply to the installation area.
2. **Marking:** Use the provided template or carefully measure according to the technical drawing to accurately mark the drilling points on the wall for the basin and any necessary mounting brackets.
3. **Drilling:** Drill holes at the marked locations using an appropriate drill bit for your wall material. Insert suitable wall plugs that match your wall type (e.g., solid brick, plasterboard).
4. **Mounting:** Carefully lift and secure the basin to the wall using the supplied screws or mounting hardware. Ensure the basin is perfectly level and securely fastened to prevent movement.
5. **Plumbing Connections:** Connect the hot and cold water supply lines to the faucet (faucet not included, install according to its own instructions). Connect the waste trap to the basin's drain outlet. Ensure all connections are tightened properly to prevent any leaks.
6. **Testing:** Slowly turn on the main water supply and check all connections for leaks. Run water into the basin to verify proper drainage.



This diagram illustrates the key dimensions and mounting points for the Ideal Standard i.life A 60 cm basin. Dimensions include overall width (600mm), depth (480mm), height (150mm), and tap hole diameter (Ø35mm). Refer to these measurements for accurate wall mounting and plumbing rough-in.

5. OPERATING INSTRUCTIONS

The Ideal Standard i.life A basin is designed for standard bathroom use. To operate, simply turn on the faucet (not included) to control the water flow and temperature. Ensure the drain stopper is in the open position for water to flow out freely. Close the drain stopper when filling the basin.

6. MAINTENANCE AND CARE

Proper care will help maintain the appearance and functionality of your basin:

- **Cleaning:** Clean the basin regularly with a soft cloth and mild, non-abrasive cleaning agents. Avoid harsh chemicals, abrasive pads, strong acids, or alkalis, as these can damage the vitreous china

finish.

- **Stain Removal:** For stubborn stains, use a ceramic-safe cleaner and follow the product's instructions. Always rinse thoroughly with clean water after cleaning.
- **General Care:** Do not place heavy or sharp objects on the basin that could cause chips or cracks. Regularly inspect plumbing connections for any signs of leaks or corrosion.
- **Drain Maintenance:** Periodically remove and clean the waste trap to prevent blockages and ensure efficient drainage.

7. TROUBLESHOOTING

Leaking Connections:

If you observe leaks, carefully check all plumbing connections (water supply lines, waste trap) and tighten them. Do not overtighten. If leaks persist, professional assistance may be required.

Slow Drainage:

A slow drain typically indicates a blockage in the waste trap or drain pipe. Remove and clean the trap if accessible, or use a suitable drain cleaner designed for plumbing systems. Avoid pouring harsh chemicals down the drain.

Water Spots:

Water spots can be minimized by wiping the basin dry after each use. For existing hard water spots, use a mild descaling agent if necessary, followed by a thorough rinse with clean water.

8. SPECIFICATIONS

Feature	Detail
Model Number	T470501
Brand	Ideal Standard
Collection	i.life A
Type	Wall-mounted basin
Material	Vitreous China
Color	White
Dimensions (L x W x H)	48 x 60 x 15 cm
Weight	17.1 kg
Tap Holes	1
Installation Method	Wall-mounted
Style	Contemporary
Drain Type	Pop-up (Emergente)

9. WARRANTY INFORMATION

This Ideal Standard product is covered by the manufacturer's standard warranty. For detailed terms,

conditions, and duration of the warranty, please refer to the warranty documentation included with your purchase or visit the official Ideal Standard website. Retain your proof of purchase for warranty claims.

10. SUPPORT

For technical assistance, inquiries about spare parts, or any other support needs, please contact Ideal Standard customer service. You can typically find contact information on the official Ideal Standard website (www.idealstandard.com) or through the retailer where you purchased the product. When contacting support, please have your product model number (T470501) and a clear description of your issue readily available.