

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [EAGLEGGO](#) /

› [Instruction Manual for EAGLEGGO 42-70-0495 M12 Belt Clip](#)

## EAGLEGGO 42-70-0495, 42700495

# Instruction Manual

EAGLEGGO 42-70-0495 M12 Belt Clip

## 1. INTRODUCTION

---

Thank you for choosing the EAGLEGGO 42-70-0495 M12 Belt Clip. This high-quality stainless steel accessory is designed to enhance the portability and efficiency of your 12-volt power tools. By providing a secure and easily accessible attachment point, it helps keep your tools within reach, freeing your hands for other tasks and improving overall productivity.

## 2. PRODUCT OVERVIEW

---

The EAGLEGGO 42-70-0495 M12 Belt Clip is a durable and practical accessory for various 12-volt power tools. It is constructed from high-quality stainless steel, ensuring longevity and resistance to rust. The kit includes one belt clip and the necessary screw for attachment.



Figure 2.1: The EAGLEGGO 42-70-0495 M12 Belt Clip and its accompanying screw.

## 2.1 Key Features

- **Compatibility:** Specifically designed for M12 tools, including 12 Volt Battery Operated Impact Wrenches, Cordless Impact Wrenches, Stubby Impact Wrenches, Fuel Hex Impact Drivers, and Cordless Hex Hydraulic Drivers. Replaces part numbers such as 2555-20, 2551-20, 2552-20, 2553-20, and 2554-20.
- **Material:** Made from high-quality stainless steel for durability and corrosion resistance.
- **Enhanced Productivity:** Allows tools to be kept within easy reach, freeing hands for other tasks.
- **Easy Installation:** Designed for straightforward attachment and removal.
- **Portability:** Improves tool portability by allowing secure attachment to a belt or pocket.

## 2.2 Product Dimensions

# PRODUCT SIZES

42-70-0495 42700495 M12 Belt Clip Hook and Screw for Electric Tool, Replaces 2555-20, 2551-20, 2552-20, 2553-20, 2554-20 M12 Fuel Stubby 3/8" Impact Wrench/Fuel Stubby Impact Wrench/Fuel Hex Impact Driver/Cordless Impact Wrench/Cordless Hex Hydraulic Driver Belt Hook Clip



Figure 2.2: The belt clip measures approximately 1.37 inches in length and 0.43 inches in height.

## 3. SETUP AND INSTALLATION

The M12 Belt Clip is designed for simple and secure attachment to compatible 12-volt power tools. Ensure you have the correct screw provided with the kit.

1. **Identify the Attachment Point:** Locate the designated screw hole on your M12 power tool where the belt clip is intended to be attached. This is typically near the base of the handle.
2. **Position the Belt Clip:** Align the hole on the belt clip with the screw hole on your tool.
3. **Secure with Screw:** Insert the provided screw through the belt clip and into the tool's screw hole. Use an appropriate screwdriver to tighten the screw firmly. Ensure the screw is snug but do not overtighten to avoid damaging the tool or the clip.

# IMPROVING YOUR EFFICIENCY



The **42-70-0495 M12** drill tool clip hook can help increase the productivity and make it easier for you to use tools to get things done, freeing up your hands for other tasks, which will make great contributions to helping you get more done in less time and improve your overall efficiency.

Figure 3.1: Illustration of the belt clip being installed on an M12 drill.

## 3.1 Compatibility Check

This belt clip is compatible with various M12 tools. Please verify your tool's model number against the list below to ensure proper fit:

- 2551-20 M12 1/4" Cordless Hex Hydraulic Driver
- 2552-20 M12 1/4" Cordless Impact Wrench
- 2553-20 M12 Fuel 1/4" Hex Impact Driver
- 2554-20 M12 Fuel Stubby 3/8" Impact Wrench
- 2555-20 M12 FUEL Stubby 1/2" Impact Wrench

# COMPATIBILITY

Model Number: 42-70-0495, 42700495



Replacement belt clip for listed M12 Tools.

**Works With:**

2551-20 M12 1/4 in Cordless Hex Hydraulic Driver

2552-20 M12 1/4" Cordless Impact Wrench.

2553-20 M12 Fuel 1/4" Hex Impact Driver.

2554-20 M12 Fuel Stubby 3/8" Impact Wrench.

2555-20 M12 FUEL Stubby 1/2 in Impact Wrench.



Figure 3.2: Visual representation of compatible M12 tools.

## 4. OPERATING INSTRUCTIONS

Once installed, the EAGLEGGO M12 Belt Clip allows for convenient carrying and quick access to your power tool.

1. **Attaching to Belt:** Slide the belt clip onto your work belt, tool belt, or pocket edge. Ensure the tool is securely seated on the clip.
2. **Accessing the Tool:** When needed, simply lift the tool from the belt clip. The design allows for quick and easy detachment.
3. **Storage:** The clip provides a secure attachment point for temporary storage on a belt or for hanging the tool on a hook in a workshop.



Figure 4.1: The belt clip in use, demonstrating attachment to a belt and hanging on a wall.

#### 4.1 Product Video Demonstration

For a visual guide on the product's features and usage, please watch the official video below:



Video 4.1: Official product video demonstrating the EAGLEGGO Belt Clip. This video showcases the clip's design, material, and how it can be used with various M12 power tools to improve efficiency and portability.

### 5. MAINTENANCE

---

The EAGLEGGO M12 Belt Clip requires minimal maintenance due to its durable stainless steel construction.

- **Cleaning:** Wipe the clip with a clean, damp cloth to remove any dirt or debris. Avoid using harsh chemicals or abrasive materials that could damage the finish.
- **Inspection:** Periodically inspect the clip and the screw for any signs of wear, damage, or loosening. Ensure the screw remains tight to prevent the clip from detaching during use.

- **Storage:** Store the clip in a dry environment when not in use to maintain its condition.

## 6. TROUBLESHOOTING

---

If you encounter any issues with your EAGLEGGO M12 Belt Clip, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Clip feels loose on the tool.	Mounting screw is loose.	Tighten the mounting screw with an appropriate screwdriver. Do not overtighten.
Clip does not fit the tool.	Incorrect tool model or clip not designed for your specific tool.	Verify your tool's model number against the compatibility list in Section 3.1. Ensure you have the correct belt clip for your tool.
Tool falls off the belt clip.	Clip not properly seated on the belt/pocket or damaged clip.	Ensure the clip is fully engaged with your belt or pocket. Inspect the clip for any bends or damage that might prevent secure attachment. Replace if damaged.

## 7. SPECIFICATIONS

---

Attribute	Detail
Brand	EAGLEGGO
Model Number	42-70-0495, 42700495
Material	Stainless Steel
Color	Grey
Item Length	1.37 Inches
Item Weight	0.317 ounces (0.01 Kilograms)
Voltage Compatibility	12 Volts (M12 tools)
Included Components	Belt Clip, Mounting Screw
UPC	716695200921

## 8. WARRANTY AND SUPPORT

---

This EAGLEGGO M12 Belt Clip is covered by a manufacturer's warranty. For specific details regarding warranty coverage, duration, and claims, please refer to the documentation provided with your purchase or contact EAGLEGGO customer support directly.

For further assistance, technical support, or inquiries, please visit the official EAGLEGGO store or contact their customer service department.

**EAGLEGGO Store:** [Visit Store](#)

