

[manuals.plus](#) /

› [Wiytamo](#) /

› [Wiytamo 10,000 BTU Portable Air Conditioner User Manual](#)

## Wiytamo OX-10KH

# Wiytamo 10,000 BTU Portable Air Conditioner User Manual

Model: OX-10KH

Brand: Wiytamo

## 1. PRODUCT OVERVIEW

The Wiytamo 10,000 BTU Portable Air Conditioner is a versatile 4-in-1 unit designed to provide cooling, heating, dehumidification, and fan functions for your living space. This unit is suitable for rooms up to 450 sq. ft. for cooling and 350 sq. ft. for heating, offering a comfortable environment year-round. It features an LED display, remote control, and a self-evaporation system for convenience.



Figure 1: Wiytamo Portable Air Conditioner Unit and Remote Control.

### Key Features:

- **4-in-1 Functionality:** Offers Cooling, Heating, Dehumidifier, and Fan modes.
- **Efficient Performance:** 10,000 BTU cooling capacity for up to 450 sq. ft. and 8,000 BTU heating capacity for up to 350 sq. ft.
- **User-Friendly Controls:** Equipped with an LED digital display and a full-function remote control for easy operation.
- **Self-Evaporation System:** Reduces the need for frequent draining in cooling mode.
- **Child Lock Feature:** Prevents accidental changes to settings, ideal for families.
- **Portable Design:** Features 360° universal wheels and concealed handles for easy movement between rooms.
- **Washable Air Filter:** Removable and reusable filter for maintaining air quality.

## 2. SETUP AND INSTALLATION

---

Proper installation is crucial for the optimal performance of your portable air conditioner. Follow these steps to set up your unit.

### 2.1 Unpacking and Placement

- Carefully remove the unit and all accessories from the packaging.
- Place the unit on a flat, stable surface. Ensure there is at least 20 inches of space around the unit for proper airflow.
- Allow the unit to stand upright for at least 2 hours before operation if it was transported on its side.

### 2.2 Window Kit Installation

The portable air conditioner comes with a sliding window kit suitable for vertical or horizontal sliding windows between 25.6 inches and 50.2 inches.

1. Connect the hose connector to one end of the exhaust hose.
2. Connect the window kit adapter to the other end of the exhaust hose.
3. Extend the adjustable length of the window kit to fit your window opening.
4. Attach the hose connector to the exhaust air outlet on the back of the AC unit.
5. Close your window and secure the window kit in place.
6. Extend the exhaust hose and insert the window kit adapter into the opening in the window kit.

# Easy Installation





Figure 2: Window Kit Components and Installation Guide.



Figure 3: Detailed steps for exhaust hose and window kit assembly.

Your browser does not support the video tag.

Video 1: Official Wiytamo Portable Air Conditioner with Heating - Installation and Features Overview. This video demonstrates the setup process and highlights key functionalities of the unit.

### 3. OPERATING MODES

Your Wiytamo portable air conditioner offers four distinct operating modes to suit various climate control needs.



Figure 4: Easy to Operate - Control Panel and Remote Functions.

#### 3.1 Cooling Mode

In Cooling mode, the unit provides powerful cool air to reduce room temperature. It is ideal for hot weather conditions.

- Set desired temperature between 61°F and 90°F using the remote or control panel.
- The unit will automatically adjust compressor operation to maintain the set temperature.





Figure 5: Cooling Mode in operation.

### 3.2 Heating Mode

In Heating mode, the unit provides warm air, suitable for colder environments.

- Set desired temperature between 61°F and 90°F.
- The unit will provide heat to a space up to 350 sq. ft.



Figure 6: Heating Mode in operation.

### 3.3 Dehumidifier Mode

This mode helps reduce humidity levels in the room, creating a more comfortable atmosphere.

- The unit will extract moisture from the air.
- Utilize the continuous drainage option for extended dehumidification.

## Heating Up to 350 Sq.Ft



Figure 7: Dehumidifier Mode in operation.

### 3.4 Fan Mode

In Fan mode, the unit circulates air without cooling or heating, providing a refreshing breeze.

- Adjust fan speed (High/Low) as desired.



Figure 8: Fan Mode in operation.

## 4. MAINTENANCE

Regular maintenance ensures the longevity and efficient operation of your Wiytamo portable air conditioner.

### 4.1 Air Filter Cleaning

The unit is equipped with a removable and reusable air filter. It is recommended to clean the filter monthly to ensure optimal performance and clean air.

1. Turn off and unplug the unit before cleaning.
2. Remove the air filter from the back of the unit.
3. Wash the filter with warm, soapy water.
4. Rinse thoroughly and allow it to air dry completely before reinserting.



# Protect Your Air Health

Pre-filter blocks large particles



Figure 9: Cleaning the Removable Air Filter.

## 4.2 Drainage

The unit features a self-evaporation system in cooling mode, reducing the need for manual drainage. However, for dehumidifier mode or if the internal tank fills, manual drainage is required.

- **Continuous Drainage:** Connect a water pipe to the upper drain hole for continuous drainage, suitable for dehumidifier mode.
- **Manual Drainage:** When the internal water tank is full, the unit may indicate a full tank. Place a shallow pan under the lower drain plug and remove the plug to drain the water.





Figure 10: Continuous and Manual Drainage Options.

## 5. TROUBLESHOOTING

If you encounter issues with your unit, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Unit does not turn on.	No power, power cord unplugged, circuit breaker tripped.	Ensure unit is plugged into a working outlet. Check circuit breaker.
Unit is running but not cooling/heating.	Air filter dirty, exhaust hose not properly installed, room too large, doors/windows open.	Clean air filter. Ensure exhaust hose is securely connected and window kit sealed. Close all doors and windows. Verify room size is within specifications.
Water leakage.	Drain plug not securely closed, internal water tank full.	Ensure drain plugs are securely closed. Drain the internal water tank if full.
Unit is noisy.	Unit not on a level surface, fan speed too high.	Place unit on a flat, stable surface. Reduce fan speed if noise is excessive.

## 6. SPECIFICATIONS

Feature	Detail
Model Number	OX-10KH
Cooling Capacity	10,000 BTU
Heating Capacity	8,000 BTU
Coverage Area (Cooling)	Up to 450 Sq.Ft.
Coverage Area (Heating)	Up to 350 Sq.Ft.
Product Dimensions (D x W x H)	12.4"D x 12.2"W x 27.6"H
Item Weight	47.9 pounds

Feature	Detail
Voltage	110 Volts
Noise Level	51.6 dB
Filter Type	Pre-Filter
Seasonal Energy Efficiency Ratio (SEER)	6.60

## 7. WARRANTY INFORMATION

The Wiytamo Portable Air Conditioner comes with a **1-Year Manufacturer Warranty**. Please retain your proof of purchase for warranty claims. For details regarding warranty service, refer to the contact information in the Customer Support section or the official User Manual PDF.

## 8. CUSTOMER SUPPORT

For any questions, technical assistance, or warranty inquiries, please contact Wiytamo customer support. You may also refer to the comprehensive User Manual (PDF) provided with your product for detailed instructions and troubleshooting.

- **Manufacturer:** Wiytamo
- **Seller:** AC Humikiller
- **User Manual (PDF):** [Download User Manual](#)

## 9. IMPORTANT SAFETY INSTRUCTIONS

Please read all safety instructions carefully before using the appliance to prevent injury to yourself or others and damage to the appliance. Failure to observe these instructions may result in voiding the warranty.

- Always plug the unit into a grounded 3-prong outlet. Do not remove the grounding prong.
- Do not operate the unit with a damaged cord or plug.
- Do not use extension cords or adapter plugs.
- Ensure the air filter is clean and properly installed before operation.
- Do not block air vents or exhaust openings.
- Keep children and pets away from the unit during operation. The Child Lock feature can be activated for added safety.
- Unplug the unit before cleaning or performing any maintenance.
- Do not attempt to repair or modify the unit yourself. Contact qualified service personnel for repairs.