

TAG DP-500

TAG DP-500 Stereo 2.0 Multimedia Speakers User Manual

Model: DP-500 | Brand: TAG

1. INTRODUCTION AND OVERVIEW

Thank you for choosing the TAG DP-500 Stereo 2.0 Multimedia Speakers. These speakers are designed with a sleek, plane appearance, offering both fashion and portability. They provide an immersive audio experience with clear, distinct sound, perfect for enhancing your entertainment across various devices.

The DP-500 speakers are engineered for convenience and high-quality audio, featuring USB input for power, 3.5mm AUX support for audio, and an in-line volume control for easy adjustments. Their compact design ensures they fit seamlessly into any setup, minimizing desk space while delivering robust functionality.



Image 1.1: Front view of the TAG DP-500 Stereo 2.0 Multimedia Speakers.

2. PRODUCT FEATURES

- **Immersive Full HD Sound:** Experience rich, clear audio with deep, punchy bass from two powerful speakers, delivering a combined output of 6 watts.
- **Convenient Volume Control:** Easily adjust sound levels using the integrated in-line volume control for personalized listening.
- **Compact Portability:** Designed to be space-saving and portable, these speakers offer robust audio performance without occupying excessive desk space.
- **Sleek and Elegant Design:** Features a premium finish that complements any room decor, combining aesthetic appeal with superior sound.
- **Versatile Compatibility:** Connects seamlessly with Desktops, Laptops, Tablets, and Mobile devices via USB for power and 3.5mm AUX for audio.



Image 2.1: The TAG DP-500 Multimedia Speakers in a typical usage environment.

Compact Design



 USB
POWERED

 3.5MM
JACK

 VOLUME
CONTROL

Image 2.2: Illustration highlighting the compact design, USB power, 3.5mm jack, and volume control features.

Crystal Clear Sound



Image 2.3: The TAG DP-500 speakers positioned to emphasize their crystal clear sound output.

3. WHAT'S IN THE BOX

Upon opening the package, you will find the following components:

- TAG DP-500 Stereo 2.0 Multimedia Speakers (1 Pair)



Image 3.1: The TAG DP-500 speakers shown with their retail packaging.

4. SETUP GUIDE

Follow these steps to set up your TAG DP-500 speakers:

1. **Placement:** Position the two speaker units on either side of your computer monitor, laptop, or desired listening area. Ensure they are on a stable, flat surface.
2. **Connect USB Power:** Locate the USB cable attached to the speakers. Plug this USB connector into an available USB port on your computer, laptop, USB wall adapter (not included), or any other compatible USB power source. The speakers require 5V DC power via USB.
3. **Connect Audio (3.5mm AUX):** Locate the 3.5mm audio jack cable attached to the speakers. Plug this 3.5mm connector into the audio output jack (headphone jack) of your computer, laptop, tablet, mobile phone, or any other audio source.
4. **Power On:** Once both USB and 3.5mm AUX cables are connected, the speakers will typically power on automatically. There is no separate power button.
5. **Adjust Volume:** Use the in-line volume control wheel on the speaker cable to adjust the volume to your desired level. You may also need to adjust the volume on your connected device.

5. OPERATING INSTRUCTIONS

Operating your TAG DP-500 speakers is straightforward:

- **Volume Control:** The in-line volume control allows for quick and easy adjustment of the speaker's output volume. Rotate the wheel clockwise to increase volume and counter-clockwise to decrease it.
- **Audio Source:** Ensure your audio source (computer, phone, etc.) is playing sound and its volume is turned up.
- **Compatibility:** The speakers are compatible with any device that has a standard 3.5mm audio output jack and a USB port for power.

6. MAINTENANCE

To ensure the longevity and optimal performance of your speakers, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to wipe down the speaker surfaces. Do not use liquid cleaners, aerosols, or abrasive materials, as these can damage the finish or internal components.
- **Storage:** When not in use for extended periods, store the speakers in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Handling:** Avoid dropping the speakers or subjecting them to strong impacts. Do not attempt to disassemble the speakers, as this will void the warranty.
- **Environment:** Keep the speakers away from water, moisture, and excessive dust.

7. TROUBLESHOOTING

If you encounter issues with your TAG DP-500 speakers, refer to the following common problems and solutions:

| Problem | Possible Cause | Solution |
|--------------------------------|--|--|
| No sound from speakers. | <ul style="list-style-type: none">• USB power cable not connected or faulty.• 3.5mm AUX cable not connected or faulty.• Volume turned down on speakers or source device.• Incorrect audio output selected on source device. | <ul style="list-style-type: none">• Ensure USB cable is securely plugged into a working USB port.• Ensure 3.5mm AUX cable is fully inserted into both the speakers and the audio source.• Increase volume using the in-line control and on your source device.• Check your device's sound settings and select the correct audio output (e.g., 'Headphones' or 'External Speakers'). |
| Sound is distorted or unclear. | <ul style="list-style-type: none">• Volume too high on speakers or source.• Poor audio source quality.• Loose cable connection. | <ul style="list-style-type: none">• Lower the volume on both the speakers and the source device.• Try playing audio from a different source or file to check if the issue persists.• Ensure all cables are securely connected. |
| Only one speaker is working. | <ul style="list-style-type: none">• Loose 3.5mm AUX connection.• Audio source outputting mono sound.• Faulty speaker unit. | <ul style="list-style-type: none">• Ensure the 3.5mm AUX cable is fully inserted and not partially dislodged.• Check your device's audio settings to ensure stereo output is enabled.• If the issue persists, contact customer support. |

8. SPECIFICATIONS

Detailed technical specifications for the TAG DP-500 Multimedia Speakers:

| Feature | Specification |
|--------------------------------------|---|
| Model Name | DP |
| Speaker Type | Tower |
| Special Features | Hi Res Audio, Lightweight, Portable, Stereo Pairing, USB Port |
| Recommended Uses | Volume Control |
| Compatible Devices | Laptop, Smartphone, Tablet |
| Subwoofer Diameter | 5 Inches |
| Surround Sound Channel Configuration | 2.0 |
| Colour | Black |
| Included Components | Speaker (Pair) |
| Product Dimensions | 20D x 10W x 10H Centimeters |
| Item Weight | 480 Grams |
| Control Method | Touch (referring to in-line control) |
| Wireless Communication Technology | USB (for power) |
| Speaker Size | 5 Inches |
| Tweeter Diameter | 1 Inches |
| Audio Driver Type | Dynamic Driver |
| Style | DP 500 |
| Item Model Number | T-U-S-DP500-B |
| Wattage | 6 Watts (Total Output) |
| Connectivity Technology | Auxiliary, USB |
| Audio Output Mode | Stereo |



Image 8.1: Physical dimensions of the TAG DP-500 speakers.

9. WARRANTY INFORMATION

TAG products are manufactured with high-quality standards. For specific warranty terms and conditions applicable to your DP-500 speakers, please refer to the warranty card included with your product or visit the official TAG website. Typically, warranty covers manufacturing defects under normal use.

10. SUPPORT

For any assistance, technical support, or inquiries regarding your TAG DP-500 speakers, please contact our customer support team:

Phone Support: +91 98201 63040 (Monday to Saturday, 11 AM to 7 PM IST)

Email Support: support@technologyandgadgets.com

Official Website: Visit www.technologyandgadgets.com for more product information and support resources.

50+ Service Centers
Across India Support
Within 24 Hours



Need assistance?
Contact our
customer support
team at



+91 98201 63040
support@technologyandgadgets.com
(Monday to Saturday, 11am To 7pm)

Image 10.1: Contact details for TAG customer support.

© 2023 TAG. All rights reserved. Information subject to change without notice.

Related Documents

| | |
|---|---|
|  | <p>Tag User Manual - Shenzhen Zhitong Technology Co., Ltd.</p> <p>User manual for the Tag device by Shenzhen Zhitong Technology Co., Ltd., detailing setup, location tracking, notifications, resetting, and battery replacement using the Apple Find My network.</p> |
|---|---|

Documents - TAG – DP-500




[\[pdf\]](#) User Manual Installation Guide Instructions Guide

DGS 3120 Series Hardware Installation Guide Arthur D Link Corporation xStack® Managed Switch vi Safety Instructions Use the following safety guidelines to ensure your own personal This manual is intended for network managers familiar with management concepts and terminology For all practical RFC 2021 RMONv2 MIB o FW R1 02 HW 24TC INSTALLATION GUIDE 1 EN 48PC 24PC 48TC ftp dlink ru pub 24SC B1AEI Description ftp2 PRODUCTS REVA 80 B1ARI

Information in this document is subject to change without notice. 2010 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:28 filesize: 2.06 M page_count: 51 document date: 2011-03-08





[\[pdf\]](#) User Manual Guide

DHS 3628 3628F User s Guide Rachel O Brien DPN 3012 E WEB UI manual ftp dlink ru pub GEAPON OLT Description User Guide Product Model: DPN-3012-E /RU OLT Release A1 DPN-3012-E Gigabit Ethernet Passive Optical Network GE-PON OLT CO Switch

Information in this document is subject to change without notice. 2008 D-Link Corporation...
lang:en score:26 filesize: 4.52 M page_count: 261 document date: 2009-06-30



[\[pdf\]](#) User Manual Installation Guide Instructions Documentation Guide Accessories

DGS 3120 Series Hardware Installation Guide Nana Wu CNET Content ftp dlink de This manual is intended for network managers familiar with management concepts and terminology For all practical o RFC 2021 RMONv2 MIB Safety Instructions The product does not operate correctly when the operating instructions are followed Keep your frequency energy if installed used in accordance this may cause harmful interference to radio communications Operation of General Precautions Rack Mountable Products Protecting Against Electrostatic Discharge contains information set up Switch reasons 24TC 24SC DC 24PC 48TC 48PC will be simply refered as throughout man ual All example screenshots Include any manuals or accessories shipping package Information document subject change without notice © 2013 D Link Corporation rights reserved REVA QIG 3 00 EN REVB HW INSTALLATION GUIDE e473b70f 3dd8 48bb 9725 8acc57e1487a dgs 48tcsi 48pcsi A2 R300 af93a3f7 f488 4d14 b373 a8f46351f5a6 revALL ca PRODUCTS ftp2 cdn cnetcontent e4 73 dustinimages azureedge net media d200001003275898 d200001001342223 eu Business Manual af 93 48pc documentation 80 es business products series a2 r300 hw installation guide

Information in this document is subject to change without notice. 2013 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:26 filesize: 2.68 M page_count: 71 document date: 2013-01-31



[\[pdf\]](#) User Manual Installation Guide Instructions Guide

DES 3600 R2 8 HW manual CT Snow Alphs Networks D Link Safety Instructions Use the following safety guidelines to ensure your own personal and help protect system from potential damage Throughout accordance with this may cause harmful interference radio RFC 2021 RMONv2 o See xStack® DGS Series CLI Manual on Installation Guide R3 00 3627 REVA QIG 3 EN 3627G 3650 3612G ftp dlink ru pub Switch RFB Description ca PRODUCTS d link xStack DGS-3600 Series Layer 3 Managed Gigabit Ethernet Switch i xStack DGS-3600 Series Layer 3 Managed Gigabit Ethernet Switch

Information in this document is subject to change without notice. 2012 D-Link Corporation. All rights reserved. Reproductio...

lang:en score:25 filesize: 3.48 M page_count: 66 document date: 2012-12-19





[\[pdf\]](#) User Manual Installation Guide Instructions Documentation Guide

DES 3600 R2 8 HW manual 2 CT Snow Alphs Networks FTP Directory Listing D Link Hardware Installation Guide The xStack® DGS Series contains information for setup and management of the Switch This is intended network managers familiar with RFC 2021 RMONv2 o See CLI Manual on equipment generates uses can radiate radio frequency energy if not installed used in accordance this may cause harmful interference to communications Operation a residential area likely which case Discard batteries according manufacturer instructions Protecting Against Electrostatic Discharge Static electricity harm delicate components inside system FW WW 3627G INSTALLATION GUIDE 80 EN 3627 Install ALL en 101112 3612G 3650 ftp dlink ru pub Description ftp2 PRODUCTS REVA de dgs documentation xStack DGS-3600 Series Layer 3 Managed Gigabit Ethernet Switch Hardware Installation Guide Product Model: xStack DGS-3600 Series Layer 3 Managed Gigabit Ethernet Switch Release 2.8 i xStack DGS-3600 Series Layer 3 Managed Gigabit Ethernet Switch

_____ Infor...

lang:en score:25 filesize: 2.56 M page_count: 68 document date: 2010-09-08



[\[pdf\]](#) User Manual Installation Guide Instructions Guide

10007643 DGS 3120 Series B1 FW R4 00 HW Installation Guide D Link This manual is intended for network managers familiar with management concepts and terminology For all practical RFC 2021 RMONv2 MIB o Safety Instructions General Precautions Rack Mountable Products Protecting Against Electrostatic Discharge The Hardware SERIES REVB QIG 4 24PC HARDWAREINSTALLATIONGUIDE EN US 48TC ftp dlink ru pub Switch 48PC *RI Description 80 24TC B1ARI ca PRODUCTS ftp2

_____ Information in this document is subject

to change without notice. 2014 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:24 filesize: 2.5 M page_count: 71 document date: 2014-04-16



[\[pdf\]](#) Installation Guide Instructions Guide

DGS 3120 Series Hardware Installation Guide Nana Wu D Link Corporation Safety Instructions The product does not operate correctly when the operating instructions are followed Keep your RFC 2021 RMONv2 MIB o 2571 SNMP 2572 NOTE See RPS Quick for more information CAUTION DO NOT use FW R2 50 HW files dlink au products 48TC REV B QuickInstallGuide 24PC 24SC 24TC ftp ru pub Switch Description

_____ Information in this document is subject

to change without notice. 2012 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:24 filesize: 2.02 M page_count: 52 document date: 2012-07-12



[\[pdf\] User Manual Installation Guide Instructions Guide](#)

DGS 3120 Series Hardware Installation Guide Arthur D Link Corporation This manual is intended for network managers familiar with management concepts and terminology For all practical RFC 2021 RMONv2 MIB o Safety Instructions The product does not operate correctly when the operating instructions are followed Keep your xStack® Managed Switch iii Table of system 2571 contains information set up reasons 24TC 24SC DC 24PC 48TC 48PC will be simply refered to as throughout this Information in document subject change without notice © 2011 All rights reserved Reproduction any manner whatsoever General Precautions Electrostatic Discharge FW R2 00 HW aspx type QuickInstallGuide mode open files dlink au Products products support Download mk0myithubcomau1pyuy kinstacdn 2019 10 REV A ftp

Information in this document is subject to change without notice. 2011 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:23 filesize: 2.51 M page_count: 52 document date: 2011-10-18

[D-Link DGS-3120 Series Hardware Installation Guide](#)

Comprehensive guide for installing and managing D-Link DGS-3120 Series Layer 2 Managed Stackable Gigabit Switches. Covers setup, configuration, safety, and technical specifications.

lang:en score:23 filesize: 2.71 M page_count: 71 document date: 2016-12-09



[\[pdf\] Installation Guide Guide](#)

DGS 3120 Series Hardware Installation Guide Nana Wu D Link Corporation 48PC HW INSTALLATION GUIDE 2 00 EN 24PC 48TC ftp2 dlink PRODUCTS REVA

Information in this document is subject to change without notice. 2011 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:22 filesize: 2.6 M page_count: 52 document date: 2011-12-14



Hardware Installation Guide

Product Model: **xStack** DGS-3120 Series
Layer 2 Managed Industrial Gigabit Switch
Release 3.00

[pdf] Installation Guide Datasheet Guide

D Link DGS 3120 24PC 24 Port Gigabit PoE Switch with 4 Combo SFP Ports Installation Guide d link dgs 24pc port gigabit poe switch combo sfp ports installation guide linkDGS 500 Internal Server Error old m2 use ip co uk datasheets |||

use ww0w13.u04se8-2ip7.6c0o9.uk

Information in this document is subject to change without notice. 2013 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forb...

lang:en score:19 filesize: 2.72 M page_count: 71 document date: 2016-12-09



Hardware Installation Guide

Product Model: **xStack** DGS-3120 Series
Layer 2 Managed Industrial Gigabit Switch
Release 3.00

[pdf] User Manual Installation Guide Guide

DGS 3120 Series Hardware Installation Guide Nana Wu D Link frequency energy and if not installed used in accordance with this manual may cause harmful interference to radio communications Operation of This is intended for network managers familiar management concepts terminology For all practical o RFC 2021 RMONv2 MIB Two dedicated high speed stacking ports All the switches are equipt one RJ 45 Console port a special console cable DB9 interface is 24PC REVb QIG 3 00 EN B1 R300 HW 48PC 48TC 24TC ftp dlink ca PRODUCTS eu media Business Products Manual

Information in this document is subject to change without notice. 2013 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:18 filesize: 2.68 M page_count: 71 document date: 2013-01-21



[pdf] User Manual Specifications Documentation Label

richard heard User manual Documentation for all Donaldson BOFA Fume Extraction Systems DustPRO 500 iQ Manual UK donaldsonbofa 2024 08 Industrial Dust Extractor |||

DustPRO 500 iQ USER MANUAL V2 Jan 16 Contents 1 01 02 03 2 01 02 3 01 4 01 02 03 04 5 01 02 03 6 01 02 7 01 02 03 04 05 8 01 9 01 10 01 Overview of your iQ extraction system front Overview of your iQ extraction system back Overview of LCD display Important safety notes Safety labels Unpacking...

lang:en score:17 filesize: 862.04 K page_count: 26 document date: 2024-08-28



[\[pdf\]](#) Installation Guide Guide

DGS 3120 Series Hardware Installation Guide Nana Wu B1 FW R3 10 HW ftp dlink ru pub Switch 24SC B1ARI Data sh 80 24TC 48TC d link

Information in this document is subject to change without notice. 2014 D-Link Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission of D-Link Corporation is strictly forbidden. Trademarks used in this te...

lang:en score:16 filesize: 2.72 M page_count: 71 document date: 2014-01-29



D-Link™ DGS-3048
Managed 48-Port Gigabit Ethernet Switch

Manual

[\[pdf\]](#) User Manual

D Link DGS 3048 Radlan User Manual Ver 1 00 dgs3048 ftp dlink ru 80 pub Switch Description d link co za Manuals D-Link™ DGS-3048 Managed 48-Port Gigabit Ethernet Switch Manual DGS-3048 Gigabit Ethernet Switch Manual Information in this document is subject to change without notice. 2005 D-Link Computer Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission ...

lang:en score:16 filesize: 3.51 M page_count: 147 document date: 2006-08-08

DE – Deutsch

Bedienungs- und Installationsanleitung
mobile Taupunkt-Messgeräte
DP 500 / DP 510



DP 500 / DP 510

Seite 1 von 84

[\[pdf\]](#) User Manual

DE deutsch Katja Faller DP500 manual V1 01 druckluft fachhandel cstatic io media 0d fe 60 1673376202 |||

DE Deutsch Bedienungs- und Installationsanleitung mobile Taupunkt-Messgeräte DP 500 / DP 510 DP 500 / DP 510 Seite 1 von 84 Vorwort I. Vorwort Sehr geehrter Kunde, vielen Dank, dass Sie sich für das DP 500 / DP 510 entschieden haben. Bitte lesen Sie vor Montage und Inbetriebnahme diese Installati...

lang:de score:16 filesize: 2.89 M page_count: 84 document date: 2014-05-22




[\[pdf\]](#) User Manual

Preface User DGS 3612G MANUAL 1 00 EN ftp2 dlink PRODUCTS REVA

User Manual Product Model: DGS-3612G Layer 3 Gigabit Ethernet Managed Switch Release 1
Copyright 2006. All rights reserved. xStack DGS-3612G Layer 3 Gigabit Ethernet Managed Switch

Information in this document is su...

lang:en **score:15** filesize: 31.51 M page_count: 341 document date: 2006-10-05



[\[pdf\]](#) User Manual

D Link DGS 3048 Radlan MANUAL 1 00 EN ftp dlink ca PRODUCTS ftp2 REVA

D-Link TM DGS-3048 Managed 48-Port Gigabit Ethernet Switch Manual DGS-3048 Gigabit Ethernet Switch Manual Information in this document is subject to change without notice. 2005 D-Link Computer Corporation. All rights reserved. Reproduction in any manner whatsoever without the written permission ...

lang:en **score:14** filesize: 3.26 M page_count: 147 document date: 2007-01-18



[\[pdf\]](#) User Manual Specifications Datasheet Documentation Warranty

DXS 3326GSR DS 071304 pmd mnguyen Price and specifications are subject to changes without notice See website or product manual for warranty details 3326gsr ds revALL 100 ALL en 050101 ftp dlink de dxs documentation me 80 switches DESftp ca datasheets

BBuUUuSiSnIiNeNsEsESASSnSdAEANnNDteDrprEisNeTSEolRutPioRnIsSE

ESNOTLEURTPIROINSES SOLUTIONS DXS-3326GSR High Performance Switching: -Dual 10-Gig stacking ports and optional 10-Gig uplinks -Recoverable Ring or Star stacking architecture -Stack up to 12 units per stack1 -RIPv1/v2, OSPF -DVMRP, PIM-DM...

lang:en **score:14** filesize: 192.33 K page_count: 2 document date: 2004-07-27

