

Kidde P4010ACS-WF

Kidde Smart Hardwired Smoke Alarm with Wi-Fi and Battery Backup

Model: P4010ACS-WF

Brand: Kidde

1. INTRODUCTION

The Kidde Smart Hardwired Smoke Alarm (Model P4010ACS-WF) is designed to provide early warning of smoke and fire hazards in your home. This device integrates photoelectric sensing technology with smart features, including Wi-Fi connectivity for remote alerts and voice commands. It operates on 120V AC power and includes a 10-year sealed lithium battery for backup during power outages.

Key Features:

- **Photoelectric Sensor:** Detects visible fire particles associated with smoldering fires.
- **Voice Alerts:** Announces "Fire! Fire!" upon detection and "Replace Alarm" at end-of-life.
- **Wi-Fi Connectivity:** Sends real-time notifications to your smartphone via the Kidde app.
- **10-Year Sealed Battery Backup:** Provides continuous protection during power failures.
- **Smart Home Compatibility:** Works with Amazon Alexa and Google Home for voice commands.
- **LED Ring Indicators:** Clearly displays operational status (Green, Amber, Red).
- **Test-Hush Button:** Allows for easy testing and temporary silencing of nuisance alarms.
- **Whole-Home Activation:** Interconnects with compatible Kidde alarms for simultaneous alerts.



Hardwired

Smoke Alarm with Smart Features



Smart Wi-Fi Alarm
featuring mobile alerts



Figure 1: Kidde Smart Hardwired Smoke Alarm and packaging.

2. IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before installing and operating this smoke alarm. Failure to follow these instructions may result in property damage, injury, or death. Keep this manual for future reference.

- This device is designed for residential use only.
- Ensure power is OFF before installation or maintenance.
- Do not paint over the alarm. Paint can clog the sensing chambers and prevent the alarm from operating correctly.
- Test the alarm weekly to ensure proper operation.
- Never ignore a smoke alarm. Investigate the cause of any alarm immediately.
- This alarm is not intended to replace proper fire safety practices, including regular fire drills and escape plans.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- Kidde Smart Smoke Alarm (P4010ACS-WF)
- AC Connector
- Trim Plate Accessory
- Assembly User Card
- User Guide (this document)

4. SETUP AND INSTALLATION

4.1 Choosing a Location

Install smoke alarms on every level of your home, inside each bedroom, and outside each sleeping area. Avoid installing in kitchens, bathrooms, or garages where steam or exhaust might cause nuisance alarms.

4.2 Hardwired Installation

1. **Turn off power:** Before beginning, ensure the power to the circuit where you are installing the alarm is turned off at the main fuse or circuit breaker box.
2. **Mount the trim plate:** Secure the trim plate accessory to the electrical box on the ceiling or wall.
3. **Connect wiring:** Connect the AC connector wires to your home's electrical wiring according to local electrical codes. Typically, this involves connecting black to black (hot), white to white (neutral), and red to red (interconnect, if applicable).
4. **Attach alarm to connector:** Plug the AC connector into the back of the smoke alarm.
5. **Mount the alarm:** Align the alarm with the trim plate and twist clockwise until it locks securely into place.
6. **Restore power:** Turn the power back on at the main fuse or circuit breaker box. The alarm will chirp once and the green LED will illuminate, indicating it is receiving AC power.



Scan QR code to set up.
2.4GHz wi-fi network required
for connectivity.



Figure 2: Hardwired installation of the smoke alarm.

4.3 Battery Backup Activation

The alarm includes a 10-year sealed lithium battery that activates automatically upon initial power-up. No battery replacement is required for the life of the alarm.

4.4 Kidde App Setup and Wi-Fi Connection

1. **Download the Kidde App:** Search for "Kidde" in your smartphone's app store (iOS or Android) and download the application.
2. **Create an Account:** Follow the in-app instructions to create a new Kidde account or log in if you already have one.
3. **Add Device:** Select the option to add a new device.
4. **Scan QR Code:** Locate the QR code on the back of your smoke alarm and scan it using the Kidde app. Ensure your phone is connected to a 2.4GHz Wi-Fi network.
5. **Follow In-App Prompts:** Complete the pairing process by following the instructions provided in the Kidde app. This will connect your alarm to your home Wi-Fi network and your Kidde account.

App Features:

- Easily test your alarm*
- Notify friends and family
- Smart Hush® false alarms when you are home.*

*When you are connected to the same Wi-Fi network as the alarm.

Figure 3: Scanning the QR code for app setup.

Use the
Kidde App
to receive
real-time
notifications.




Figure 4: Kidde app interface for device management.

5. OPERATING THE SMOKE ALARM

5.1 LED Ring Indicators

The LED ring on the alarm provides visual status indications:

- **Green:** Normal operation. The alarm is powered and functioning correctly.
- **Amber:** Operating error or fault detected. Refer to troubleshooting for details.
- **Red:** Smoke or fire hazard detected. The alarm will sound.

Ring Color Indicators:



Green:
Alarm is on and working



Amber:
An error has been detected




Red:
Danger has been detected

Figure 5: LED ring color indicators.

5.2 Voice Warning Alerts

In addition to the 85-decibel alarm, the device provides clear voice announcements:

- **"Fire! Fire!":** Repeated when smoke or fire is present.
- **"Replace Alarm":** Announced at the end of the device's 10-year lifespan.



Voice Warning Alerts:

“Fire! Fire!” is repeated when smoke or fire is present.

“Replace Alarm” at the end of life of the device.

Figure 6: Voice warning alerts feature.

5.3 Test-Hush Button

The large button on the front of the alarm serves multiple functions:

- **Test:** Press and hold the button to test the alarm's functionality. The alarm will sound and the voice alert will activate. Perform this test weekly.
- **Hush:** Press the button to temporarily silence nuisance alarms (e.g., from cooking smoke). The alarm will silence for a short period, typically 8-10 minutes, before resetting.
- **Silence Chirps:** Temporarily silences low battery or end-of-life chirps for up to 24 hours (maximum 7 days).

5.4 Kidde App Features

When connected to Wi-Fi, the Kidde app provides enhanced control and monitoring:

- **Real-time Notifications:** Receive alerts on your smartphone when smoke is detected, even when you are away from home.
- **Remote Testing:** Test your alarm directly from the app.

- **Smart Hush:** Silence false alarms through the app when you are connected to the same Wi-Fi network as the alarm.
- **Status Monitoring:** View the operational status of your alarm and other connected Kidde devices.



Hardwired with 10-year sealed lithium backup battery.



Figure 7: Kidde app features for alarm management.

5.5 Whole-Home Activation

This smoke alarm is capable of hardwired interconnection with other select Kidde alarms. When one interconnected alarm detects smoke, all connected alarms will sound, providing comprehensive coverage throughout your home.



Whole-home Activation When one alarm sounds, they all sound.**



** Alarms only connect with other Kidde alarms that have hardwired AC interconnect capability.

Figure 8: Illustration of whole-home activation with interconnected alarms.

6. MAINTENANCE

6.1 Regular Testing

Test your smoke alarm weekly by pressing and holding the Test-Hush button until the alarm sounds. This confirms the alarm's electronics, battery, and horn are working.

6.2 Cleaning Your Alarm

Dust and debris can accumulate in the sensing chamber, potentially causing nuisance alarms or reducing sensitivity. Clean your alarm at least once a month:

- Remove the alarm from its mounting bracket.
- Use a soft brush attachment on your vacuum cleaner to remove dust from the alarm's exterior and around the sensing chamber openings.
- Alternatively, use a can of compressed air to blow out any dust.

- Reinstall the alarm and test it.

6.3 Battery Information

The Kidde Smart Smoke Alarm features a 10-year sealed lithium battery. This battery is designed to last the entire lifespan of the alarm and is not replaceable. When the alarm reaches its end-of-life, it will chirp and announce "Replace Alarm". At this point, the entire unit must be replaced.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Alarm sounds frequently without smoke (Nuisance Alarm)	Cooking fumes, steam, high humidity, dust, insects, proximity to vents.	Press the Hush button. Clean the alarm (see Maintenance). Relocate the alarm if consistently triggered by non-fire sources. Ensure proper ventilation during cooking.
Alarm chirps periodically	End-of-life warning, low battery (though sealed, this indicates unit replacement).	If the alarm announces "Replace Alarm", the unit has reached its end-of-life and must be replaced. You can temporarily silence chirps for up to 24 hours by pressing the Test-Hush button.
Alarm does not sound during test	No AC power, faulty unit, battery issue.	Check circuit breaker. Ensure alarm is properly connected to AC power. If green LED is off, check wiring. If problem persists, replace the unit.
Cannot connect to Wi-Fi or Kidde App	Incorrect Wi-Fi password, 5GHz network, weak signal, app issues.	Ensure your phone is on a 2.4GHz Wi-Fi network. Verify Wi-Fi password. Move alarm closer to router. Restart router and alarm. Reinstall Kidde app if necessary.
Amber LED indicator is on	Operating error or fault.	Clean the alarm. If the amber light persists after cleaning and a power cycle, the unit may be faulty and require replacement.

8. SPECIFICATIONS

Feature	Detail
Model Number	P4010ACS-WF
Power Source	120V AC Hardwired with 10-Year Sealed Lithium Battery Backup
Sensor Type	Photoelectric
Alarm Loudness	85 dB at 10 feet
Operating Humidity	Up to 95% Relative Humidity (RH), Non-Condensing
Operating Temperature	Refer to product packaging for specific range (Upper Temperature Rating: 100 Degrees Fahrenheit)
Compatible Devices	Android, iOS 12 or Newer, iPad, iPhone (Alexa, Google Home)

Feature	Detail
Product Dimensions	2.36"D x 5.04"W x 5.04"H
Item Weight	11.2 ounces
Certification	UL 2034, NFPA 72
UPC	047871320653



Figure 9: Product dimensions.

9. WARRANTY INFORMATION

This Kidde Smart Hardwired Smoke Alarm (Model P4010ACS-WF) comes with a **10-Year Limited Warranty**. The warranty covers defects in materials and workmanship under normal use and service. The 10-year warranty period begins when the alarm is powered on. If the power-on date is unknown, it should be assumed the alarm should be

replaced after 10 years from the manufacturing date.

Please note that this is not a battery performance claim. The sealed lithium battery is designed to last the life of the alarm, but the warranty specifically covers the alarm unit itself.


For full warranty details and terms, please refer to the official Kidde documentation or contact Kidde customer support.

10. SUPPORT AND CONTACT

For further assistance, technical support, or warranty claims, please refer to the following resources:


- **Kidde App:** The Kidde app provides in-app support and troubleshooting guides.
- **Online Resources:** Visit the official Kidde website for FAQs, product manuals, and support contact information. You can find more information at the [Kidde Store](#).
- **Customer Service:** Contact Kidde customer service directly for personalized support. Refer to your product packaging or the Kidde website for current contact details.

Related Documents - P4010ACS-WF

	Kidde P4010ACS-WF Smoke Alarm Quick Start Guide A quick start guide for the Kidde P4010ACS-WF Smoke Alarm with smart features, detailing setup steps using the Kidde app.
	FireX CUAC10YFEX-V Hardwired Smoke + CO Alarm with 10-Year Backup Battery Detailed information on the FireX CUAC10YFEX-V Combination Smoke and Carbon Monoxide Alarm, featuring hardwired installation, a 10-year never-change backup battery, voice alerts, and interconnected alarm capabilities. Learn about its features, installation, and technical specifications.
	Kidde 21032311 Hardwired Smoke & CO Combo Installation Best Practices Installation best practices for the Kidde 21032311 Hardwired Smoke & CO Combo with AA Backup, focusing on reducing callbacks and ensuring proper function. Covers dust cover, battery activation, LED indicators, sensing chamber cleaning, and locations to avoid.
	Kidde P4010ACSCO-WF Smoke + Carbon Monoxide Alarm: Alexa & Google Assistant Setup Guide Learn how to connect your Kidde P4010ACSCO-WF Wi-Fi Smoke + Carbon Monoxide Alarm to Amazon Alexa and Google Assistant for voice control and status updates.

	Kidde P4010LACS-WCA 120V AC Wireless Smoke Alarm with LED Safety Light and 10-Year Battery Detailed information on the Kidde P4010LACS-WCA, a 120V AC hardwired wireless smoke alarm featuring an LED safety light, 10-year sealed battery backup, voice notifications, and photoelectric sensor for enhanced home safety.
	FireX CUACFEX-V Hardwired Smoke + CO Alarm with Voice Alerts Detailed specifications and installation guide for the FireX CUACFEX-V hardwired smoke and carbon monoxide alarm, featuring voice alerts, AA battery backup, and interconnected alarm capabilities. This document provides technical data, safety features, and ordering information for the FireX smoke and CO detector.

Documents - Kidde – P4010ACS-WF



[\[pdf\] Quick Start Guide Installation Guide Guide](#)

Smart Assistant Guide for Smoke Alarm with Features P4010ACS WF SmartAssistantGuide shareddocs hvac docs 2001 Public 00 |||

Smoke Alarm with smart features Wi-Fi Alarm with App Amazon Alexa Kidde s Wi-Fi alarms are compatib ... Alexa... *Per UL standards, Test and Smart Hush™ are not available using voice assistants. Model **P4010ACS-WF** Just ask Alexa: Alexa, ask Kidde alarm the status in the Living Room. Alexa, ask Kidd...


lang:en score:49 filesize: 178.78 K page_count: 2 document date: 2023-01-06



[Kidde P4010ACS-WF Smoke Alarm Quick Start Guide](#)

A quick start guide for the Kidde P4010ACS-WF Smoke Alarm with smart features, detailing setup steps using the Kidde app.

lang:en score:46 filesize: 776.84 K page_count: 4 document date: 2022-11-15




[\[pdf\] Quick Start Guide Installation Guide Guide](#)

User Guide for P4010ACS WF UserGuide shareddocs hvac docs 2001 Public 0C |||

Kidde Smoke Alarm User Guide Photoelectric Smoke Alarm with Voice, Hardwire Interconnect, and Wi-Fi Compatibility Model **P4010ACS-WF** Wi-Fi COMPATIBILITY: This model requires a home Wi-Fi router and internet to connect to a mobile device. Requires 802.11b/g/n 2.4GHz Wi-Fi NOTE: Wi-Fi features do...

lang:en score:45 filesize: 1.2 M page_count: 30 document date: 2022-11-04



[pdf] Guide

Compatibility Guide Ring Smart Smoke CO Alarm Hardwired AA Battery Backup RGCUAR RW Kidde

CompatGuide 0225 brand kidde m 7f393c73af1909b5 original |||

Interconnectivity Guide AC Wired Interconnect Model Capability Kidde AC models


have hardwire interco ... P4010ACS* P4010ACS-W* P4010ACSAQ-WF*

P4010ACSCO* P4010ACSCO-W* P4010ACSCOAQ-WF* P4010ACSCO-WF*

P4010ACS-WF* P4010LACS-W* RF-SM-ACDC* RGCUAR-RW RGSAR-RW Models

which provide remote smoke ala...

lang:en **score:39** filesize: 1.48 M page_count: 2 document date: 2025-02-24



[pdf] Datasheet

Product Data SheetSmoke Alarm with Smart Features P4010ACS WF KiddePDS KL WFbrand kidde m

765ed05ee0c53265 original PDS |||

Smoke Alarmwith smart features Features Benefits Remote notification and status

with Kidde HomeS ... of Amazon.com, Inc. or its affiliates. Google and Google Home

are trademarks of Google LLC. Model **P4010ACS-WF** Remote alarm notifications:

Real-time mobile alerts through the Kidde app. One battery f...

lang:en **score:39** filesize: 366.58 K page_count: 2 document date: 2022-11-18



Kidde 20-9003 Smoke and Carbon Monoxide Alarm Adapter

The Kidde 20-9003 is a Quick Connect wiring adapter designed to connect new Kidde

smoke and carbon monoxide alarms to existing Kidde/Firex hardwired systems

without re-wiring. Features a 10-year limited warranty. Compatible with a wide range

of Kidde models. Visit Kidde.com for full compatibility.

lang:en **score:34** filesize: 347.33 K page_count: 1 document date: 2023-02-16




[pdf] Guide

Compatibility Guide Hardwired Smoke Carbon Monoxide Alarm 900 CUAR Kidde CompatGuide

Ecosystem 0524 brand kidde m 574ca46ae0fb96b4 original |||

Smart Detection Interconnectivity Guide Smart detection products interconnect with the products listed below, using standard AC wiring interconnect. P4010ACSCO-WF P4010ACSCOAQ-WF **P4010ACS-WF** P4010ACSAQ-WF 900-CUAR, 900-CUAR-V i12020, i12020A i12040, i12040A i12060, i12060A i12080, i12080A i...

lang:en score:34 filesize: 1.06 M page_count: 1 document date: 2024-05-09



[pdf] Datasheet

Product Data Sheet for Smoke Alarm with Smart Features P4010ACS WF PDS KL shareddocs hvac docs 2001 Public 03 |||

Smoke Alarmwith smart features Features Benefits Remote notification and status with Kidde HomeS ... of Amazon.com, Inc. or its affiliates. Google and Google Home are trademarks of Google LLC. Model **P4010ACS-WF** Remote alarm notifications: Real-time mobile alerts through the Kidde app. One battery f...

lang:en score:33 filesize: 366.58 K page_count: 2 document date: 2022-11-18



[pdf] Quick Start Guide Installation Guide Guide

Kidde Smoke Alarm with Indoor Air Quality Monitor User Guide UG P4010ACSAQ WF tcm126 195695 kidde home safety en us media |||

Kidde Smoke Alarm with Indoor Air Quality Monitor User Guide Photoelectric Smoke Alarm with Voice, H ... EDS-2, P4010ACLEDSCO, P4010ACLEDSCO-2, 3050-VAS10-A, 3050-VASC10-A, P4010ACSCO-WF, P4010ACSCOAQ-WF, **P4010ACS-WF**, P4010ACSAQ-WF. NOTE: Although this Wi-Fi model will hardwire interconnect with the mode...

lang:en score:32 filesize: 1.21 M page_count: 31 document date: 2022-11-04



Kidde CUAC10YFEX Smoke and Carbon Monoxide Alarm User Guide

Comprehensive user guide for the Kidde CUAC10YFEX Combination Photoelectric Smoke & Carbon Monoxide Alarm with Hardwire Interconnect, covering installation, operation, testing, troubleshooting, and safety information.

lang:en score:30 filesize: 1.53 M page_count: 31 document date: 2024-10-30



[Kidde CUACFEX Combination Smoke & Carbon Monoxide Alarm User Guide](#)

User guide for the Kidde CUACFEX Combination Photoelectric Smoke & Carbon Monoxide Alarm with Hardwire Interconnect. Provides installation, operation, troubleshooting, and safety information.

lang:en **score:30** filesize: 1.51 M page_count: 30 document date: 2024-01-29



[\[pdf\] Guide](#)

User Guide Global Industrial Kidde alarms are designed tested and certified for wall if applicable ceiling surface mount only WARNING THE ALARM CANNOT BE OPERATED FROM POWER KID 21033087 1 MAN static globalindustrial products 4815 kidde |||

User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Model SMAC10YFEX Helps Reduce Cooki ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en **score:30** filesize: 1.47 M page_count: 28 document date: 2024-01-25



[Kidde SMACFEX Photoelectric Smoke Alarm User Guide](#)

This user guide provides essential information for the Kidde SMACFEX photoelectric smoke alarm, covering installation, operation, testing, troubleshooting, safety recommendations, and warranty details. Learn how to ensure optimal fire safety in your home with this hardwire interconnect smoke alarm.

lang:en **score:30** filesize: 1.4 M page_count: 26 document date: 2024-11-18



[Kidde SMACFEX Photoelectric Smoke Alarm User Guide](#)

This user guide provides detailed instructions for the Kidde SMACFEX photoelectric smoke alarm with hardwire interconnect. It covers installation, operation, testing, troubleshooting, maintenance, and fire safety recommendations.

lang:en **score:29** filesize: 1.38 M page_count: 26 document date: 2024-01-25



[Kidde Firex CUACFEX Combination Smoke and Carbon Monoxide Alarm User Guide](#)

Comprehensive user guide for the Kidde Firex CUACFEX combination photoelectric smoke and carbon monoxide alarm. Learn about installation, operation, testing, safety features, and troubleshooting for this 120V hardwire interconnect alarm with battery backup.

lang:en score:29 filesize: 1.46 M page_count: 30 document date: 2024-10-29



[Kidde SMACFEX Photoelectric Smoke Alarm User Guide](#)

This user guide provides comprehensive instructions for the Kidde SMACFEX photoelectric smoke alarm with hardwire interconnect, covering installation, operation, testing, troubleshooting, maintenance, safety, and warranty information.

lang:en score:29 filesize: 1.4 M page_count: 26 document date: 2024-11-18

[\[pdf\] Installation Guide Guide Warranty Catalog](#)

Kidde™ Direct Wire AA Battery Backup Photoelectric Smoke Detector 4 Pack at Menards®3584517

20SAR Installationcdn menardc main items media WALTE003 Install Instruct 3584517 Installation

Installatione0f37afb 3604 4782 b5f5 d117de598f4acdn Installationimages thdstatic catalog Images e0e0f37afb d117de598f4a d117de598f4a90104c2a 0bf9 45b1 aebd 7afe41e566d0cdn

d117de598f4aimages 90 90104c2a 7afe41e566d0 Menards®Kidde™ Installation3584517

Warrantye0f37afb Warranty Warrantyimages ||| ||| User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Model 20SAR Helps Reduce Cooking Nuisance Alarms P/N: G-000009-00 Rev. A SMOKE ALARM 120V HARDWIRE INTERCONNECT AA BATTERY BACKUP AC POWER REQUIRED SELF-TESTING SEE SECTION 10 ||| User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Model 20SAR Helps Reduce Cooking Nuisance Alarms P/N: G-000009-00 Rev. A SMOKE ALARM 120V HARDWIRE INTERCONNECT AA BATTERY BACKUP AC POWER REQUIRED SELF-TESTING SEE SECTION 10 ||| User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Model 20SAR Helps Reduce Cooking Nuisance Alarms P/N: G-000009-00 Rev. A SMOKE ALARM 120V HARDWIRE INTERCONNECT AA BATTERY BACKUP AC POWER REQUIRED SELF-TESTING SEE SECTION 10 User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Model 20SAR Helps Reduce Cooking Nu ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDSO, P4010ACLEDSO-2, 3050-VAS10-A, 3050-VASCO10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:29 filesize: 1.3 M page_count: 26 document date: 2023-11-23





[Manual del Usuario: Alarmas Kidde de Detección de Humo y Monóxido de Carbono](#)

Guía completa del usuario para las alarmas Kidde de detección de humo y monóxido de carbono (CO), incluyendo modelos como 20SAR, 30CUAR, SMACFEX y CUACFEX. Cubre instalación, operación, solución de problemas y seguridad.

lang:es score:28 filesize: 1.58 M page_count: 32 document date: 2025-02-17



[Kidde CUAC10YFEX-V Combination Smoke & Carbon Monoxide Alarm User Guide](#)

Comprehensive user guide for the Kidde CUAC10YFEX-V combination photoelectric smoke and carbon monoxide alarm. Learn about installation, operation, safety features, troubleshooting, and maintenance for this 120V hardwire interconnect alarm with 10-year battery backup.

lang:en score:28 filesize: 1.54 M page_count: 31 document date: 2024-01-29



[Kidde SMAC10YFEX Photoelectric Smoke Alarm User Guide](#)

This user guide provides comprehensive instructions for the Kidde SMAC10YFEX photoelectric smoke alarm. Learn about installation, operation, testing, troubleshooting, maintenance, safety features, and warranty information for reliable home fire detection.

lang:en score:28 filesize: 1.53 M page_count: 28 document date: 2024-11-18



[\[pdf\] Instructions Warranty Borchure](#)

Brochure Kidde Smoke and Carbon Monoxide Alarm Adapter Model 20 9003 — Orka CANADA

ElectraAdapter CA PDS 051523 EN FR v 1715956482 cdn shopify s files 1 0083 4328 9961 |||

Smoke and Smoke Carbon Monoxide Alarm Adapter Model 20-9003 Instructions for adapters purchased in ... LEDSCA-2, P4010ACLEDSCOCA-2, P4010ACSCO-WCA, P4010LACS-WCA, P4010ACS-WCA, P4010ACSCA, P4010ACSCOCA, **P4010ACS-WF-CA**, P4010ACSAQ-WF-CA, P4010ACSCO-WF-CA, P4010ACSCOAQ-WF-CA, **P4010ACS-WF-CA**, P4010ACSAQ-W...

lang:en score:28 filesize: 459.22 K page_count: 2 document date: 2024-04-09



[\[pdf\]](#) Guide

FireX 21033083 Smoke CO Alarm User Guide and Carbon Monoxide Detects Smoldering Fires or Hazard Photoelectric Electrochemical Sensors Interconnectable 120V Battery Backup 1000Bulbs firex user guidea89b8e4143ca50438f09 7c1706ba3fabeeda794725d88e4f5e57 ssl cf2 rackcdn spec sheets files 000 088 218 original guide 1730236581 |||

User Guide Combination Photoelectric Smoke Carbon Monoxide Alarm with Hardwire Interconnect Model ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:27 filesize: 1.46 M page_count: 30 document date: 2024-10-29



[\[pdf\]](#) Guide

User Guide DETECT Photoelectric Smoke Alarm with Hardwire Interconnect 20SAR Product UG 0124 shareddocs hvac docs 2001 Public 0E |||

User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Model 20SAR Helps Reduce Cooking Nu ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:27 filesize: 1.3 M page_count: 26 document date: 2023-11-23



[\[pdf\]](#) Guide

User Guide DETECT Photoelectric Smoke Alarm with Hardwire Interconnect 20SA10 Product UG 0124 shareddocs hvac docs 2001 Public 02 |||

User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Model 20SA10 Helps Reduce Cooking N ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:27 filesize: 1.39 M page_count: 28 document date: 2023-11-23




[\[pdf\]](#) Guide

User Guide DETECT Photoelectric Smoke Alarm with Hardwire Interconnect Voice 20SA10 V Product UG 0124 shareddocs hvac docs 2001 Public 05 |||

User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Voice Model 20SA10-V Helps Reduce ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:26 filesize: 1.47 M page_count: 28 document date: 2023-12-27



[\[pdf\] Guide](#)

User Guide Combination Photoelectric DETECT Smoke Carbon Monoxide Alarm with Hardwire

Interconnect 30CUAR Product UG 0124 shareddocs hvac docs 2001 Public 03 |||

User Guide Combination Photoelectric Smoke Carbon Monoxide Alarm with Hardwire Interconnect Model ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:26 filesize: 1.37 M page_count: 30 document date: 2023-11-23



[Kidde 30CUA10 Combination Smoke and Carbon Monoxide Alarm User Guide](#)

Comprehensive user guide for the Kidde 30CUA10 Combination Photoelectric Smoke and Carbon Monoxide Alarm with Hardwire Interconnect, covering installation, operation, testing, troubleshooting, safety, and warranty information.

lang:en score:25 filesize: 1.44 M page_count: 31 document date: 2023-11-23




[Kidde 30CUAR-V Combination Smoke and Carbon Monoxide Alarm User Guide](#)

Comprehensive user guide for the Kidde 30CUAR-V hardwired combination photoelectric smoke and carbon monoxide alarm with voice alerts and battery backup.

Learn about installation, operation, testing, troubleshooting, and safety.


lang:en score:25 filesize: 1.44 M page_count: 30 document date: 2023-12-22



[Kidde 30CUA10-V Combination Smoke and Carbon Monoxide Alarm User Guide](#)

Comprehensive user guide for the Kidde 30CUA10-V hardwired combination photoelectric smoke and carbon monoxide alarm with voice alerts and 10-year battery backup. Learn about installation, operation, troubleshooting, and safety.

lang:en score:25 filesize: 1.4 M page_count: 31 document date: 2023-11-23



[\[pdf\]](#) Guide

Compatibility GuideRing Smart Smoke CO Alarm Hardwired AA Battery Backup RGCUAR RW

KiddeCompatGuide Ring 0225brand kidde m 6735ec91e4fb1baf original CompatGuide |||

Interconnectivity Guide AC Wired Interconnect Model Capability Kidde AC models

have hardwire interco ... P4010ACS* P4010ACS-W* P4010ACSAQ-WF*

P4010ACSCO* P4010ACSCO-W* P4010ACSCOAQ-WF* P4010ACSCO-WF*

P4010ACS-WF* P4010LACS-W* RF-SM-ACDC* RGCUAR-RW RGSAR-RW Models

which provide remote smoke ala...

lang:en score:25 filesize: 1.48 M page_count: 2 document date: 2025-02-24



[\[pdf\]](#) User Manual Instructions Guide Warranty

User manual Walter Kidde Portable Equipment Inc RGSARRW Smart Smoke Alarm SAK SAKRGSARRW
rgsarrw

Smart Smoke Alarm RGSAR-RW Smart Smoke Carbon Monoxide Alarm RGCUAR-RW P/N: G-000045-00 EN Re ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCO-AQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:24 filesize: 2.57 M page_count: 41 document date: 2024-12-09

[\[pdf\]](#) Guide Catalog

FireX 21033086 Smoke CO Alarm User Guide and Carbon Monoxide with Voice Alert Detects Smoldering Fires or Hazard Photoelectric Electrochemical Sensors Interconnectable 120V Sealed Lithium 10 Year Battery Backup 1000Bulbs 16 set 2025 — The carbon monoxide alarm pattern is four quick beeps voice Warning! repeating every 5 seconds red LED blinks in time thev1hdsuppliesolutions wcsstore

ExtendedSitesCatalogAssetStore product fm additional 34 347589 InstallationGuide the16 sept Teach
children how to respond the that they should never play unit This a multi criteria device designed detect
bothv1firex user guidehdsupplysolutions InstallationGuidea89b8e4143ca50438f09

7c1706ba3fabeeda794725d88e4f5e57 ssl cf2 rackcdn spec sheets files 000 088 225 original firex guide
1732126951 ||| ||| User Guide Combination Photoelectric Smoke Carbon Monoxide Alarm with Hardwire

Interconnect Voice Model CUAC10YFEX-V Helps Reduce Cooking Nuisance Alarms P/N: G-000041-00
Rev. A COMBINATION ALARM 120V HARDWIRE INTERCONNECT 10-YEAR BATTERY B

User Guide Combination Photoelectric Smoke Carbon Monoxide Alarm with Hardwire Interconnect Voic ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VAS-CO10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCO-AQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:23 filesize: 1.52 M page count: 31 document date: 2024-11-20





[\[pdf\]](#) Guide Catalog

Kidde 10 Year Battery and Hardwired Smoke Carbon Monoxide Detector Interconnectable LED Warning Lights 21031544 The Home Depot c6542d92 82f9 4bf6 a820 928c95851d21 images thdstatic catalog Images c6 c6542d92 928c95851d21 |||

User Guide Combination Photoelectric Smoke Carbon Monoxide Alarm with Hardwire Interconnect Model ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOAQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en **score:17** filesize: 1.44 M page_count: 31 document date: 2023-11-23



[Manual del Usuario: Alarmas de Detección de Humo y Monóxido de Carbono Kidde](#)

Guía completa del usuario para las alarmas de detección de humo y monóxido de carbono (CO) de Kidde. Incluye instalación, operación, solución de problemas y consejos de seguridad.

lang:es **score:16** filesize: 1.58 M page_count: 32 document date: 2025-02-17




[\[pdf\]](#) Instructions Guide Warranty

Smart Smoke Alarm RGSAR RW Carbon Monoxide RGCUAR 1 Download the Ring app 2 Scan to start setup 3 UG RING EN tcm126 266260 kidde home safety en us media |||

Smart Smoke Alarm RGSAR-RW Smart Smoke Carbon Monoxide Alarm RGCUAR-RW P/N: G-000045-01 EN Re ... O-2, P4010ACS, P4010ACSAQ-WF, P4010ACSCO, P4010ACSCOAQ-WF, P4010ACSCO-W, P4010ACSCO-WF, P4010ACS-W, **P4010ACS-WF**, P4010LACS-W, RF-SM-ACDC, RGCUAR-RW, RGSAR-RW Models which provide remote smoke alarms, ...


lang:en **score:16** filesize: 2.09 M page_count: 40 document date: 2025-02-25



[Kidde Smoke and Combination Smoke/CO Alarms User Guide](#)

Comprehensive user guide for Kidde and Firex smoke and carbon monoxide alarms. Covers installation, operation, testing, troubleshooting, maintenance, safety tips, and warranty information for various models including 20SAR, 20SA10, 30CUAR, SMACFEX, and CUACFEX series.

lang:en **score:15** filesize: 1.5 M page_count: 32 document date: 2025-02-17



[\[pdf\]](#) Guide Catalog

User Guide alarm NOTE Dense smoke will override Hush™ and sound a continuous alarm If no fire is present check to see if one of the reasons listed in Locations f4823420 1e1d 454b 86db a4b0ef6981db images thdstatic catalog Images f4 f4823420 a4b0ef6981db |||

User Guide Photoelectric Smoke Alarm with Hardwire Interconnect Voice Model 20SA10-V Helps Reduce ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOAQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en **score:13** filesize: 1.47 M page_count: 28 document date: 2023-12-27



[Kidde 30CUA10-V Combination Smoke & Carbon Monoxide Alarm User Guide](#)

Comprehensive user guide for the Kidde 30CUA10-V Combination Photoelectric Smoke & Carbon Monoxide Alarm with Hardwire Interconnect & Voice. Learn about installation, operation, troubleshooting, safety, and maintenance.

lang:en score:13 filesize: 1.4 M page_count: 31 document date: 2023-11-23



[\[pdf\] Instructions Guide Warranty Catalog](#)

Smart Smoke Alarm RGSAR RW Carbon Monoxide RGCUAR alarms cannot provide an alarm if smoke does not reach the be964964 ef0e 5f50 8089 6fc91633ec3b images thdstatic catalog Images be ||| Smart Smoke Alarm RGSAR-RW Smart Smoke Carbon Monoxide Alarm RGCUAR-RW P/N: G-000045-00 EN Re ... 4010ACS-W, P4010ACLEDS, P4010ACLEDS-2, P4010ACLEDS-CO, P4010ACLEDS-CO-2, 3050-VAS10-A, 3050-VASC10-A, **P4010ACS-WF**, P4010ACSAQ-WF, P4010ACSCO-WF, P4010ACSCOAQ-WF, 900-CUAR, 900-CUAR-V, 20SAR, 20SA10, 20S...

lang:en score:12 filesize: 2.09 M page_count: 40 document date: 2024-12-20