

Yaheetech B0C44VCPCL

Yaheetech Twin Size Metal Platform Bed Frame Instruction Manual

Brand: Yaheetech

INTRODUCTION

This manual provides comprehensive instructions for the assembly, use, and maintenance of the Yaheetech Twin Size Metal Platform Bed Frame. It includes detailed steps, safety guidelines, and product specifications to ensure proper setup and long-term durability. Please read all instructions carefully before beginning assembly.

SAFETY INFORMATION

- Be cautious when getting in and out of bed due to high ground clearance.
- Do not exceed the maximum weight capacity of 450 lb.
- Be careful around sharp edges on the headboard and footboard during assembly and use.
- Ensure all bolts and screws are securely tightened before use.
- Keep small parts away from children during assembly.

PARTS LIST

Before assembly, verify that all parts and hardware are present and undamaged. Refer to the diagrams below for identification.

Frame Components

Part No.	Description	Quantity
1	Headboard/Footboard Outer Vertical Post	4
2	Headboard/Footboard Inner Vertical Post	4
3	Headboard/Footboard Upper Horizontal Bar	2

Part No.	Description	Quantity
4	Center Support Leg	2
5	Side Rail	2
6	Headboard/Footboard Lower Horizontal Bar	2
7	Headboard/Footboard Decorative Panel	2
9	Bed Slats	12

Hardware

Part No.	Description	Quantity
A	M8x50mm Bolt	8
B	M6x30mm Bolt	8
C	M6x15mm Bolt	12
D	M4x10mm Screw	24
E	M8 Washer	8
F	M6 Washer	20
G	Allen Wrench & Small Wrench	1

Bolts (Hardware B) and M6 Washers (Hardware F). Then, insert the Headboard/Footboard Decorative Panel (Part 7) into the designated slots on the assembled frame. Repeat this process for the second unit.



The cloud-inspired design of the headboard and footboard adds an aesthetic touch.



A closer look at the cloud-inspired design, highlighting the unique wave pattern.

2. **Step 2: Assemble Side Rails with Center Support Legs**

Attach the Center Support Legs (Part 4) to the Side Rails (Part 5) using M6x15mm Bolts (Hardware C) and M6 Washers (Hardware F). Ensure the legs are firmly attached and perpendicular to the side rails for proper support.



A cloud-inspired headboard creates a striking statement.



Superior metal tubes ensure extended years of use.



Ample under-bed room maximizes your storage space.



Bottom rubber caps keep your floor away from damage.

L-shaped brackets reinforce the joints for enhanced stability and durability.

3. **Step 3: Connect Headboard/Footboard to Side Rails**

Connect the assembled headboard and footboard units to the Side Rails (Part 5) using M8x50mm Bolts (Hardware A) and M8 Washers (Hardware E). Tighten all connections securely with the provided Allen wrench and small wrench (Hardware G). Ensure all connections are snug to prevent wobbling.




The complete bed frame structure before mattress placement.

4. **Step 4: Install Bed Slats**

Place the Bed Slats (Part 9) across the Side Rails (Part 5). Secure each slat to the frame using M4x10mm Screws (Hardware D). Ensure even spacing for optimal mattress support. The built-in slats are designed to prevent mattress sliding.



The integrated slat design helps keep your mattress securely in place, preventing unwanted movement.




L-shaped brackets reinforce joints for extra stability.

Detailed view of slat installation, showing the secure connection mechanism.

OPERATING INSTRUCTIONS

Once assembled, place your mattress directly onto the bed slats. No box spring is needed for this platform bed frame. The frame is designed to support a mattress of 75" L × 39" W. Ensure the mattress is centered on the frame for even weight distribution and stability.



The 12.6-inch ground clearance provides ample space for under-bed storage solutions.

MAINTENANCE

To maintain your Yaheetech Metal Platform Bed Frame, regularly wipe clean with a dry cloth to remove dust and debris. Avoid using harsh chemicals or abrasive cleaners, as these may damage the powder-coated finish. Periodically check all bolts and connections to ensure they remain tight. Re-tighten if any looseness is detected to maintain structural integrity and prevent squeaking.

TROUBLESHOOTING

- **Squeaking Noises:** If the bed frame produces squeaking noises, it is likely due to loose connections. Re-tighten all bolts and screws, especially those connecting the side rails to the headboard/footboard and the center support legs.
- **Mattress Sliding:** While the frame has built-in features to minimize sliding, some mattresses may still shift. Consider using a non-slip mattress pad or rubber grippers placed between the mattress and the slats to further secure it.

- **Wobbly Frame:** A wobbly frame indicates loose connections. Systematically check and tighten every bolt and screw on the entire frame. Ensure the center support legs are properly aligned and secured.
- **Missing Parts:** If any parts are missing upon unboxing, please contact Yaheetech customer support immediately for assistance.

SPECIFICATIONS







Feature	Detail
Size	Twin
Product Dimensions	78"L x 41.5"W x 35"H
Special Feature	No Box Spring Needed, Under Bed Storage, Sturdy, Squeak Resistant
Color	Black
Finish Type	Powder Coated
Included Components	Installation Manual, Headboard, Slat, Footboard
Compatible With Mattress Size	75" L x 39" W
Item Weight	29.2 pounds
Ground To Item Distance	12.6 Inches
Maximum Weight Capacity	450 lb

WARRANTY AND SUPPORT

Yaheetech stands behind the quality of its products. For warranty information, technical support, or assistance with missing/damaged parts, please contact Yaheetech customer service. Refer to your purchase documentation for specific warranty terms and contact details.

You can also visit the official Yaheetech store for more information:[Yaheetech Store](#)



 <p>611805(TWIN)</p> <p>1. Please read the instruction manual carefully before assembling the bed. 2. The bed frame is made of heavy-duty metal and is designed for long-term use. 3. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 4. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 5. The bed frame is designed to support a maximum width of 54" (137 cm). 6. The bed frame is designed to support a maximum depth of 80" (203 cm). 7. The bed frame is designed to support a maximum length of 80" (203 cm). 8. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 9. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 10. The bed frame is designed to support a maximum width of 54" (137 cm). 11. The bed frame is designed to support a maximum depth of 80" (203 cm). 12. The bed frame is designed to support a maximum length of 80" (203 cm).</p>	<p>Yaheetech 611805(TWIN) Bed Frame Assembly Instructions</p> <p>Comprehensive assembly instructions for the Yaheetech 611805(TWIN) bed frame. This guide provides step-by-step instructions, parts lists, and important safety information for assembling your new bed.</p>
 <p>IMPORTANT</p> <p>1. Please read the instruction manual carefully before assembling the bed. 2. The bed frame is made of heavy-duty metal and is designed for long-term use. 3. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 4. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 5. The bed frame is designed to support a maximum width of 54" (137 cm). 6. The bed frame is designed to support a maximum depth of 80" (203 cm). 7. The bed frame is designed to support a maximum length of 80" (203 cm). 8. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 9. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 10. The bed frame is designed to support a maximum width of 54" (137 cm). 11. The bed frame is designed to support a maximum depth of 80" (203 cm). 12. The bed frame is designed to support a maximum length of 80" (203 cm).</p>	<p>Yaheetech Metal Twin Bed Frame (Model #591898) Assembly Instructions</p> <p>This document provides assembly instructions for the Yaheetech Metal Twin Bed Frame, Model #591898. It includes a parts list, step-by-step assembly diagrams with textual descriptions, and important safety warnings.</p>
 <p>IMPORTANT</p> <p>1. Please read the instruction manual carefully before assembling the bed. 2. The bed frame is made of heavy-duty metal and is designed for long-term use. 3. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 4. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 5. The bed frame is designed to support a maximum width of 54" (137 cm). 6. The bed frame is designed to support a maximum depth of 80" (203 cm). 7. The bed frame is designed to support a maximum length of 80" (203 cm). 8. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 9. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 10. The bed frame is designed to support a maximum width of 54" (137 cm). 11. The bed frame is designed to support a maximum depth of 80" (203 cm). 12. The bed frame is designed to support a maximum length of 80" (203 cm).</p>	<p>Yaheetech Metal Queen Bed Frame Assembly Instructions (Model # 611085)</p> <p>Detailed assembly instructions for the Yaheetech Metal Queen Bed Frame (Model # 611085), including parts list, safety warnings, and step-by-step guidance for a smooth setup.</p>
 <p>Yaheetech</p> <p>613629(Full)</p> <p>1. Please read the instruction manual carefully before assembling the bed. 2. The bed frame is made of heavy-duty metal and is designed for long-term use. 3. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 4. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 5. The bed frame is designed to support a maximum width of 54" (137 cm). 6. The bed frame is designed to support a maximum depth of 80" (203 cm). 7. The bed frame is designed to support a maximum length of 80" (203 cm). 8. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 9. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 10. The bed frame is designed to support a maximum width of 54" (137 cm). 11. The bed frame is designed to support a maximum depth of 80" (203 cm). 12. The bed frame is designed to support a maximum length of 80" (203 cm).</p>	<p>Yaheetech 613629(Full) Bed Frame Assembly Instructions</p> <p>Detailed assembly instructions for the Yaheetech 613629(Full) bed frame, including parts list and step-by-step guidance.</p>
 <p>IMPORTANT/WICHTIG/ATENCIÓN IMPORTANT/IMPORTANTE</p> <p>1. Please read the instruction manual carefully before assembling the bed. 2. The bed frame is made of heavy-duty metal and is designed for long-term use. 3. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 4. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 5. The bed frame is designed to support a maximum width of 54" (137 cm). 6. The bed frame is designed to support a maximum depth of 80" (203 cm). 7. The bed frame is designed to support a maximum length of 80" (203 cm). 8. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 9. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 10. The bed frame is designed to support a maximum width of 54" (137 cm). 11. The bed frame is designed to support a maximum depth of 80" (203 cm). 12. The bed frame is designed to support a maximum length of 80" (203 cm).</p>	<p>Yaheetech Bed Frame Assembly Instructions</p> <p>Comprehensive assembly guide for the Yaheetech Queen Size Metal Platform Bed with Upholstered Headboard. Includes parts list, step-by-step instructions, and safety information.</p>
 <p>IMPORTANT/WICHTIG/ATENCIÓN IMPORTANT/IMPORTANTE</p> <p>1. Please read the instruction manual carefully before assembling the bed. 2. The bed frame is made of heavy-duty metal and is designed for long-term use. 3. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 4. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 5. The bed frame is designed to support a maximum width of 54" (137 cm). 6. The bed frame is designed to support a maximum depth of 80" (203 cm). 7. The bed frame is designed to support a maximum length of 80" (203 cm). 8. The bed frame is designed to support a maximum weight of 250 lbs (113 kg). 9. The bed frame is designed to support a maximum height of 6' 0" (183 cm). 10. The bed frame is designed to support a maximum width of 54" (137 cm). 11. The bed frame is designed to support a maximum depth of 80" (203 cm). 12. The bed frame is designed to support a maximum length of 80" (203 cm).</p>	<p>Yaheetech Metal Bed Frame Assembly Instructions Twin Size</p> <p>Detailed, step-by-step assembly instructions for the Yaheetech metal bed frame. Includes parts list, safety warnings, and assembly guidance.</p>