



[Manuals.plus](#) /

> [SineRise](#) /

> SineRise 3-Light Brushed Nickel Vanity Light Instruction Manual

SineRise 09caf740-c965-4410-a87e-291e8bd340af

SineRise 3-Light Brushed Nickel Vanity Light Instruction Manual

MODEL: 09CAF740-C965-4410-A87E-291E8BD340AF

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your SineRise 3-Light Brushed Nickel Vanity Light.

1. Safety Information

Please read and understand all instructions before beginning installation. Failure to do so may result in electric shock, fire, or other injuries that could be fatal or cause property damage.

- Always disconnect power at the main circuit breaker before installing or servicing the fixture.
- Consult a qualified electrician if you are unsure about the installation process.
- Ensure all electrical connections are made in accordance with local codes and ordinances.
- Do not use harsh chemicals or abrasive cleaners on the fixture, as this may damage the finish.
- This fixture is designed for indoor use only and is not water resistant.

2. Package Contents

Verify that all components are present before beginning installation:

- 1 x 3-Light Vanity Light Fixture
- 3 x Cylindrical Crystals
- 3 x Round Clear Glass Covers
- 1 x Tool Kit (includes wire nuts, machine screws, butterfly, mounting screws)
- 1 x User Manual

3. Specifications

Feature	Specification
Brand	SineRise

Model Number	09caf740-c965-4410-a87e-291e8bd340af
Color	Brushed Nickel
Material	Glass, Metal, Crystal
Style	Modern
Light Fixture Form	Vanity
Room Type	Bathroom
Product Dimensions	17.1"L x 6.3"W x 4"H
Indoor/Outdoor Usage	Indoor
Power Source	Corded Electric
Installation Type	Surface Mount
Special Feature	Dimmable
Control Method	App (Note: This refers to the dimmer switch, not included)
Light Source Type	LED
Number of Light Sources	3
Voltage	120 Volts
Color Temperature	3000K / 4000K / 6000K (Adjustable)
Brightness	1450 Lumen
Wattage	21 watts
Item Weight	5.7 Pounds

Note: Specifications are subject to change without notice.

4. Setup and Installation

Follow these steps to properly install your vanity light fixture. It is recommended to have a qualified electrician perform the installation.

- Turn Off Power:** Before starting any electrical work, ensure the power supply to the installation area is turned off at the circuit breaker.
- Prepare Mounting:** Detach the mounting plate from the fixture. Secure the mounting plate to the wall junction box using the provided screws. Ensure it is firmly fixed.
- Wire Connections:** Connect the electrical wires from the fixture to the corresponding wires from the junction box. Typically, black to black (live), white to white (neutral), and bare copper/green to bare copper/green (ground). Use the provided wire nuts to secure connections.
- Mount Fixture:** Carefully push all wires into the junction box. Align the fixture with the mounting plate and secure it with the provided screws. The fixture can be installed with the lights facing up or down according to your preference.
- Install Glass Shades:** Gently place the clear glass covers and cylindrical crystals onto the light bases.

Ensure they are securely seated.

6. **Restore Power:** Once installation is complete and all components are secure, restore power at the circuit breaker.



Figure 4.1: The SineRise 3-Light Brushed Nickel Vanity Light installed above a bathroom mirror.



Figure 4.2: Product dimensions for planning installation.

5. Operating Instructions

Your SineRise Vanity Light offers versatile lighting options to suit your needs.

- **3 Color Temperature Options:** The fixture provides three distinct color temperatures:
 - **3000K (Warm White):** Ideal for a relaxing ambiance.
 - **4000K (Natural White):** Suitable for general tasks and a balanced light.
 - **6000K (Cool White):** Best for tasks requiring clear visibility, such as makeup application or shaving.

The color temperature can be adjusted via a switch on the fixture (refer to Figure 5.1) or through a compatible wall switch/app control if installed.

- **Dimmable Lighting:** The fixture is fully dimmable. To utilize this feature, a compatible dimmer switch (not included) must be installed on your wall. This allows you to adjust the brightness to your desired level.

3 Color Temperature Options

You can control which color temperature your lights are.



Figure 5.1: Adjusting the 3 color temperature options.

Video 5.1: Demonstration of the SineRise vanity light's features, including color temperature changes.

6. Maintenance

Proper care will ensure the longevity and performance of your vanity light.

- **Cleaning:** Shut off main power supply before wiping the product. Clean the fixture with a dry, soft cloth. Avoid using harsh chemicals, solvents, or abrasive cleaners, which may damage the finish.
- **LED Lifespan:** The integrated LED chips have an estimated lifespan of 54,000 hours, minimizing the need for frequent bulb replacement.

7. Troubleshooting

If you encounter any issues with your vanity light, refer to the table below for common problems and solutions:

Problem	Possible Cause	Correction Action
---------	----------------	-------------------

Light won't light	<ol style="list-style-type: none">1. Bulb is burned out2. Power is off3. Faulty wire connection4. Faulty switch	<ol style="list-style-type: none">1. Replace light bulb (if applicable, this model has integrated LEDs)2. Make sure power supply is on3. Checking wiring4. Test or replace switch
-------------------	--	--

Note: For integrated LED fixtures, if the light does not illuminate, it may indicate an issue with the fixture's internal components or wiring. Contact customer support for assistance.

8. Warranty and Support

SineRise stands behind the quality of its products.

- **Warranty:** We provide a 12-Month Replacement warranty for this product.
- **Customer Support:** If you have any questions, require assistance with installation, or need to claim warranty service, please contact SineRise customer support. Refer to the product packaging or the official SineRise website for contact details.