

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [MARTVSEN](#) /
- › [MARTVSEN M7-RGM Camera Mount Instruction Manual](#)

MARTVSEN M7-RGM

MARTVSEN M7-RGM Camera Mount Instruction Manual

Model: M7-RGM | Brand: MARTVSEN

INTRODUCTION

The MARTVSEN M7-RGM Camera Mount is a versatile and robust accessory designed for securely attaching action cameras, digital cameras, and other devices to various surfaces. Its enhanced stability, flexible adjustment options, and broad compatibility make it ideal for capturing dynamic footage in diverse environments.

PRODUCT FEATURES

- **Enhanced Stability:** Features a larger metal frame and reinforced crab claw for secure attachment.
- **Versatile Compatibility:** Designed to accommodate round and square tubes (0.39-1.96 inches / 1-5 cm).
- **Easy Adjustment:** Equipped with a 1/4-inch thread and a standard 1-inch ball head, allowing for 360-degree rotation and 180-degree tilt for multiple angles.
- **Premium Quality:** Constructed from durable aluminum alloy with precision engineering.
- **Wide Applications:** Suitable for cycling, motorcycling, mountain biking, outdoor sports, and travel photography.

PACKAGE CONTENTS

Please ensure all components are present before proceeding with installation:

- 1 x MARTVSEN M7-RGM Camera Mount (Crab Claw Clamp with Magic Arm)
- 1 x GoPro Adapter
- 1 x 1/4-inch Screw Anti-Slip Pad

SETUP INSTRUCTIONS

1. Attaching the GoPro Adapter (if applicable)

If you are using a GoPro or a compatible action camera that requires a GoPro-style mount, attach the included GoPro adapter to the 1/4-inch screw on the magic arm. Ensure it is tightened securely.

Compatible With Multiple Devices

1/4" Screw
Anti-Slip Pad



1/4" Thread
Standard Adapter



Image: The 1/4-inch screw with anti-slip pad and the standard GoPro adapter, demonstrating compatibility with various devices.

2. Mounting the Camera/Device

Attach your camera or device to the 1/4-inch screw or the GoPro adapter. Ensure the camera is firmly screwed onto the mount to prevent accidental detachment during use.

Your browser does not support the video tag.

Video: This video demonstrates the secure attachment of an action camera to the mount, highlighting its robust design and ease of use for various activities.

3. Attaching the Mount to a Surface

The crab claw clamp is designed for secure attachment to round or square tubes. Open the clamp by turning the blue knob counter-clockwise. Position the clamp around the desired surface (e.g., motorcycle handlebar, bicycle frame, railing) and tighten the knob clockwise until the mount is firmly secured. The removable TPE pads provide extra grip and protect the mounting surface.

SECURELY ATTACHES TO THE HANDLEBAR

Effectively avoid sliding or rotating





Image: The crab claw clamp features a jaw range of 0.39-1.96 inches (1-5 cm) and is suitable for both round and square tubes, ensuring a stable attachment.



0.4 - 2 Inches / 1cm - 5cm Fitted

Image: The versatile clamp can be fitted to round tubes, square tubes, and even rear mirror arms, accommodating a range of 0.4 to 2 inches (1-5 cm).


OPERATING INSTRUCTIONS

Adjusting the Magic Arm

The magic arm features dual ball heads that allow for 360-degree rotation and 180-degree tilt. Loosen the central blue knob on the magic arm to adjust the angle and position of your camera. Once the desired angle is achieved, tighten the knob firmly to lock the position. This allows for flexible camera placement to capture various perspectives.

Jumbo Bracket
Longer & Bigger

Easily Switch
Horizontal & Vertical



Free Visions

To unlock the latest camera features
& help you create the most exciting.

Image: The jumbo bracket and magic arm allow for easy switching between horizontal and vertical orientations with 360-degree rotation and 180-degree tilt.

Your browser does not support the video tag.

Video: This video showcases the mount's compatibility with Insta360 cameras and its flexible adjustment capabilities for optimal recording angles.

MAINTENANCE

To ensure the longevity and optimal performance of your MARTVSEN M7-RGM Camera Mount, follow these maintenance guidelines:

- **Cleaning:** Wipe the mount with a soft, damp cloth to remove dust and dirt. Avoid using harsh chemicals or abrasive materials that could damage the finish.
- **Inspection:** Regularly check all screws and knobs for tightness. Ensure the crab claw clamp and ball joints operate smoothly.
- **Storage:** Store the mount in a dry, cool place away from direct sunlight and extreme temperatures when not in use.

TROUBLESHOOTING

If you encounter any issues with your camera mount, consider the following:

- **Mount Slipping:** Ensure the clamp knob is fully tightened. Verify that the TPE pads are correctly positioned to provide maximum grip on the mounting surface.
- **Camera Instability:** Check that the 1/4-inch screw or GoPro adapter is securely fastened to your camera and the magic arm. Tighten the central knob on the magic arm to lock the ball joints.
- **Difficulty Adjusting:** Loosen the central knob on the magic arm sufficiently to allow free movement of the ball joints. If movement is still stiff, ensure no debris is obstructing the joints.

SPECIFICATIONS

Feature	Detail
Product Dimensions	9 x 3 x 1.26 inches
Item Weight	11.2 ounces
Item Model Number	M7-RGM
Mountable Range	0.39-1.96 inches / 1-5 cm
Maximum Load	6.6 lbs / 3 kg
Special Features	1" 360° Adjustable Double Metal Non-slip Ball Head, Fits Round & Square Tube, Al Alloy Universal Magic Arm, Larger & Thicker Crab Claw Clamp
Compatible Devices	Cameras (GoPro Max Hero 12/11/10/9/8/7/6/5 Black/4/3+ Fusion Session, DJI Osmo Action 2 Pocket 2, Insta360 Go3/Go2/One R/One X2, All Camera Devices with 1/4 Inch Thread)
Mounting Type	Handlebar/Seatpost/Pole/Rear-view Mirror/Headrest




Image: This diagram illustrates the mount's dimensions, including its 9-inch (23 cm) total length, 3-inch (8 cm) width, 0.4-2 inch (1-5 cm) grip range, and 6.6 lbs (3 kg) maximum load.

WARRANTY AND SUPPORT

For any product inquiries, technical support, or warranty claims, please contact MARTVSEN customer service through the retailer's platform or the official MARTVSEN website. Please retain your proof of purchase for warranty validation.