

SODSEA 56-1139

SODSEA 56 Inch Ceiling Fan with Lights Instruction Manual

Model: 56-1139 | Brand: SODSEA

1. SAFETY INFORMATION

Please read and understand all instructions before attempting to assemble, operate, or install the product. Failure to follow these instructions could result in electric shock, fire, or serious personal injury.

- **Electrical Safety:** Ensure the power is turned off at the circuit breaker before installation or maintenance. All electrical connections must be in accordance with local codes, ordinances, and the National Electric Code. If you are unfamiliar with electrical wiring, consult a qualified electrician.
- **Mounting:** The mounting structure must be capable of supporting the weight of the fan (approximately 16.76 pounds).
- **Blade Clearance:** Ensure there is adequate clearance from the fan blades to any obstacles.
- **Water Exposure:** This fan is damp-rated for outdoor use in covered areas, but avoid direct water exposure.

2. PACKAGE CONTENTS

Verify all components are present and undamaged before beginning installation.

- Ceiling Fan Motor Housing
- 3 ABS Fan Blades
- LED Light Kit
- Remote Control
- 5-inch Downrod
- 10-inch Downrod
- Mounting Bracket
- Hardware Pack (screws, washers, wire nuts)
- Instruction Manual



Image: Overview of the SODSEA 56 Inch Ceiling Fan, including the fan unit, remote control, and two downrod options.

3. SETUP AND INSTALLATION


The installation process involves four main steps: installing the fan blades, installing the LED lights, connecting the wires, and mounting to the ceiling. For a visual guide, please refer to the installation video provided.

Installation Steps:

1. **Mounting Bracket Installation:** Secure the mounting bracket to the ceiling junction box. Ensure it is firmly attached and can support the fan's weight.
2. **Downrod Assembly:** Choose either the 5-inch or 10-inch downrod based on your ceiling height and desired fan position. Feed the fan wires through the chosen downrod.
3. **Fan Blade Attachment:** Attach the three ABS fan blades to the motor housing using the provided screws. Ensure they are securely fastened.
4. **LED Light Kit Installation:** Connect the LED light kit to the fan's wiring and secure it to the bottom of the fan housing.

- 5. **Wiring Connections:** Connect the fan's electrical wires to your household wiring according to the wiring diagram in the manual. Ensure all connections are secure and insulated with wire nuts.
- 6. **Canopy Installation:** Lift the fan assembly and hang it on the mounting bracket. Secure the canopy to cover the wiring connections.

Downrod Option




Mounting Option



Flat 5" & 10" Rod

Vaulted < 25°

Damp-rated



Installation Video:

Video: A step-by-step guide to installing the SODSEA ceiling fan, demonstrating the assembly of components and electrical connections.

4. OPERATING INSTRUCTIONS

The SODSEA ceiling fan is controlled via the included remote control, offering comprehensive functionality for fan speed, light settings, and directional airflow.

Remote Control Functions:

- **Fan ON/OFF:** Powers the fan on or off.
- **Wind Speed (1-6):** Adjusts the fan speed from a gentle breeze (1) to a powerful airflow (6).
- **Light ON/OFF:** Turns the LED light on or off.
- **Brightness (10%-100%):** Dims or brightens the LED light.
- **Color Temperature (3000K/4000K/6500K):** Cycles through warm white (3000K), natural white (4000K), and cool white (6500K). The fan has a memory function for the last light setting.
- **Reversible Motor:** Changes the direction of blade rotation. Use downward airflow for cooling in summer and upward airflow for circulating warm air in winter.
- **Timing Function (1H/3H/6H):** Sets the fan to automatically turn off after 1, 3, or 6 hours.
- **Sleeping Mode:** Activates a quiet, low-speed setting for comfortable sleep.




Image: Detailed diagram of the remote control, highlighting buttons for fan speed, light control, timing, and reversible function.



Image: Visual representation of key features including DC motor, double-side blades, remote control, voice control compatibility, 6 speeds, 3 color temperatures, dimmable light, timer, and reversible function.

Video: Demonstrates the various features of the 56-inch ceiling fan, including light color temperature changes, dimming, and fan speed adjustments.

5. MAINTENANCE

Regular maintenance helps ensure the longevity and optimal performance of your ceiling fan.

- **Cleaning:** To avoid damage to the finish, clean the fan with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Blade Care:** Periodically check the blade screws for tightness. Loose blades can cause wobbling and noise.
- **Light Kit:** The LED light kit is designed for long life and typically does not require replacement. If issues arise, contact customer support.
- **Motor:** The DC motor is designed for quiet operation and requires no lubrication.

6. TROUBLESHOOTING

If you experience issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control battery low or not paired.	Check circuit breaker; Verify all wire connections are secure; Replace remote battery or re-pair remote.
Fan wobbles	Loose blade screws; Improperly balanced blades; Loose mounting bracket.	Tighten all blade screws; Use balancing kit (not included) if necessary; Ensure mounting bracket is secure.
Light does not work	Loose wire connection to light kit; Faulty LED driver.	Check light kit wiring; Contact customer support for replacement parts if needed.
Remote control not working	Battery depleted; Remote not paired with fan.	Replace battery; Follow pairing instructions in the full manual (if applicable).

7. SPECIFICATIONS

Specification	Value
Brand	SODSEA
Model Name	56-1139
Product Dimensions	56"D x 56"W x 15"H
Number of Blades	3
Blade Material	Acrylonitrile Butadiene Styrene (ABS)
Power Source	DC

Specification	Value
Voltage	120 Volts
Wattage (Light)	24 watts
Noise Level	35 dB
Air Flow Capacity	7812 Cubic Feet Per Minute
Control Method	Remote
Indoor/Outdoor Usage	Outdoor (Damp-rated)

8. WARRANTY AND SUPPORT

SODSEA provides **12 months of after-sales service** for this ceiling fan. If you encounter any problems during use or installation, please contact us. We are committed to responding and solving your problems within 24 hours.

For further assistance, please refer to the contact information provided on your purchase receipt or the official SODSEA website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question

