

## OTO EM-01

# OTO Elements EM-01 Massage Chair User Manual

Model: EM-01

## INTRODUCTION

Thank you for choosing the OTO Elements EM-01 Massage Chair. This manual provides essential information for the safe and effective use, maintenance, and troubleshooting of your massage chair. Please read this manual thoroughly before operating the device and retain it for future reference.

## IMPORTANT SAFETY PRECAUTIONS

To reduce the risk of electric shock, burns, fire, and injury, always follow basic precautions when using electrical appliances.

- Always unplug the appliance from the electrical outlet immediately after using and before cleaning.
- Do not use while bathing or in a shower.
- Do not place or store appliance where it can fall or be pulled into a tub or sink.
- Do not place in or drop into water or other liquid.
- Do not reach for an appliance that has fallen into water. Unplug immediately.
- An appliance should never be left unattended when plugged in.
- Close supervision is necessary when this appliance is used by, on, or near children, invalids, or disabled persons.
- Use this appliance only for its intended use as described in this manual. Do not use attachments not recommended by the manufacturer.
- Never operate this appliance if it has a damaged cord or plug, if it is not working properly, if it has been dropped or damaged, or dropped into water. Return the appliance to a service center for examination and repair.
- Do not carry this appliance by supply cord or use cord as a handle.
- Keep the cord away from heated surfaces.
- Never operate the appliance with the air openings blocked. Keep the air openings free of lint, hair, and the like.
- Never drop or insert any object into any opening.
- Do not use outdoors.
- Do not operate where aerosol (spray) products are being used or where oxygen is being administered.
- To disconnect, turn all controls to the OFF position, then remove plug from outlet.
- This appliance is intended for household use only.

## PRODUCT OVERVIEW

---

The OTO Elements EM-01 Massage Chair is designed to provide a comprehensive massage experience with various features for relaxation and comfort.



The OTO Elements EM-01 Massage Chair, showcasing its sleek design and compact form factor suitable for various home environments.



Detailed dimensions of the OTO Elements EM-01 Massage Chair: 148cm (length), 73cm (width), 100cm (height).



Side view of the OTO Elements EM-01 Massage Chair, highlighting its recliner design and modern aesthetic.



The OTO Elements EM-01 Massage Chair positioned in a room, demonstrating its integration into a home setting.

## KEY FEATURES

---

- **6 Auto Massage Programs:** Experience diverse massage combinations tailored for different needs.
- **Customizable Massage:** Easily adjust settings to personalize your massage experience.
- **AI Supported Operating System:** Enhances overall massage performance and user interaction.
- **In-depth Massage:** Provides comprehensive relaxation, including to the buttocks area.
- **Space-Saving Design:** Features an auto-recliner for efficient use of space.
- **Full-Back Massage:** 8 large shiatsu knuckles deliver revitalizing full-back massage programs.
- **Invigorating Foot & Calf Massage:** Combines heat and air therapies with sole scraping for complete foot and calf relief.
- **Air Bags & Foot Rollers:** Promote blood circulation and relaxation.
- **Heated Functionality:** Provides soothing warmth during massage sessions.

## SETUP AND ASSEMBLY

---

## Unpacking

1. Carefully remove the massage chair from its packaging.
2. Inspect all components for any signs of damage. If any damage is found, do not proceed with assembly and contact customer support.
3. Ensure all parts listed in the packing list (if provided separately) are present.

## Placement

- Place the massage chair on a flat, stable surface.
- Ensure there is sufficient space around the chair, especially behind it for reclining, as it features a space-saving design. Refer to the dimensions in the product overview.
- Avoid placing the chair in direct sunlight or in areas with high humidity.

## Power Connection

- Connect the power cord securely to the chair's power inlet.
- Plug the power cord into a grounded electrical outlet.
- Ensure the power supply matches the voltage requirements specified on the product label.

## OPERATING INSTRUCTIONS

---

### Control Panel Overview



The main control panel, showing various buttons for program selection, intensity adjustment, and power.

The OTO Elements EM-01 features an intuitive control panel for easy operation. Familiarize yourself with the buttons and their functions before use.

### Starting a Massage Session

1. Sit comfortably in the massage chair.
2. Press the **Power** button on the control panel to turn on the chair.
3. Select one of the **6 Auto Massage Programs** or customize your massage using the manual controls for specific areas (e.g., shoulder & neck, waist and back) and techniques (e.g., kneading).
4. Adjust the intensity of the massage, heat, and air therapies as desired.

### Massage Programs and Techniques

- **Shiatsu Knuckles:** The 8 large shiatsu knuckles provide deep, revitalizing full-back massages.
- **Foot & Calf Massage:** Engage the foot and calf massage programs which include heat and air therapies, along with

sole scraping.

- **Air Bags:** Utilize the air bags for promoting blood circulation and overall relaxation.
- **Reclining Function:** Use the auto-recliner feature to find your most comfortable position.



Illustration demonstrating the internal back massage mechanism with rollers and knuckles.



Illustration depicting the sole scraping massage technique applied to the feet.



Visual representation of the AI-supported operating system, indicating advanced control and optimization.

## MAINTENANCE AND CARE

---

### Cleaning

- Always unplug the massage chair before cleaning.
- Wipe clean the exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- For leather surfaces, use a leather-specific cleaner and conditioner as recommended by the manufacturer.
- Ensure no liquid enters the internal components of the chair.

### Storage

- When not in use for extended periods, store the chair in a cool, dry place, away from direct sunlight and extreme temperatures.
- Cover the chair with a dust cover to protect it from dust and debris.

## TROUBLESHOOTING

| Problem                                     | Possible Cause  | Solution  |
|---|---|---|
| Chair does not power on.                    | Power cord not securely plugged in. No power from outlet. | Check power cord connection. Test outlet with another device.   |
| Massage functions are weak or inconsistent. | Incorrect program selected. Obstruction in massage path.  | Select a different program or adjust intensity. Ensure no objects are blocking the massage rollers.         |
| Unusual noises during operation.            | Normal operational sounds. Loose component.               | Some motor sounds are normal. If noise is loud or persistent, discontinue use and contact customer support. |

If the problem persists after attempting the above solutions, please contact OTO customer support for assistance.

## SPECIFICATIONS

| Attribute          | Detail                        |
|--------------------|-------------------------------|
| Brand              | OTO                           |
| Model              | EM-01                         |
| Model Name         | Elements EM 1                 |
| Product Dimensions | 148D x 73W x 100H centimetres |
| Item Weight        | 55 Kilograms                  |
| Material Type      | Leather                       |
| Special Features   | Heated                        |
| Power Source       | Corded Electric (implied)     |

## WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the warranty card included with your purchase or visit the official OTO website. Keep your proof of purchase for warranty claims.

**Manufacturer:** OTO

**Date First Available:** 8 May 2023

© 2023 OTO. All rights reserved.

This manual is subject to change without notice.

BSM-8301A BSM-8301B BSM-8301C BSM-8301D BSM-8301E BSM-8302A BSM-8302B BSM-8302C BSM-8302K

Life Scope 9  
BEDSIDE MONITOR  
BSM-8301/8302

0534400650F

### [\[pdf\] User Manual Guide Diagram](#)


Nihon Kohden Life Scope 9 8300 Series Repair Help Learn How to Fix It Yourself Kohden BSM 8301 8302 Bedside Monitor Service manual documents cdn ifixit IHLYCM5Q2XfVO15q thumbnailUrl guide images igi UwbAAy2WvHThZQKu standard type title quot ||| BSM-8301A BSM-8301 BSM-8301K BSM-8302A BSM-8302 BSM-8302K AMMMMMMAAAAAAAWUUUUUUGGHCRCEPL----- 888888888888888330033203030000210020010201000RPRPPRPRPPRPRPPP JJAAAKAAKAAAAAA Life Scope 9 BEDSIDE MONITOR BSM-8301/8302 0634-000059F 0634-000059F MANUAL CHANGE INFORMATION MANUAL CH... lang:en **score:18** filesize: 22.78 M page\_count: 424 document date: 0000-00-00



### [\[pdf\] Guide](#)

theatrical Digest 6 gen 2024 — Inc A eaticirerg l'513 Price \$ 4 00 GUIDE TO HARMONY Sr V 14141 44 std 11 l 144147 14f fp worm omplol 444 oto 1 0 Start of It BB 1924 01 05 worldradiohistory Archive All Music Billboard 20s ||| 1W 116 PAGES January 1924 CONVENTION PRESS AGENT NEEDED Business Building and slot Merely Assembling an Audience Should Be the Agent's Aim— Too Much Noise and Flash and Not Enough Appeal to Reason When and Why Propaganda Is Effective— Where Words Are More Lasting Than Deeds By FRED HIGH rPAntami lw U...

lang:en **score:14** filesize: 22.19 M page\_count: 115 document date: 2020-12-11



### [\[pdf\] User Manual](#)

S14 Manual S14a Supplement DJFarma s14 complete manual kiruji net 200sx manuals ||| Nissan 200SX S14 and S14a Workshop Manual V1.11 SXOC October 2010 NISSAN MODEL 814 SERRES QUICK REFERENCE INDEX GENERAL INFORMATION MAINTENANCE . . . III ENGINE MECHANICAL III ENGINE IUBRICATION COOLING SYSTEMS . ENGINE CONTROL SYSTEM ACCELERATOR CONTROL, FUEL \_ EXHAUST S...

lang:en **score:14** filesize: 53.13 M page\_count: 1428 document date: 2010-10-20




### [\[pdf\] User Manual Specifications Datasheet Warranty](#)

HP 8566B Spectrum Analyzer Operating and Programming Manual Keysight Analyzers Rentals ATEC agilent 8566b manual atecorp media s data sheets |||

Established 1981 Advanced Test Equipment Rentals www.atecorp.com 800-404-ATEC 2832 HEWLETT PACKARD OPERATING AND PROGRAMMING MANUAL 8566B SPECTRUM ANALYZER 100 Hz - 2.5 GHz/2 - 22 GHz SERIAL NUMBERS This manual applies directly to Model 8566B RF Sections with serial numbers prefixed 2410A and...

lang:en **score:12** filesize: 5.86 M page\_count: 536 document date: 2015-04-03



### [THINK C 5.0 User Manual - Symantec Macintosh Development](#)

Comprehensive user manual for Symantec THINK C 5.0, a powerful IDE for Macintosh. Covers installation, tutorials, debugging, language reference, and Macintosh application development.

lang:fr **score:12** filesize: 20.77 M page\_count: 284 document date: 2021-05-27



### [\[pdf\] User Manual Specifications Warranty](#)

HP 8566B Spectrum Analyzer Operating and Programming Manual 5 86 MBKeysight 100 Hz 22 GHz Laboratory Rentalsagilent 8566b manual 1agilent 1atecorp getmedia dfa7861b ff7c 413b 97ec 58374c58d602 agilent 1 |||

Established 1981 Advanced Test Equipment Rentals www.atecorp.com 800-404-ATEC 2832 HEWLETT PACKARD OPERATING AND PROGRAMMING MANUAL 8566B SPECTRUM ANALYZER 100 Hz - 2.5 GHz/2 - 22 GHz SERIAL NUMBERS This manual applies directly to Model 8566B RF Sections with serial numbers prefixed 2410A and...

lang:en **score:11** filesize: 5.86 M page\_count: 536 document date: 2015-04-03

## Notice

**Hewlett-Packard to Agilent Technologies Transition**  
This documentation supports a product that previously shipped under the Hewlett-Packard company brand name. The brand name has now been changed to Agilent Technologies. The two products are functionally identical, only our name has changed. The documentation supports the Hewlett-Packard product, now it will have been transitioned to Agilent Technologies.




Printed in USA March 2000

[\[pdf\]](#) User Manual Specifications Documentation Declaration of Conformity

HP 8566B Spectrum Analyzer Operating and Programming Manual xdevs doc Agilent Keysight

Notice Hewlett-Packard to Agilent Technologies Transition This documentation supports a product that previously shipped under the HewlettPackard company brand name. The brand name has now been changed to Agilent Technologies. The two products are functionally identical, only our name has changed. Th...

lang:en **score:11** filesize: 6.2 M page\_count: 537 document date: 2000-06-08




[\[pdf\]](#) User Manual Catalog

MANUAL DO ESTÁGIO DE MEDICINA \* 2018 manuallib 2023 11 17 |||

MANUAL DO ESTGIO SUPERVISIONADO DE MEDICINA 9, 10 E 11 PERODOS

2018 1 SEMESTRE Escolas que so asas no amam pssaros engaiolados. O que elas amam so pssaros em voo. Existem para dar aos pssaros coragem para voar. Ensinar o voo, isso elas no podem fazer, porque o vo j nasce dentro dos pssaros. O voo...

lang:es **score:10** filesize: 1.39 M page\_count: 111 document date: 2018-03-01



[\[pdf\]](#) User Manual Troubleshooting Guide

RIDER s PERPETUAL TROUBLESHOOTER S Radio set service manuals 1930 to 1954 Rider 1938 ABC worldradiohistory Archive 38 |||

PERPETUAL TRUBLE SHOOTER S MANUAL VOLUME VIII by JOHN F. RIDER


JOHL F. RIDER PUBLISHER, INC. ,,,404 Fourth Avenue New York City

www.americanradiohistory.com r Other Books by , JOHN F. RIDER CATHODE-RAY

TUBE AT WORK SERVICING SUPERHETERODYNES SERVICING RECEIVERS

BY MEANS OF RESISTACE MEASU...

lang:en **score:9** filesize: 20.88 M page\_count: 213 document date: 2016-07-03




## [pdf] User Manual

Learoyd Rd WPS Electrical and Mechanical OM Manual Volume 2 tms604 brisbane water pump station  
learoyd rd wps electrical mechanical om manual volume operations maintenance pumping switchboard  
wb booster id archive box 1 kilpatrick green 2000 number bne01467011 scanned file name road Pill Irlini  
mil fill PM triTli fillni nil Lull mml Val mm kg 125 3625 140 224 275 C tEV1 x TMS604 urbanutilities au  
media quu s suppliers info technical manuals la en hash  
011650D8828583CDFD9BF715B8DE55F04FCE3300 |||

Learoyd Rd WPS Electrical and Mechanical OM Manual Volume 2 1 ENGINEERS  
CONSTRUCT AND Nr. ot ,Pr ... 00 1 G END .COVER 4 700mm F631 SEAT 3 700mm  
F631 SHAFT STEEL AS3678 GRADE 250 1 NATURAL RUBBER **EM-01-7** 1 S.S.  
ASTM A-276 GRA DE 431 2 700mm F631 DISC ALI BRONZE AS1565 C95810 1 1  
700mm F63...

lang:en score:9 filesize: 7.9 M page count: 353 document date: 2014-01-28



## [pdf] User Manual

5 DETAILED DESCRIPTION OF MODULES between the O iFixit A positive voltage pulse at 1 X1 corresponds to red LED current and a 007 XSY E£ S INS Y E 8 I L Es \$ · 99 ТУПМУИ Datex Capnomac Ultima Service Manual Part 2 documents cdn ifixit hdfalFTNvvDhlBON |||

CAPNOMAC ULTIMA TM SERVICE MANUAL 5-1 5 DETAILED DESCRIPTION OF MODULES 5.1. Gas sampling system The function of the gas sampling system is to draw sample gas into the monitor at a fixed rate and to separate impurities and condensed water from the stream. The sample gas enters the monitor thr...

lang:en score:9 filesize: 1.51 M page\_count: 73 document date: 0000-00-00