

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Graywind](#) /

> [Graywind Rechargeable Smart Curtains \(Galaxy Series 1\) Instruction Manual](#)

Graywind Galaxy Series 1 - Rechargeable Smart Motor

Graywind Rechargeable Smart Curtains (Galaxy Series 1) Instruction Manual

Brand: Graywind | Model: Galaxy Series 1 - Rechargeable Smart Motor

1. PRODUCT OVERVIEW

The Graywind Galaxy Series Smart Curtains offer advanced features for modern home integration. These motorized drapes are designed for ease of use and smart home compatibility, providing privacy, UV protection, and thermal insulation. The fabric is 80% blackout, smooth, and wrinkle-resistant, with excellent draping and stitching. The system supports custom widths up to 220 inches and offers multiple control options.

2. SAFETY INFORMATION

- Always keep the rechargeable motor out of reach of children and pets.
- Do not operate the curtains manually while they are in motion to prevent injury.
- Unplug the motor before cleaning or performing any maintenance.
- Keep the curtains away from heat sources to prevent fire hazards.
- Always follow the installation instructions carefully to ensure safe operation.

3. PACKAGE CONTENTS

The package includes the motorized curtain track, mounting hardware, and an installation & operation manual. A remote control and valance are optional components, depending on your order configuration.

Your browser does not support the video tag.

Video: Motorized curtain track assembly overview. This video demonstrates the components included in the package and how they fit together to form the curtain track system.

4. INSTALLATION GUIDE

4.1 Track Assembly

The motorized curtain track features a joinable design, allowing for custom widths from 40 to 220 inches. Ensure all track segments are securely connected before proceeding.

Your browser does not support the video tag.

4.2 Mounting the Track

The track can be mounted to the ceiling or side. Use the provided mounting hardware and follow the measurement guidelines to ensure proper placement. Drilling positions should be equidistant for optimal performance.

MEASUREMENT

⚠ IMPORTANT

Ceiling Mount

Install Space $\geq 6"$ (D)

Covering Area: 1/6 Width

Covering Area: 1/6 Width

Window Depth (D) $\geq 6"$

Fabric Width (W) = Order Width

Fabric Height + Track Height (H) = Order Height

Side Mount

Covering Area: 1/6 Width

Covering Area: 1/6 Width

Fabric Width (W) = Order Width

Fabric Height + Track Height (H) = Order Height

Image: This diagram illustrates how to measure for both ceiling mount and side mount installations, including considerations for window depth, fabric width, and track height.

Your browser does not support the video tag.

Video: This video provides a step-by-step guide on how to install the Graywind Smart Curtain Rod, covering drilling and mounting procedures.

4.3 Motor Installation

The rechargeable motor easily integrates with the track system. Ensure the motor is securely attached and connected to power. The motor is designed for quiet operation.

Smart Curtain Track



Silent Motor



Zigbee
Connection



Rechargeable



Solar Power
Available



Pull & Go



Image: A close-up view of the smart curtain track, highlighting the hidden motor and its integration into the system.

Your browser does not support the video tag.

Video: This video demonstrates how to mount the smart curtain track motor, ensuring proper attachment and functionality.

4.4 Hanging the Curtains

Once the track and motor are installed, attach your curtains to the runners. The system supports heavy drapes up to 88 lbs. The overlap design ensures complete light blockage when closed.



Image: This image demonstrates the curtains in a fully closed position, showcasing the 100% blackout capability achieved by the overlap design.

5. OPERATING INSTRUCTIONS

5.1 Remote Control

The 15-channel timing remote allows for individual or group control of up to 15 smart curtains. It supports favorite position settings and 20 date-time groups for automated control. The remote can be handheld or wall-mounted.

15-Channel Timing Remote



Timing Schedule



Favorite Position



Separate Control



Group Control



Image: This image displays the 15-channel timing remote, illustrating its features for timing schedules, favorite positions, separate control, and group control of smart curtains.

Your browser does not support the video tag.

Video: This video provides a guide on how to program the remote control for your smart curtains, including setting up various functions.

5.2 Voice and App Control

The rechargeable motor directly connects with 7 Alexa devices built with Zigbee, requiring no additional hub. For other models or Google users, a 2.4GHz Zigbee hub is recommended. Control your curtains via the Alexa app, Google Home, or voice commands. Create routines and timing schedules for automated operation.

ALEXA VOICE CONTROL



Image: This image demonstrates Alexa voice control, showing a user commanding Alexa to close the living room curtain to 80%.

Your browser does not support the video tag.

Video: This video showcases the Graywind Smart Curtain's compatibility with Alexa and Google Assistant, demonstrating voice control features.

5.3 Manual Operation (Pull & Go)

In case of a power cut or if you prefer manual control, simply pull the curtain gently, and it will open or close automatically. This "Pull & Go" feature ensures continuous functionality.



Image: This image illustrates the "Pull & Go" feature, where a user can manually operate the smart curtain by gently pulling it.

6. MAINTENANCE

For cleaning the curtain fabric, spot cleaning is recommended. The fabric is removable and machine washable. Always unplug the motor before cleaning or performing any maintenance on the system.

7. TROUBLESHOOTING

If you encounter any issues with your Graywind Smart Curtains, please refer to the detailed troubleshooting section in the full manual or contact customer support. Common issues may include connectivity problems, remote control pairing, or motor calibration. Ensure all connections are secure and power is supplied correctly.

8. SPECIFICATIONS

Brand	Graywind
Model Name	Galaxy Series 1 - Rechargeable Smart Motor
Color	Galaxy Series
Material	1 - Rechargeable Smart Motor
Product Dimensions	480"L x 220"W (Customizable)
Opacity	Blackout (80% blackout fabric, back lining available for absolute blackout)
Special Features	Blackout, Cordless, Remote Control, Voice Control, Window Treatments
Smart Home Compatibility	Alexa (Zigbee built-in), Google Home (2.4GHz Zigbee hub recommended)

Power Source	Rechargeable battery (3-6 months per charge), Solar panel option available)
Product Care Instructions	Spot Clean (Removable, machine washable fabric)

9. WARRANTY AND SUPPORT

Graywind provides long-term technical support for its smart blinds. For any assistance, please refer to the contact information provided with your product or visit the official Graywind website.