

Gessi 39893

Gessi Cascata Ispa Wall-Mounted Square Basin Faucet

Model: 39893 | Brand: Gessi | Finish: Brushed Stainless Steel

PRODUCT OVERVIEW

This manual provides essential instructions for the installation, operation, and maintenance of your Gessi Cascata Ispa wall-mounted square basin faucet, model 39893. Designed for independent operation, this faucet delivers a unique water flow experience. Please read these instructions carefully before proceeding with installation or use to ensure proper function and longevity of the product.

SETUP AND INSTALLATION

Professional installation is recommended for this product. Ensure all local plumbing codes are followed.

Tools Required

- Adjustable wrench
- Pipe sealant tape (PTFE tape)
- Measuring tape
- Level
- Screwdriver set
- Drill (if required for mounting bracket)

Installation Steps

1. **Preparation:** Turn off the main water supply. Clear the installation area. Ensure the wall surface is clean and prepared for mounting.
2. **Mounting Bracket Installation:** Secure the wall-mounted bracket (if supplied separately) to the wall using appropriate fasteners. Use a level to ensure it is perfectly horizontal.
3. **Water Connections:** Connect the hot and cold water supply lines to the faucet's inlet pipes. Apply pipe sealant tape to threaded connections to prevent leaks. Tighten connections securely but do not overtighten.

4. **Faucet Body Installation:** Carefully position the faucet body onto the wall-mounted bracket, ensuring it is properly seated and aligned. Secure the faucet body using the provided screws or locking mechanism.
5. **Testing:** Slowly turn on the main water supply. Check all connections for leaks. Operate the faucet to ensure proper water flow and temperature control.



This image displays the Gessi Cascata Ispa wall-mounted square basin faucet in a bathroom setting. The faucet is

mounted on a light-colored wall, with water flowing in a smooth, wide stream into a basin below. The design features a minimalist, square-shaped spout in a brushed stainless steel finish, complementing the modern aesthetic of the space.

OPERATING INSTRUCTIONS

The Gessi Cascata Ispa faucet is designed for intuitive, independent operation.

- **Water Flow Activation:** The faucet features a single control for water flow. Rotate or push the control (depending on the specific mechanism of your model) to initiate and adjust the water flow.
- **Temperature Control:** The independent operation means temperature control is managed separately, typically via a thermostatic mixer or separate hot/cold valves installed alongside the faucet. Refer to the instructions for your specific mixer or valves for temperature adjustment.
- **Shut-off:** To stop the water flow, return the control to its original closed position.

MAINTENANCE

Regular cleaning and maintenance will preserve the finish and functionality of your Gessi faucet.

- **Cleaning the Finish:** Use a soft cloth and mild soap and water for routine cleaning. Avoid abrasive cleaners, scouring pads, or harsh chemicals (e.g., ammonia, bleach, acid-based cleaners) as these can damage the brushed stainless steel finish.
- **Water Spots:** To prevent water spots, wipe the faucet dry after each use, especially in hard water areas.
- **Aerator/Spout Cleaning:** Periodically check the spout for mineral buildup. If water flow becomes restricted, gently clean any deposits from the spout opening.
- **Annual Inspection:** Annually inspect all connections for any signs of leaks or wear. Tighten if necessary.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Flow	Mineral buildup in spout; partially closed shut-off valve; kinked supply line.	Clean spout opening; ensure shut-off valves are fully open; check supply lines for obstructions.
Leaks at Connections	Loose connections; worn pipe sealant tape.	Tighten connections; reapply pipe sealant tape if necessary.
Water Temperature Issues	Issue with external thermostatic mixer or separate hot/cold valves.	Consult the manual for your thermostatic mixer or separate valves.

If troubleshooting steps do not resolve the issue, contact a qualified plumber or Gessi customer support.

SPECIFICATIONS

Feature	Detail
Brand	Gessi

Feature	Detail
Model Number	39893
Product Type	Wall-Mounted Basin Faucet
Design	Cascata Ispa, Square
Operation	Independent (water flow control only)
Finish	Brushed Stainless Steel
Package Dimensions	32 x 32 x 19 cm
Product Weight	4.91 kg
ASIN	B0C4TZW5LC

WARRANTY AND SUPPORT

Specific warranty details for the Gessi Cascata Ispa faucet are typically provided with the product packaging or available on the official Gessi website. Please retain your proof of purchase for warranty claims.

For technical support, spare parts, or further assistance, please contact Gessi customer service or your authorized dealer. Contact information can usually be found on the manufacturer's website or in the product documentation.