

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Forno](#) /
- › [Forno Coppito 36" Island Range Hood User Manual](#)

Forno C-FRHIS5129-36

Forno Coppito 36" Island Range Hood User Manual

Model: C-FRHIS5129-36

INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your Forno Coppito 36" Island Range Hood. Please read this manual thoroughly before installation and use, and keep it for future reference.

The Forno Coppito 36" Stainless Steel Island Range Hood is designed to enhance your kitchen's air quality with its powerful 1200 CFM motor and intuitive four-speed touch control. Crafted from high-grade stainless steel for durability, it features noise reduction technology for quieter operation. The integrated surface lights provide superior illumination, and the dishwasher-safe baffle filters simplify cleanup.

SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or injury to persons, observe the following:

- Install this range hood in accordance with all specified instructions.
- Ensure proper ventilation is provided.
- Always disconnect power before servicing or cleaning.
- Do not operate any fan with a damaged cord or plug.
- For general ventilating use only. Do not use to exhaust hazardous or explosive materials and vapors.
- Minimum height above electric range: 25 inches.
- Minimum height above gas range: 30 inches.

PRODUCT OVERVIEW



Front view of the Forno Coppito 36" Island Range Hood, showcasing its stainless steel finish and control panel.



Angled view highlighting the decorative crown molding trim and overall design.



Close-up of the stainless steel baffle filters and the four GU10 halogen surface lights.

Key Features:

- **Powerful Ventilation:** Dual motors provide a total of 1200 CFM airflow.
- **Intuitive Control:** 4-speed electronic touch control for easy fan speed adjustment.
- **Quiet Operation:** Noise reduction technology ensures a quieter sound while in use (low setting delivers 25dB).
- **Durable Construction:** Made from high-grade stainless steel.
- **Effective Lighting:** Four GU10 Halogen Lights for bright cooktop illumination.
- **Easy to Clean:** Dishwasher-safe stainless steel baffle filters.
- **Elegant Design:** Decorative crown molding trim adds a modern aesthetic.
- **Flexible Installation:** Includes two chimney extensions for ceilings up to 10 feet.

Product Video:

Your browser does not support the video tag.

Official product video showcasing the Forno Coppito 36" Island Range Hood's features and design. Duration: 1 minute, 12 seconds.

SETUP AND INSTALLATION

Proper installation is crucial for the performance and safety of your range hood. It is recommended that installation be performed by a qualified installer.

Before You Begin:

- Read all instructions thoroughly.
- Ensure all necessary tools and materials are available.
- Verify that the electrical supply meets the requirements (120V).
- Confirm the ceiling height is suitable for the chimney extensions.

Installation Steps (Summary):

1. **Mounting Preparation:** Securely attach the mounting bracket to the ceiling, ensuring it is level and can support the hood's weight.
2. **Ductwork Connection:** Connect the 10" round duct to the top exhaust vent. Ensure all connections are sealed to prevent air leaks.
3. **Electrical Connection:** Connect the range hood to a grounded 120V electrical outlet. Consult a qualified electrician if unsure.
4. **Hood Installation:** Carefully lift and secure the range hood body onto the mounting bracket.
5. **Chimney Installation:** Install the two chimney extensions, adjusting their height to fit your ceiling. Secure the decorative crown molding trim.
6. **Filter Installation:** Insert the stainless steel baffle filters into their designated slots.



Product dimensions: 29.53"D x 35.43"W x 33.08"H (adjustable height up to 52.17" with chimney extensions).

OPERATING INSTRUCTIONS

Your Forno Coppito Island Range Hood features an electronic touch control panel for easy operation.

Control Panel Functions:

- **Power Button:** Turns the range hood on/off.
- **Fan Speed Buttons (1-4):** Select desired fan speed from 1 (low) to 4 (high).
- **Light Button:** Turns the cooktop lights on/off.
- **Delay Shut-Off Button:** Activates the 3-minute delay shut-off function. The fan will continue to operate for 3

minutes before automatically turning off.

Usage Tips:

- For best results, turn on the range hood a few minutes before cooking to establish airflow.
- Use lower fan speeds for simmering and light cooking.
- Use higher fan speeds for frying, grilling, or cooking with strong odors.
- Utilize the delay shut-off function to clear any remaining odors after cooking.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your range hood.

Cleaning the Baffle Filters:

- The stainless steel baffle filters are dishwasher-safe.
- Remove filters by pulling the release latch and sliding them out.
- Wash regularly (monthly or as needed depending on cooking frequency) to prevent grease buildup.
- Allow filters to dry completely before re-installing.

Cleaning the Exterior:

- Wipe the stainless steel surfaces with a soft cloth and a non-abrasive stainless steel cleaner.
- Do not use abrasive pads or cleaners that may scratch the surface.
- Clean the control panel gently with a damp cloth.

Light Bulb Replacement:

- Ensure power is disconnected before replacing light bulbs.
- This unit uses GU10 Halogen Lights. Refer to the bulb's specifications for replacement.
- Carefully remove the old bulb and insert the new one.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Hood does not operate	No power supply; Circuit breaker tripped.	Check power connection; Reset circuit breaker.
Poor suction	Dirty filters; Obstruction in ductwork; Incorrect installation height.	Clean filters; Check ductwork for blockages; Verify installation height (Min 25" H for Electric, Min 30" H for Gas).
Excessive noise	Loose parts; Obstruction in fan; Improper duct size.	Check for loose screws; Clear fan area; Ensure 10" round duct is used.
Lights not working	Bulb burnt out; Loose connection.	Replace bulb; Check electrical connections.

If problems persist after attempting these solutions, please contact Forno customer support.

SPECIFICATIONS

Feature	Detail
Model Number	C-FRHIS5129-36
Dimensions (D x W x H)	29.53" x 35.43" x 33.08" (adjustable to 52.17" H)
Air Flow Capacity	1200 CFM (Cubic Feet Per Minute)
Number of Speeds	4
Control Type	Electronic Touch Control
Material	High-Grade Stainless Steel
Filter Type	Baffle Filters (Dishwasher-Safe)
Lighting	4 x GU10 Halogen Lights
Duct Size	10" Round Duct (Vertically Upward Air Discharge)
Voltage	120 Volts
Amperage	3.67 Amps
Wattage	440 Watts
Noise Level	25dB (low setting) to 68dB (max setting)
Special Features	Noise Reduction Technology, Decorative Crown Molding, 3-Minute Delay Shut-Off
Manufacturer	CTM Household Appliances
Item Weight	96.6 Pounds
UPC	686136951036

WARRANTY AND SUPPORT

Your Forno Coppito 36" Island Range Hood is backed by a **2-Year In-House Warranty** covering parts and labor. This warranty ensures peace of mind regarding the quality and performance of your appliance.

For warranty claims, technical assistance, or any questions regarding your product, please contact Forno customer support. Keep your purchase receipt and model number handy for faster service.

Manufacturer: CTM Household Appliances

For additional support and product information, visit the official Forno website or refer to the contact details provided with your purchase documentation.