

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [ALETAI](#) /

> [ALETAI Engine Push Start Stop Button Cover for Infiniti Q50L, QX50, Q50, QX56, Q60, QX70, Q70L, QX80, QX30 - Installation Guide](#)

ALETAI 793288067222

ALETAI Engine Push Start Stop Button Cover

Model: 793288067222

1. INTRODUCTION

This manual provides comprehensive instructions for the installation and care of your ALETAI Engine Push Start Stop Button Cover. Designed to enhance the interior of your vehicle, this accessory offers both protection and a refined aesthetic for your engine start/stop button.

2. COMPATIBILITY

This product is designed to fit specific Infiniti models. Please verify your vehicle's ignition button diameter to ensure proper fitment before installation.

- Infiniti Q50L
- Infiniti QX50
- Infiniti Q50
- Infiniti QX56
- Infiniti Q60
- Infiniti QX70
- Infiniti Q70L
- Infiniti QX80
- Infiniti QX30

3. PRODUCT FEATURES

- **Material:** Constructed from premium grade CNC aluminum alloy, ensuring durability and a high-quality finish.
- **Protection:** Designed to cover existing scratches and protect the engine button from future wear, such as fingernail or key scratches.
- **Aesthetic Enhancement:** Features a polished plating for an improved visual appeal, adding a refined touch to your vehicle's interior.
- **Easy Installation:** Equipped with double-sided adhesive tape for a secure, non-destructive application without the need for drilling.

4. PACKAGE CONTENTS

The package includes the following components:

- 1x Engine Start Stop Button Cover (Black)
- 1x Outer Ring Protector (Black)
- Pre-applied double-sided adhesive tape on both components



Image: The button cover and outer ring protector, shown separately, ready for installation.

5. INSTALLATION GUIDE

Follow these steps for proper installation of the button cover and ring protector:

1. **Clean the Surface:** Thoroughly clean the surface of your vehicle's engine start/stop button and the surrounding area where the ring will be placed. Ensure it is free from dust, grease, and moisture. Use an alcohol wipe if available, and allow it to dry completely.
2. **Prepare Adhesive:** For optimal adhesion, especially in colder environments, gently heat the double-sided adhesive tape on the back of both the button cover and the outer ring using a hairdryer for a few seconds. This activates the adhesive.
3. **Install Outer Ring:** Carefully peel off the protective backing from the double-sided adhesive on the outer ring. Align the ring precisely around your vehicle's engine start/stop button. Press firmly for at least 30

seconds to ensure a strong bond.

4. **Install Button Cover:** Peel off the protective backing from the double-sided adhesive on the button cover. Align the button cover directly over your vehicle's engine start/stop button. Ensure it is centered and does not obstruct the button's movement. Press firmly for at least 30 seconds.
5. **Final Check:** After installation, gently test the engine start/stop button to confirm it operates freely without obstruction.




Image: The reverse side of the button cover and ring, illustrating the pre-applied double-sided adhesive tape.



Image: The ALETAI Engine Push Start Stop Button Cover fully assembled, demonstrating its appearance after installation.

6. MAINTENANCE

To maintain the appearance and longevity of your button cover:

- Clean with a soft, damp cloth. Avoid abrasive cleaners or solvents.
- Do not expose to extreme temperatures for prolonged periods.
- Periodically check the adhesion to ensure the cover remains securely attached.

7. TROUBLESHOOTING

If you encounter issues during or after installation, consider the following:

- **Cover Does Not Adhere Properly:** Ensure the surface was thoroughly cleaned and dry before application. Re-apply pressure for a longer duration. If in a cold environment, ensure the adhesive was warmed prior to application.
- **Button Movement is Obstructed:** This indicates improper alignment during installation. Carefully remove the cover and re-align, ensuring it does not interfere with the button's full range of motion. Verify product compatibility with your specific vehicle model before re-attempting.
- **Cover Falls Off:** This may be due to insufficient surface preparation or inadequate pressure during initial

application. Clean the surface again, warm the adhesive, and apply with firm, sustained pressure.

8. SPECIFICATIONS

Brand	ALETAI
Model Number	793288067222
Material	CNC Aluminum Alloy
Operation Mode	Manual (for installation)
Mounting Type	Surface Mount (with adhesive)
Package Dimensions	3 x 1.9 x 0.01 inches
Item Weight	0.16 ounces

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the seller's policy on the purchase platform or contact the manufacturer directly. Ensure you retain your proof of purchase for any warranty claims.

Manufacturer: DONGDA US Direct