



Manuals.plus /

› DELTA /

› Delta Faucet 6-Setting H2Okinetic Handheld Shower Head (Model 75536) Instruction Manual

DELTA 75536

Delta Faucet 6-Setting H2Okinetic Handheld Shower Head

Model: 75536 | Brand: DELTA

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Delta Faucet 6-Setting H2Okinetic Handheld Shower Head, Model 75536. Please read these instructions carefully before beginning installation or use to ensure proper function and longevity of your product. This shower head is designed to provide an enhanced showering experience with its H2Okinetic technology, which sculpts water into a unique wave pattern for increased coverage, intensity, and warmth, while using at least 20% less water than the industry standard.

SETUP AND INSTALLATION

The Delta 6-Setting H2Okinetic Handheld Shower Head is designed for straightforward DIY installation onto a standard shower arm. Basic plumbing knowledge and tools are recommended.

Required Materials (Not Included):

- Plumber's tape

Installation Steps:

1. **Prepare the Shower Arm:** Ensure the existing shower arm is clean and free of debris. Apply plumber's tape clockwise to the threads of the shower arm.
2. **Attach the Shower Head Holder:** Thread the shower head holder onto the shower arm. Hand-tighten first, then use a wrench to secure it, being careful not to overtighten.
3. **Connect the Hose:** Attach one end of the 72-inch flexible metal hose to the shower head holder and the other end to the handheld shower head. Ensure both connections are hand-tightened securely.
4. **Test for Leaks:** Turn on the water supply and check for any leaks at the connections. If leaks occur,

tighten the connections slightly.



Image: The shower head is designed for simple DIY installation onto a standard shower arm.

Your browser does not support the video tag.

Video: This video demonstrates the installation process and features of the Delta 6-setting H2Okinetic handheld shower head.

OPERATING INSTRUCTIONS

Your Delta H2Okinetic Handheld Shower Head offers 6 powerful spray settings to customize your showering experience. The H2Okinetic PowerDrench Spray provides enhanced coverage, intensity, and warmth.

Spray Settings:

- **H2Okinetic PowerDrench Spray:** Provides 3X more coverage than a standard shower head.
- **Full Body Spray:** A consistent, strong spray for everyday use.
- **Full Spray with Massage:** Combines the full spray with a pulsating massage.
- **Massaging Spray:** A focused, invigorating pulsating spray.
- **Shampoo Rinsing Spray:** Designed for efficient rinsing.
- **Pause:** Reduces water to a trickle, allowing you to lather or shave without changing the temperature.

To change spray settings, rotate the spray face of the shower head or use the selector lever/button on the side of the shower head, depending on the specific design of your model.

ADDITIONAL INFORMATION

NUMBER OF SPRAY SETTINGS
6 sprays

SHOWER HEAD DEPTH
1.88 inches

HOSE
72-inch
flexible, metal hose

SHOWER ARM
Not included

MATERIALS NEEDED
Plumber's tape

WATERSENSE® LABELED PRODUCT
Yes



DIMENSIONS

HAND SHOWER WIDTH
4.5 inches

HAND SHOWER LENGTH
9.63 inches




Image: Visual representation of the six distinct spray settings available on the shower head.

H₂OKINETIC[®] SHOWERS GIVE YOU MORE



see what Delta can do™




**MORE
COVERAGE**

**MORE
INTENSITY**

**MORE
WARMTH**



Standard Shower




H₂Ok kinetic Shower




Standard Shower



H₂Ok kinetic Shower



Standard Shower



H₂Ok kinetic Shower

Image: H₂Ok kinetic technology provides increased coverage, intensity, and warmth.

MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your shower head.

Cleaning the Spray Holes:

Your Delta shower head features Touch-Clean spray holes. This allows you to easily wipe away calcium and lime build-up with a simple touch of a finger. No chemical cleaners or soaking are typically required for this task.

General Cleaning:

Clean the exterior of the shower head and hose with a soft, damp cloth. Avoid abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish.



**INSTALLS
IN MINUTES**
DIY INSTALLATION ONTO A
STANDARD SHOWER ARM



**TOUCH-CLEAN[®]
SPRAY HOLES**
EASILY WIPE AWAY CALCIUM
AND LIME BUILD-UP WITH
THE TOUCH OF A FINGER

Image: Touch-Clean spray holes allow for easy removal of mineral build-up.

TROUBLESHOOTING

If you encounter issues with your shower head, refer to the following common solutions:

- **Low Water Pressure:**
 - Check for mineral build-up in the spray holes and clean them using the Touch-Clean feature.
 - Ensure the hose is not kinked or obstructed.
 - Verify that the main water supply valve is fully open.
- **Leaking Connections:**
 - Ensure all connections are securely tightened. Do not overtighten.
 - Check if plumber's tape was applied correctly to threaded connections. Reapply if necessary.
 - Inspect rubber washers for damage and replace if worn.
- **Difficulty Changing Spray Settings:**
 - Ensure there is no debris obstructing the spray selector mechanism.
 - Clean the spray face thoroughly.

If problems persist after attempting these solutions, please contact Delta Faucet customer support.

PRODUCT SPECIFICATIONS

Brand	DELTA
Model Number	75536
Color	Chrome
Material	Plastic
Finish Type	Polished
Installation Type	Wall Mounted
Flow Rate	1.75 GPM (Gallons Per Minute)
Number of Settings	6
Hose Length	72 Inches
Efficiency	WaterSense Labeled
Item Dimensions (L x W)	3.69"L x 4.5"W

H2OKINETIC®
TECHNOLOGY

3X

MORE COVERAGE
THAN A STANDARD
SHOWER HEAD*

*Coverage measured in accordance with
EPA WaterSense® Specification for
shower heads, March 4, 2010



Image: Key dimensions of the Delta handheld shower head.

WARRANTY INFORMATION

This Delta Faucet product is backed by a **Limited Lifetime Warranty**. This warranty covers defects in material and manufacturing for as long as the original consumer purchaser owns the home in which the product was first installed. For full details regarding warranty coverage, limitations, and how to make a claim, please refer to the official Delta Faucet Company warranty documentation or contact customer support.



LIFETIME LIMITED WARRANTY

Image: The product is covered by a Lifetime Limited Warranty.

CUSTOMER SUPPORT

For further assistance, technical support, or warranty claims, please contact Delta Faucet Company customer service. You can typically find contact information on the official Delta Faucet website or through the retailer where the product was purchased.

Online Resources: Visit the official DELTA Store for additional product information and support.