



Manuals.plus /

› PINDOWS /

› PINDOWS PDS-8006B-N2 Men's Sport Watch Instruction Manual

PINDOWS PDS-8006B

PINDOWS PDS-8006B-N2 Men's Sport Watch

Instruction Manual

1. INTRODUCTION

Thank you for choosing the PINDOWS PDS-8006B-N2 Men's Sport Watch. This manual provides detailed instructions for the proper setup, operation, and maintenance of your new timepiece. Please read this manual thoroughly to ensure optimal performance and longevity of your watch.



Figure 1: PINDOWS PDS-8006B-N2 Men's Sport Watch. This image shows the watch's main display and overall design.

2. PRODUCT FEATURES

The PINDOWS PDS-8006B-N2 Sport Watch is designed for durability and functionality, featuring:

- Fashionable sporty large dual dial design with a military style outlook.
- Japan original digital movement for accurate timekeeping.
- Large Dial and LED Backlight for clear visibility in low-light conditions.
- 50-meter (5 ATM) water resistance, suitable for swimming and daily water exposure.
- Stopwatch function with 1/100 second accuracy.
- Three independent alarm groups.
- Calendar week display.
- Durable Thermoplastic Polyurethane (TPU) band.
- Stainless Steel anti-corrosion backcover.

3. COMPONENT IDENTIFICATION

Familiarize yourself with the watch's buttons and their functions:



Figure 2: Watch Button Functions. This diagram illustrates the location and primary function of each button on the watch.

A. LIGHT Button: Activates the LED backlight.

B. MODE Button: Cycles through different modes (Time, Stopwatch, Alarm).

C. START/PAUSE Button: Used to start/stop stopwatch, adjust values in setting mode.

D. ADJUSTMENT Button: Used to enter setting mode and confirm selections.

4. SETUP AND OPERATION

4.1 Initial Setup (Time and Date Setting)

1. In normal time display mode, press and hold the **ADJUSTMENT** button until the seconds begin to flash, indicating setting mode.
2. Press the **MODE** button to cycle through the setting items: Seconds → Hour → Minute → Year → Month → Day.
3. While an item is flashing, press the **START/PAUSE** button to increase the value. Hold to rapidly advance.

4. Once all settings are correct, press the **ADJUSTMENT** button to exit setting mode.

4.2 Setting the Alarm

1. From normal time display, press the **MODE** button repeatedly until you reach the Alarm Mode (indicated by 'ALM' or an alarm icon).
2. Press and hold the **ADJUSTMENT** button until the alarm hour flashes.
3. Press the **START/PAUSE** button to set the hour.
4. Press the **MODE** button to switch to minute setting, then use **START/PAUSE** to set the minutes.
5. Press the **ADJUSTMENT** button to confirm and exit alarm setting.
6. To turn the alarm ON/OFF, in Alarm Mode, press the **START/PAUSE** button. An alarm icon will appear/disappear on the display.

4.3 Using the Stopwatch

1. From normal time display, press the **MODE** button repeatedly until you reach the Stopwatch Mode (indicated by 'ST' or 'STOP').
2. Press the **START/PAUSE** button to start the stopwatch.
3. Press the **START/PAUSE** button again to pause the stopwatch.
4. To reset the stopwatch to zero, while paused, press the **ADJUSTMENT** button.

4.4 LED Backlight

Press the **LIGHT** button to illuminate the display. The backlight will remain on for a few seconds.

LED BACKLIGHT



**Featuring LED ultra bright backlight design
it can still be seen clearly in the dark**

Figure 3: LED Backlight in action. This image demonstrates the watch's display with the ultra-bright LED backlight activated, ensuring clear visibility in dark environments.

5. WATER RESISTANCE

Your PINDOWS PDS-8006B-N2 watch is rated for 50 meters (5 ATM) of water resistance. This means it is suitable for:

- Daily use and accidental splashes.
- Showering (cold water only).
- Swimming in shallow water.

Important Precautions:

- Do NOT press any buttons while the watch is submerged in water.
- Avoid exposing the watch to hot water, steam, or extreme temperature changes (e.g., hot showers, saunas, hot tubs), as this can compromise the water seals.
- After exposure to saltwater, rinse the watch with fresh water and dry it thoroughly.

50M waterproof



50 meter deep waterproof, suitable for diving, swimming, life waterproof and other scenarios

Figure 4: 50M Water Resistance. This image visually represents the watch's capability to withstand water immersion up to 50 meters, making it suitable for various water-related activities.

6. MAINTENANCE

6.1 Battery Replacement

The watch is powered by 1 Lithium Metal battery (included). When the display becomes dim or functions become erratic, it may be time to replace the battery. Battery replacement should ideally be performed by a qualified watch technician to ensure proper sealing and water resistance.

6.2 Cleaning

To clean your watch, wipe it with a soft, damp cloth. For the band, a mild soap solution can be used, followed by rinsing with clean water and thorough drying. Avoid using harsh chemicals or abrasive materials.

6.3 Storage

When not in use for extended periods, store your watch in a cool, dry place away from direct sunlight and extreme temperatures.



1

**Stainless Steel
ANTI-CORROSION Backcover**

2

EXQUISITE PLATING CLASP



Figure 5: Watch Backcover and Clasp. This image highlights the stainless steel anti-corrosion backcover and the exquisite plating clasp, demonstrating key components for maintenance and durability.

7. TROUBLESHOOTING

If you encounter issues with your watch, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Display is blank or dim.	Low battery.	Replace the battery.
Time is incorrect.	Time not set correctly or accidental adjustment.	Refer to Section 4.1 to reset the time.
Buttons are unresponsive.	Temporary software glitch or low battery.	Try pressing all buttons simultaneously for a few seconds to reset (if applicable), or replace battery.
Condensation inside display.	Exposure to extreme temperature changes or compromised water seal.	Stop using the watch immediately and seek professional repair.

8. SPECIFICATIONS




Figure 6: Watch Dimensions. This image provides detailed measurements of the watch case and band, including overall length and width.

Model Number: PDS-8006B

Watch Movement Type: Japanese Automatic

Case Diameter: 2.05 Inches (approx. 5.2 cm)

Case Thickness: 0.62 Inches (approx. 1.57 cm)

Band Material Type: Thermoplastic Polyurethane (TPU)

Band Colour: Black

Band Width: 0.62 Inches (approx. 1.57 cm)

Item Weight: 118 g

Batteries: 1 Lithium Metal battery (included)

Water Resistance: 50 Meters (5 ATM)

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation provided at the time of purchase or contact the retailer/manufacturer directly. Keep your proof of purchase for any warranty claims.