

Zeegma ZE-ZONDER PRO ASH

Zeegma ZONDER Pro Ash Industrial Vacuum Cleaner User Manual

Model: ZE-ZONDER PRO ASH

1. IMPORTANT SAFETY INSTRUCTIONS

Please read all safety instructions carefully before using the Zeegma ZONDER Pro Ash industrial vacuum cleaner. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- **Electrical Safety:** Ensure the power supply voltage matches the rating label on the appliance. Do not operate the vacuum with a damaged cord or plug. Keep the power cord away from heat, oil, sharp edges, or moving parts.
- **General Use:** This appliance is intended for dry vacuuming and ash removal only. Do not vacuum liquids, flammable, or combustible materials.
- **Ash Safety:** Only vacuum cold ash. Ensure there are no glowing embers or hot materials in the ash. The heat-resistant hose is designed for cold ash, not hot or incandescent materials.
- **Filtration:** Always ensure all filters (HEPA, fabric, heat-resistant) are correctly installed before operation to prevent dust emission and motor damage.
- **Supervision:** This appliance can be used by children aged 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- **Maintenance:** Disconnect the appliance from the power supply before cleaning or performing any maintenance.

2. PRODUCT OVERVIEW

The Zeegma ZONDER Pro Ash is a versatile industrial vacuum cleaner designed for efficient cleaning of dry debris and cold ash. It features a powerful motor, robust construction, and a multi-stage filtration system.

2.1 Components and Features

- **1600W Motor:** Provides strong suction for effective cleaning.
- **20L Stainless Steel Container:** Durable and resistant to damage, offering ample capacity for collected debris.
- **Multi-stage Filtration System:** Includes a HEPA filter, a heat-resistant filter, and a fabric filter to capture fine dust and protect the motor.
- **Blowing Function:** Allows for clearing debris from surfaces or hard-to-reach areas.
- **Heat-Resistant Flexible Hose:** Designed for safe vacuuming of cold ash.
- **Aluminum Crevice Tool:** For accessing narrow spaces.
- **Universal Floor Nozzle:** For general floor cleaning.
- **Wheeled Base:** Ensures easy maneuverability.
- **5-meter Power Cable:** Provides extended reach.



Figure 2.1: Zeegma ZONDER Pro Ash industrial vacuum cleaner with all included accessories, including the main unit, hose, tubes, various nozzles, and filters.

3. ASSEMBLY AND SETUP

Follow these steps to assemble your Zeegma ZONDER Pro Ash vacuum cleaner before first use.

1. **Attach the Wheeled Base:** Place the main vacuum unit onto the wheeled base, ensuring it clicks securely into place.
2. **Install Filters:** Open the vacuum cleaner lid. Insert the heat-resistant filter, followed by the fabric filter, and finally the HEPA filter into their designated positions. Ensure they are seated correctly to provide optimal filtration and motor protection.

Zonder Pro Ash



FILTRE HEPA

**RÉCIPIENT À POUSSIÈRE :
20 L EN ACIER INOXYDABLE**

Figure 3.1: Illustration of the multi-stage filter assembly, showing the HEPA, fabric, and heat-resistant filters.

3. **Connect the Hose:** Insert one end of the flexible hose into the suction inlet on the side of the vacuum unit. Twist to secure if applicable.
4. **Attach Tubes and Nozzle:** Connect the plastic tube to the free end of the flexible hose, then attach the aluminum tube. Finally, select the appropriate nozzle (e.g., universal floor nozzle or aluminum crevice tool) and attach it to the end of the tube assembly.

Zonder Pro Ash



- ❑ **CÂBLE D'ALIMENTATION DE 5 MÈTRES**
- ❑ **BASE DU RÉCIPIENT AVEC ROULETTES**

Figure 3.2: The Zeegma ZONDER Pro Ash vacuum cleaner's main unit securely placed on its wheeled base, highlighting its mobility.

4. OPERATING INSTRUCTIONS

4.1 Dry Vacuuming

1. Ensure all filters are clean and correctly installed.
2. Connect the power plug to a suitable electrical outlet (220V).
3. Turn on the vacuum cleaner using the power switch located on the motor unit.
4. Use the universal floor nozzle for general cleaning of dry debris on various surfaces. For tight spaces, attach the aluminum crevice tool.
5. After use, turn off the vacuum and unplug it from the power outlet.



Figure 4.1: The Zeegma ZONDER Pro Ash vacuum cleaner effectively cleaning a carpeted floor.

4.2 Ash Vacuuming

Important: Only vacuum cold ash. Ensure there are no glowing embers or hot materials. Vacuuming hot ash can cause fire and damage to the appliance.

1. Ensure the ash is completely cold. Wait at least 24 hours after a fire, or until the ash is cool to the touch.
2. Ensure all filters, especially the heat-resistant filter, are properly installed.
3. Connect the power plug and turn on the vacuum.
4. Use the aluminum crevice tool or the aluminum tube directly to vacuum ash from fireplaces, stoves, or barbecues.
5. Monitor the container level and empty it regularly to maintain suction power.
6. After use, turn off the vacuum and unplug it.



Figure 4.2: The Zeegma ZONDER Pro Ash vacuum cleaner positioned next to a fireplace, ready for cold ash removal.

4.3 Blowing Function

The vacuum cleaner can also be used as a blower to clear light debris.

1. Disconnect the flexible hose from the suction inlet.
2. Connect the flexible hose to the blowing outlet, typically located on the top or side of the motor unit.
3. Connect the power plug and turn on the vacuum. Air will now be expelled through the hose.
4. Direct the hose towards the debris you wish to clear.
5. After use, turn off the vacuum and unplug it.



5. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your vacuum cleaner.

5.1 Emptying the Container

1. Ensure the vacuum is turned off and unplugged.
2. Unclip the latches on the sides of the container and carefully lift the motor unit off.
3. Remove the filter assembly.
4. Empty the contents of the stainless steel container into a suitable waste receptacle.
5. Clean the inside of the container with a damp cloth if necessary.
6. Reassemble the filters and motor unit, ensuring latches are securely fastened.

5.2 Cleaning and Replacing Filters

The Zeegma ZONDER Pro Ash uses a multi-stage filtration system. Regular cleaning is crucial for maintaining suction power and air quality.

- **HEPA Filter:** Tap the HEPA filter gently to dislodge accumulated dust. For thorough cleaning, rinse under cold running water. Ensure it is completely dry before reinstallation. Replace the HEPA filter every 6-12 months, or sooner if damaged or heavily soiled.
- **Fabric Filter:** Shake off dust or wash gently with mild soap and water. Allow to air dry completely before reattaching.
- **Heat-Resistant Filter:** This filter primarily protects the other filters from larger debris and some heat. Shake off any collected ash. Do not wash if it's a metal mesh type; simply clean it dry.



Figure 5.1: Exploded view diagram showing the layers of the filtration system, including the HEPA, fabric, and heat-resistant filters.

6. TROUBLESHOOTING

If you encounter any issues with your Zeegma ZONDER Pro Ash vacuum cleaner, refer to the table below for common problems and solutions.

Problem	Possible Cause	Solution
Vacuum does not turn on	No power supply Damaged power cord/plug Power switch off	Check power outlet and connection Inspect cord/plug for damage; contact support if damaged Ensure power switch is in 'ON' position
Low suction power	Full dust container Clogged filters Blocked hose/nozzle Improperly assembled filters/lid	Empty the dust container Clean or replace filters Check hose and nozzles for blockages Ensure filters are correctly seated and lid is securely latched
Unusual noise from motor	Foreign object in motor Motor malfunction	Turn off and unplug; inspect for foreign objects (contact support if persistent) Contact customer support
Dust escaping from vacuum	Filters not installed correctly Damaged filters Lid not sealed properly	Reinstall filters correctly Replace damaged filters Ensure lid is securely closed and latched

7. TECHNICAL SPECIFICATIONS

Specification	Value
Brand	Zeegma
Model Number	ZE-ZONDER PRO ASH
Power	1600 Watts
Voltage	220 Volts
Container Capacity	20 Litres
Noise Level	82 dB
Filter Type	HEPA, Fabric, Heat-resistant
Power Source	Corded Electric
Cable Length	5 meters
Item Weight	5 Kilograms
Package Dimensions	37 x 34 x 33 cm

Zonder Pro Ash



☐ FUNZIONE DI ASPIRAZIONE A SECCO E CENERE

Figure 7.1: Visual representation of the Zeegma ZONDER Pro Ash vacuum cleaner's dimensions (approx. 42 cm height, 33 cm width).

8. WARRANTY AND SUPPORT

8.1 Warranty Information

Your Zeegma ZONDER Pro Ash industrial vacuum cleaner is covered by a manufacturer's warranty against defects in materials and workmanship. The specific terms and duration of the warranty may vary by region. Please retain your proof of purchase for warranty claims.

The warranty does not cover damage resulting from improper use, neglect, unauthorized repairs, or normal wear and tear of consumable parts like filters.






8.2 Customer Support


For technical assistance, warranty claims, or to order replacement parts, please contact Zeegma customer support through the retailer where you purchased the product or visit the official Zeegma website for contact details.

When contacting support, please have your product model number (ZE-ZONDER PRO ASH) and proof of

purchase readily available.

Related Documents - ZE-ZONDER PRO ASH

	<p>Carrier AquaForce PUREtec 30XAV-ZE 401-901 Installation, Operation & Maintenance Manual</p> <p>Comprehensive installation, operation, and maintenance instructions for Carrier AquaForce PUREtec 30XAV-ZE series variable-speed air-cooled screw chillers (models 401-901). Details safety, physical data, electrical connections, application data, water connections, and standard maintenance procedures for optimal performance and longevity.</p>
	<p>Zing Ear ZE-268s6 Wiring Instructions - Ceiling Fan Switch Guide</p> <p>Comprehensive guide to wiring the Zing Ear ZE-268s6 3-speed ceiling fan switch. Includes step-by-step instructions, troubleshooting, color code charts for various fan brands, and compatibility information.</p>
	<p>Inhoudsopgave: Elektronica Voedingen Zonder Stress</p> <p>Gedetailleerde inhoudsopgave voor het boek 'Elektronica Voedingen Zonder Stress', met secties over spannings- en stroombronnen, mobiele voedingen, netvoedingen, meettechniek, spanningsstabilisatie, verliesvermogen en schakelende voedingen.</p>
	<p>Batavia FIXXSERIES Ash Cleaner 800W BT-AVC004 User Manual & Safety Guide</p> <p>Comprehensive operating instructions, safety warnings, technical specifications, and warranty information for the Batavia FIXXSERIES Ash Cleaner 800W (Model BT-AVC004).</p>
	<p>LIFE PHOENIX Ash Vacuum Cleaner 1000W User Manual & Safety Guide</p> <p>Detailed user manual for the LIFE PHOENIX 1000W Ash Vacuum Cleaner. Includes comprehensive safety instructions, assembly guide, operating procedures, cleaning, maintenance, storage, and disposal information.</p>

	<p>VANPORE Ash Vacuum Operator's Manual - 1200W Dry Ash Cleaner</p> <p>Comprehensive operator's manual for the VANPORE Ash Vacuum Cleaner. Covers assembly, maintenance, troubleshooting, and safety precautions for the 1200W dry ash vacuum with a 2-year limited warranty.</p>
---	---

Documents - Zeegma – ZE-ZONDER PRO ASH



[\[pdf\]](#) User Manual Instructions

User Manual Zonder Instrukcja obsługi Pro Ash EN Introduction Dear customer! Thank you for placing trust in us and choosing Zeegma We provide with a product perfect everyday use thanks to ZE ZONDER PRO ASH MANUAL FULL zeegma pl amfile file 313 6672 |||

User Manual Bedienungsanleitung Instrukcja obsługi Manuale d'uso Manuel de l'utilisateur Manual de usuario Handleiding Vartotojo vadovas Korisnicki priručnik Zonder Pro Ash EN DE PL IT FR ES NL UA LT HR A 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 1 2 3 4 5 A B EN Int...

lang:en score:37 filesize: 1.49 M page_count: 90 document date: 2023-02-22