Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

vivicreate HT-C-0039

Vivicreate HT-C-0039 High Pressure Propane Gas Double Burner Outdoor Stove Instruction Manual

Model: HT-C-0039 | Brand: Vivicreate

1. Introduction

This manual provides essential information for the safe and efficient operation of your Vivicreate HT-C-0039 High Pressure Propane Gas Double Burner Outdoor Stove. Designed for outdoor cooking, camping, and parties, this stove offers powerful and reliable performance. Please read all instructions carefully before assembly and use.

2. Safety Information

WARNING: For Outdoor Use Only. Improper installation, adjustment, alteration, service, or maintenance can cause injury or property damage. Read the installation, operating, and maintenance instructions thoroughly before installing or servicing this equipment.

- Always operate the stove in a well-ventilated outdoor area. Never use indoors or in enclosed spaces.
- Keep the area around the appliance clear and free from combustible materials, gasoline, and other flammable vapors and liquids.
- Ensure the stove is placed on a stable, level, non-combustible surface.
- Perform a leak test on all gas connections before initial use and after any cylinder change. Use a soapy water solution; never use an open flame.
- Do not leave the operating stove unattended.
- Keep children and pets away from the stove during operation.
- Always turn off the gas supply at the propane cylinder after each use.
- Do not attempt to repair or alter the appliance. Contact qualified service personnel for repairs.

3. Package Contents

Verify that all components are present before assembly:

- Vivicreate Double Burner Outdoor Stove Unit
- Detachable Legs (4)
- CSA Listed 0-20 PSIG Adjustable High Pressure Regulator
- 4-foot Gas Hose

4. Setup Instructions

1. **Attach Legs:** Carefully insert the four detachable legs into the designated slots on the underside of the stove unit. Ensure they are securely fastened and the stove is stable.
2. **Position the Stove:** Place the stove on a firm, level, non-combustible surface, away from any flammable materials or structures.
3. **Connect Gas Hose and Regulator:**
    - Connect the 4-foot gas hose to the stove's gas inlet. Tighten securely by hand, then with a wrench for a snug fit.
    - Attach the CSA listed 0-20 PSIG adjustable high pressure regulator to the propane tank valve. Hand-tighten until snug.
4. **Perform Leak Test:**
    - Ensure all burner control knobs are in the "OFF" position.
    - Slowly open the propane tank valve.
    - Apply a soapy water solution (half soap, half water) to all gas connections.
    - If bubbles appear, there is a leak. Immediately close the propane tank valve and tighten the connection. Repeat the leak test. Do not operate the stove if a leak is detected.



Figure 1: Diagram showing Vivicreate Double Burner Propane Stove dimensions and setup.



Figure 2: Illustration of the stove's detachable legs and propane tank placement.

5. Operating Instructions

1. **Prepare for Lighting:** Ensure the propane tank valve is open and all connections are secure. Place your cookware on the burner grates.
2. **Light a Burner:**
    - Turn the desired burner control knob slowly to the "LO" position.
    - Immediately apply a long-stem lighter or match to the burner ports.
    - Once ignited, adjust the flame to the desired cooking level by rotating the control knob.
    - If the burner does not light within 5 seconds, turn the control knob to "OFF", wait 5 minutes for gas to dissipate, and repeat the lighting procedure.
3. **Adjusting Flame:** Rotate the control knob between "LO" and "HI" to achieve the desired flame intensity. The cast iron burner design provides uniform and heavy firepower.
4. **Turning Off:** When finished cooking, turn the burner control knob to the "OFF" position. Close the valve on the propane tank.



Figure 3: Close-up of the control knob and burner for ignition.

Your browser does not support the video tag.

Video 1: Demonstration of the Vivicreate Double Burner Gas Stove setup and lighting process.

Your browser does not support the video tag.

Video 2: Review and operational overview of the Vivicreate Double Burner Gas Stove, including cooking demonstrations.

6. Maintenance

- **Cleaning:** Allow the stove to cool completely before cleaning. Wipe down surfaces with a damp cloth and mild detergent. Do not use abrasive cleaners or steel wool.
- **Burner Maintenance:** Periodically inspect burner ports for blockages. Use a small wire or needle to clear any debris.

- **Hose and Regulator Inspection:** Regularly check the gas hose and regulator for cuts, cracks, or damage. Replace immediately if any damage is found.
- **Storage:** Disconnect the propane tank and store the stove in a dry, protected area when not in use. The detachable legs allow for compact storage.



Figure 4: Vivicreate Double Burner Propane Stove after use, ready for cleaning and storage.

7. Troubleshooting

Problem	Possible Cause	Solution
Burner does not light.	No gas flow, clogged burner ports, faulty igniter (if applicable).	Check propane tank level and valve. Clear burner ports. Ensure igniter is sparking (if manual ignition, use external lighter).

Problem	Possible Cause	Solution
Low flame or inconsistent flame.	Low gas pressure, partially clogged burner, regulator issue.	Check propane tank level. Clean burner ports. Ensure regulator is properly connected and functioning.
Gas odor detected.	Gas leak.	**Immediately turn off gas supply at the tank.** Perform a leak test. If leak persists, do not use and contact qualified service personnel.

If troubleshooting steps do not resolve the issue, contact the manufacturer or a qualified service technician.

8. Specifications

Brand:	Vivicreate
Model Number:	HT-C-0039
Fuel Type:	Propane
Material:	Alloy Steel, Cast Iron
Product Dimensions (L x W x H):	16.5" x 31" x 28.5"
Power Source:	Gas Powered
Maximum Energy Output:	60,000 British Thermal Units (per burner)
Item Weight:	25.2 Pounds
Included Components:	CSA listed 20 PSIG high pressure regulator, Gas Pipe

9. Warranty and Support

This Vivicreate product comes with a**6-month warranty** from the date of purchase. For warranty claims, technical support, or replacement parts, please contact the seller or manufacturer directly. Keep your proof of purchase for warranty validation.

© 2026 Vivicreate. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0C5SW2ZDC

More documents and user manuals: **https://manuals.plus/**