Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

MiLESEEY S7

MiLESEEY S7 Laser Distance Meter User Manual

Model: S7 without Pointfinder Camera

1. Product Overview

The MiLESEEY S7 Laser Distance Meter is a multifunctional measuring tool designed for precision and versatility in various environments. It features a robust build, a clear color display, and advanced measurement capabilities.



Figure 1: MiLESEEY S7 Laser Distance Meter with included accessories and app interface.

The device offers a professional measuring range of up to 330ft with an accuracy of +/- 1/16". Its rugged housing and lightweight design make it ideal for demanding job sites. The vibrant 2.4" color IPS display ensures clear readability even in sunlight.

2. Setup and Initial Use

2.1 Unboxing and Components

Upon opening the package, ensure all components are present:

- S7 Rechargeable Laser Measure (x1)
- USB-C cable (x1)

- Carrying Case (x1)
- Hand Strap (x1)
- User Manual (x1)
- AAA batteries (x3, included)



Figure 2: Contents of the MiLESEEY S7 package.

2.2 Battery Installation and Charging

The S7 supports dual power options: rechargeable Ni-MH batteries (included) or standard AAA alkaline batteries. To install or replace batteries, open the battery compartment cover on the back of the device.



Figure 3: Battery installation and USB-C charging port.

For charging, connect the provided USB-C cable to the device's port and a compatible power source. The device can also operate with standard AAA alkaline batteries if rechargeable ones are depleted or unavailable.

3. Operating Instructions

3.1 Basic Measurement

To perform a basic single measurement:

1. Press and hold the power button to turn on the device.
2. Point the laser at the target surface.
3. Press the **MEAS** button once to activate the laser.
4. Press the **MEAS** button again to take the measurement. The result will be displayed on the screen.

Video 1: Demonstration of basic measurement functions and display features.

3.2 Display and User Interface

The 2.4" color IPS display provides clear readings. The auto-rotating display ensures measurement results are always correctly oriented. Use the navigation buttons to access various modes and settings.



Figure 4: User-friendly interface with auto-rotating display and menu options.

3.3 App Connectivity

The MiLESEEY S7 can connect to the

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0C5TPPZRN

More documents and user manuals: **https://manuals.plus/**