

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [SERWALL](#) /

› [SERWALL HDPE Outdoor Rocking Chair Instruction Manual](#)

SERWALL 00602835456672

SERWALL HDPE Outdoor Rocking Chair Instruction Manual

Model: 00602835456672

Brand: SERWALL

INTRODUCTION

Thank you for choosing the SERWALL HDPE Outdoor Rocking Chair. This manual provides essential information for the safe assembly, operation, and maintenance of your new rocking chair. Please read these instructions thoroughly before beginning assembly and retain them for future reference.



Image: Two black SERWALL HDPE outdoor rocking chairs, showcasing their design and color.

SAFETY INFORMATION

To ensure safe use of your SERWALL rocking chair, please observe the following guidelines:

- Do not exceed the maximum weight capacity of 380 pounds.
- Ensure the chair is placed on a stable, level surface to prevent tipping during use.
- Supervise children when they are using or playing near the rocking chair.
- Regularly inspect all fasteners and connections to ensure they remain tight and secure.

While not explicitly stated, potential safety warnings could include not exceeding the maximum weight capacity of 380 pounds, ensuring a stable surface for rocking, and supervising children during use.


PARTS LIST

Before assembly, confirm all components are present. Refer to the assembly video for visual identification of parts.

1 PERSON 7 STEPS 20 MINS



304 Stainless Steel



EASY INSTALLATION



STEP 1

STEP 2

STEP 3

STEP 4

STEP 5

STEP 6

STEP 7


Image: An exploded diagram showing all individual components of the SERWALL rocking chair, along with an estimated assembly time of 20 minutes for one person.

- Backrest Assembly
- Seat Panel
- Armrests (Left and Right)
- Front Legs
- Rear Legs
- Rocker Runners (Left and Right)
- Support Bars
- Hardware (304 stainless steel screws and bolts)



ASSEMBLY INSTRUCTIONS

Your SERWALL rocking chair is designed for straightforward assembly, typically taking about 30 minutes. An online video guide is available to assist you. For best results, fully tighten screws only after complete assembly.

1. **Step 1:** Attach the front and rear legs to the seat panel using the provided hardware.
2. **Step 2:** Secure the rocker runners to the bottom of the leg assemblies.
3. **Step 3:** Connect the support bars between the leg assemblies for added stability.
4. **Step 4:** Attach the armrests to the top of the leg assemblies.
5. **Step 5:** Mount the backrest assembly to the rear legs and armrests.
6. **Step 6:** Ensure all connections are aligned and then proceed to fully tighten all screws.
7. **Step 7:** Verify the chair is stable and rocks smoothly.



DETAILS ABOUT SERWALL



GENTLE ROCKING RHYTHM



WOOD-LIKE SURFACE



ROUNDED EDGE DESIGN

Image: A visual guide illustrating the 7 easy steps for assembling the rocking chair, indicating it can be done by one person in 20 minutes.

Assembly Video Guide

Your browser does not support the video tag.

Video: An official SERWALL video demonstrating the installation process for the HDPE rocking chair, provided by the seller.

OPERATING INSTRUCTIONS

The SERWALL rocking chair is designed for comfort and relaxation, suitable for both indoor and outdoor environments.

- **Ergonomic Design:** The chair features an ergonomic curved backrest, wide armrests, and a contoured seat to provide superior comfort and alleviate fatigue.
- **Stable Rocking:** Engineered with a 4-point design and crossbars, the chair evenly distributes weight, offering a precision-calculated rocking arc for safe and relaxing use.
- **Versatile Use:** Its wood-grain HDPE design allows for seamless transition between indoor spaces like living rooms and outdoor areas such as patios, balconies, or backyards.

ULTIMATE COMPANION FOR YOUR PATIO



Image: A man comfortably seated in a black SERWALL HDPE outdoor rocking chair on a patio, demonstrating its use.

Product Features Video

Your browser does not support the video tag.

Video: An official SERWALL video highlighting the features and comfort of the HDPE Outdoor Rocking Chair, provided by the seller.

MAINTENANCE

Maintaining your SERWALL outdoor rocking chair is simple due to its durable HDPE construction.

- **Routine Cleaning:** Simply wipe down the all-weather HDPE surface with a dry brush to remove loose dirt and debris.
- **Stain Removal:** For stubborn stains, use soapy water and a soft cloth or sponge. Rinse thoroughly with clean water.
- **No Special Treatment:** This durable patio rocker requires no painting, staining, or sealing, saving you time and upkeep costs.
- **Weather Resistance:** Constructed with weather-resistant HDPE and 304 stainless steel screws, the chair resists fading, cracking, and rot, outperforming traditional wood furniture in durability.

NEW UPGRADE ROCKING CHAIR 2.0



Image: An infographic detailing key features such as widen armrest, waterproof material, wood texture, sustainability, low-maintenance, sturdiness, fade resistance, and safety.

TROUBLESHOOTING


If you encounter any issues with your SERWALL rocking chair, consider the following common solutions:


- **Wobbling:** Ensure all screws and bolts are securely tightened. Uneven surfaces can also cause wobbling; try moving the chair to a level area.
- **Squeaking:** Check for any loose connections and tighten them. A small amount of silicone lubricant can be applied to moving parts if squeaking persists.
- **Difficulty Rocking:** Verify that the rocker runners are free from obstructions and are properly installed.

For persistent issues not covered here, please refer to the Warranty & Support section for contact information.

SPECIFICATIONS

Detailed specifications for the SERWALL HDPE Outdoor Rocking Chair:





WIDEN ARMREST
Relax Your Arm



WATERPROOF
All Weather Resistant



WOOD TEXTURE
Rustic & Stylish



SUSTAINABILITY

100% recyclable materials
for a healthy planet



LOW-MAINTENANCE

Easily cleaning with soap
and fresh water



STURDY

long lasting chair, won't
crack splinter rot



NEVER FADE

color stay technology keep
the chair like new



SAFTY

304 stainless steel add
more security

HIGH DENSITY POLYETHYLENE

Image: A diagram illustrating the dimensions of the rocking chair (35"D x 27"W x 41"H) and its 350 lbs weight capacity.

Attribute	Value
-----------	-------


Brand	SERWALL
Model Number	00602835456672
Color	Black
Product Dimensions	35.03"D x 27"W x 41.3"H
Size	2 packs
Back Style	Spindle Back
Special Feature	Arm Rest, Ergonomic
Maximum Weight Recommendation	380 Pounds
Material	HDPE (High-Density Polyethylene)
Fasteners	304 Stainless Steel
Indoor/Outdoor Usage	Outdoor
Item Weight	74 pounds

WARRANTY & SUPPORT

SERWALL is committed to customer satisfaction. We offer a 1000-day trial period for our products.

- **1000 Days Trial:** If you encounter any issues with your product within 1000 days of purchase, please contact us.
- **Customer Support:** For any questions, concerns, or support needs, please contact us via Amazon. Our team is ready to assist you.

Related Documents - 00602835456672

	<p>HDPE Rocking Chair Assembly Instructions Serwall</p> <p>Comprehensive assembly instructions for the Serwall HDPE Rocking Chair, including safety advice, component lists, hardware details, and step-by-step building guides.</p>
	<p>Serwall HDPE Rocking Chair and Polywood Side Table Assembly Instructions</p> <p>Comprehensive assembly instructions for the Serwall HDPE Rocking Chair and Polywood Side Table, detailing parts, hardware, and step-by-step assembly procedures for easy setup.</p>



[Serwall 33.46-in W 42000 BTU Square Liquid Propane Fire Pit Table Assembly and Safety Instructions](#)

This document provides comprehensive assembly instructions, safety warnings, operating procedures, maintenance guidelines, and troubleshooting tips for the Serwall 33.46-in W 42000 BTU Square Liquid Propane Fire Pit Table (Model A072-003). It details component identification, step-by-step assembly, safe operation, and care.