

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [TROBOLO](#) /

› [TROBOLO WandaGO Composting Toilet Instruction Manual](#)

TROBOLO P1XX1403

TROBOLO WandaGO Composting Toilet Instruction Manual

Model: P1XX1403

1. PRODUCT OVERVIEW

The TROBOLO WandaGO is a portable composting toilet designed for outdoor and mobile use, featuring a urine diverting system and height adjustment capabilities. Its compact design allows for versatile placement.



**Easily adjustable
in height**

Image: The TROBOLO WandaGO composting toilet demonstrating its adjustable height feature in an outdoor setting next to a van.




Image: A diagram illustrating the adjustable seat height of the TROBOLO WandaGO, showing heights of 436 mm and 306 mm.

2. SETUP

The TROBOLO WandaGO features a simple setup process. It is designed with separate compartments for solid and liquid waste.

2.1 Components Overview

- **Solid Waste Container:** Located at the rear, designed for solid waste collection.
- **Liquid Waste Container:** Located at the front, designed for urine collection.
- **Urine Diverter:** Directs liquid waste into the liquid container.
- **SafeShell System:** Provides protection against odors and spillage.

Convenient holder
for urine diverter

Liquids container
4.6 litres

Solids container
6.5 litres



Image: An internal view of the toilet, highlighting the 6.5-liter solids container and the 4.6-liter liquids container, along with the urine diverter holder.

2.2 Initial Assembly

1. Place a heavy-duty waste bag into the solid waste container.
2. Ensure the urine diverter is correctly positioned to direct liquids into the liquid waste container.
3. Close the toilet lid securely.

Once these steps are completed, the toilet is ready for use.

3. OPERATING INSTRUCTIONS

The TROBOLO WandaGO is designed for odor-free operation without the need for water or chemicals, thanks to its urine diverting system.



Image: The TROBOLO WandaGO in use outdoors, emphasizing its odor-free operation without water or chemicals.

3.1 Usage Guidelines

- For optimal performance and to prevent odors, it is recommended to use a smell-proof cat litter or similar absorbent material. Sprinkle a layer before use and after each use.
- The toilet's height is slightly lower than a standard toilet, similar to a squatty potty. Users should adjust their seating position accordingly.
- When using the toilet, ensure proper positioning to direct solid waste into the rear compartment and liquid waste into the front compartment. For women, this may require adjusting seating position to align with the diverter.

3.2 SafeShell System

The integrated SafeShell System in the liquid waste container is designed to be leak-proof and prevents spillage during transport, ensuring a clean and secure experience while driving.

TROBOLO
SafeShell System®
Protection from odours
and spillage



Image: An exploded view of the TROBOLO SafeShell System, illustrating its components for odor and spillage protection.

3.3 Filling Level Indicator

The toilet includes an integrated filling level indicator to monitor the capacity of the waste containers, signaling when emptying is required.




Image: The TROBOLO WandaGO inside a van, with a visible integrated filling level indicator.

4. MAINTENANCE

Regular maintenance ensures hygienic operation and longevity of your TROBOLO WandaGO composting toilet.

4.1 Emptying Waste Containers

- **Liquid Waste:** The liquid waste container should be removed and emptied regularly. For two users, emptying every 2-3 days is typically sufficient.
- **Solid Waste:** The solid waste bag should be removed and disposed of according to local regulations. For two users, changing the bag every 2-3 days is typically sufficient.

4.2 Cleaning

- The urine diverter and seat can be easily removed for cleaning.
- Wipe down all surfaces with a disinfectant wipe or a damp cloth and mild cleaning solution.
- Ensure all components are dry before reassembling.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your TROBOLO WandaGO composting toilet.

- **Odor Issues:** Ensure sufficient absorbent material (e.g., cat litter) is used in the solid waste compartment. Verify that the urine diverter is correctly positioned and the liquid container's SafeShell system is properly sealed.
- **Spillage during Transport:** Confirm that the SafeShell system on the liquid container is securely closed and the toilet lid is latched down before moving the unit.
- **Difficulty with Aim (for women):** Adjust seating position to ensure proper alignment with the urine diverter and solid waste opening.

6. SPECIFICATIONS

Detailed technical specifications for the TROBOLO WandaGO composting toilet.




Image: Dimensions of the TROBOLO WandaGO composting toilet.

Feature	Detail
Model Number	P1XX1403

Manufacturer	TROBOLO
Item Weight	10.36 pounds (approx. 4.7 kg)
Product Dimensions	15.04 x 13.43 x 12.32 inches (approx. 38.2 x 34.1 x 31.3 cm)
Installation Method	Floor Mounted
Seat Material Type	Plastic
Liquid Container Capacity	4.6 liters
Solid Container Capacity	6.5 liters
Batteries Included	No
Batteries Required	No

7. WARRANTY AND SUPPORT

Information regarding product warranty and customer support was not available in the provided data. Please refer to the manufacturer's official website or contact their customer service for details on warranty coverage and support options.