

Miele Classic C1 Flex Powerline

Miele Classic C1 Flex Powerline Vacuum Cleaner User Manual

Model: 12029770

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your Miele Classic C1 Flex Powerline vacuum cleaner. Please read these instructions carefully before using the appliance for the first time to ensure proper function and to prevent damage.

2. SAFETY INSTRUCTIONS

Always observe the following safety precautions:

- Ensure the voltage indicated on the rating plate matches your mains voltage.
- Do not use the vacuum cleaner without a dustbag and filters in place.
- Do not vacuum liquids, damp dirt, or hot ashes.
- Avoid vacuuming sharp objects that could damage the dustbag or hose.
- Keep the appliance away from children and individuals with reduced physical, sensory, or mental capabilities unless supervised.
- Regularly check the power cord for damage. If damaged, it must be replaced by a qualified service technician.
- Unplug the appliance from the mains before cleaning or performing maintenance.

3. PACKAGE CONTENTS

Verify that all components are present:

- Miele Classic C1 Flex Powerline main unit
- Flexible suction hose
- Telescopic suction wand
- Floorhead

- Dustbag (pre-installed or included separately)
- Filters (motor protection filter, exhaust filter)
- Operating instructions (this manual)

4. ASSEMBLY AND SETUP

Follow these steps to assemble your vacuum cleaner:

1. **Attach the Suction Hose:** Insert the hose connector into the suction inlet on the main unit until it clicks securely into place.
2. **Connect the Telescopic Wand:** Push the handle end of the hose onto the telescopic wand until it locks.
3. **Attach the Floorhead:** Push the floorhead onto the other end of the telescopic wand until it locks.
4. **Adjust the Telescopic Wand:** Press the release button on the wand and extend it to a comfortable working height.
5. **Power Connection:** Unwind the power cord and insert the plug into a suitable mains socket.



Figure 1: Miele Classic C1 Flex Powerline vacuum cleaner. The main unit is white with black accents, featuring the Miele logo. The grey flexible hose is connected to the main unit. A silver telescopic wand is attached to the hose, leading down to a black floorhead. The vacuum is shown ready for use.

5. OPERATING INSTRUCTIONS

To begin using your Miele vacuum cleaner:

1. **Switching On/Off:** Press the foot switch on the main unit to turn the vacuum cleaner on or off.
2. **Adjusting Suction Power:** The Miele Classic C1 Flex Powerline features 6 power levels. Use the rotary selector on the main unit to choose the appropriate suction power for different surfaces. Lower settings are suitable for delicate fabrics, while higher settings are for hard floors and heavily soiled carpets.

3. **Using Attachments:** The floorhead is suitable for general cleaning. Additional attachments (if included) can be fitted directly onto the handle or the telescopic wand for specific tasks like cleaning upholstery or crevices.
4. **Maneuvering:** Guide the floorhead smoothly over the surface to be cleaned. The castor wheels on the main unit allow for easy movement.
5. **Parking System:** For short breaks, hook the floorhead onto the parking attachment at the rear of the vacuum cleaner.
6. **Cord Rewind:** Press the foot switch for automatic cord rewind when finished cleaning.

6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your appliance.

6.1 Changing the Dustbag

The dustbag has a capacity of 4.5 liters. Change the dustbag when the dustbag change indicator on the main unit turns red, or when suction power noticeably decreases.

1. Switch off the vacuum cleaner and unplug it from the mains.
2. Open the dustbag compartment lid.
3. Pull the dustbag collar upwards to seal the bag.
4. Remove the full dustbag and dispose of it responsibly.
5. Insert a new Miele original dustbag, ensuring it sits correctly in the holder.
6. Close the dustbag compartment lid firmly until it clicks.

6.2 Cleaning/Replacing Filters

Your vacuum cleaner is equipped with a motor protection filter and an exhaust filter (HEPA and foam type).

- **Motor Protection Filter:** This filter protects the motor from dust. Check it when changing the dustbag. Replace it if it appears heavily soiled or damaged.
- **Exhaust Filter (HEPA/Foam):** This filter cleans the air expelled from the vacuum. Replace the HEPA filter approximately once a year, or as indicated by the filter change indicator (if present). Foam filters may be washable; refer to specific instructions on the filter itself.

6.3 Cleaning the Appliance

Wipe the exterior of the vacuum cleaner and attachments with a dry or slightly damp cloth. Do not use abrasive cleaners or solvents.

7. TROUBLESHOOTING

Refer to this section for common issues and their solutions.

Problem	Possible Cause	Solution
Vacuum cleaner does not switch on.	No power supply.	Check if the plug is securely in the socket. Check the fuse/circuit breaker.

Problem	Possible Cause	Solution
Poor suction power.	Dustbag full; filters clogged; hose/wand/floorhead blocked.	Change dustbag. Clean or replace filters. Check and clear any blockages.
Unusual noise during operation.	Foreign object in fan; motor issue.	Switch off and unplug. Check for and remove any foreign objects. If noise persists, contact Miele service.
Overheating.	Blocked airflow (full dustbag, clogged filters, blockage).	Switch off and unplug. Allow to cool. Check and rectify blockages, change dustbag, or clean/replace filters.

If the problem persists after attempting these solutions, please contact Miele customer service.



8. SPECIFICATIONS

Feature	Specification
Model Number	12029770
Type	Canister Vacuum Cleaner
Color	Lotus White
Power	800 Watts
Voltage	230 Volts
Dustbag Capacity	4.5 Liters
Number of Power Levels	6
Noise Level	79 Decibels
Filter Type	HEPA, Foam/Mousse
Material	Plastic
Weight	6.0 Kilograms
Power Source	Corded Electric
Special Features	Tear-resistant, easy to remove, lint-free, waterproof (referring to dustbag/filter characteristics)

9. WARRANTY AND SUPPORT

For information regarding warranty coverage, spare parts, or technical support, please refer to the official Miele website or contact Miele customer service directly. Keep your purchase receipt as proof of purchase.

Related Documents - Classic C1 Flex Powerline

 en Operating Instructions Canister Vacuum Cleaner es Instrucciones operativas Aspiradora de contenedor fr Mode d'emploi Aspirateur-châssis SBANO SBCNO HS12 PL-Nr. 10 692 992	Miele Canister Vacuum Cleaner Operating Instructions - HS12 Series Comprehensive operating and safety guide for Miele Canister Vacuum Cleaner models SBANO and SBCNO (HS12 series). Learn about setup, usage, maintenance, and troubleshooting.
 en Operating Instructions Canister Vacuum Cleaner es Instrucciones operativas Aspiradora de contenedor fr Mode d'emploi Aspirateur-châssis SGDE0, SGDE0, SGFE0, SGJE0, SGDE3 HS22 PL-Nr. 10 698 990	Miele HS22 Canister Vacuum Cleaner Operating Instructions Comprehensive operating instructions for the Miele HS22 canister vacuum cleaner, covering safety, operation, maintenance, and troubleshooting.
 en Operating Instructions Canister Vacuum Cleaner es Instrucciones operativas Aspiradora de contenedor fr Mode d'emploi Aspirateur-châssis SGDE0, SGDE0, SGFE0, SGJE0, SGDE3 HS15 PL-Nr. 10 698 990	Miele Canister Vacuum Cleaner Operating Instructions Comprehensive operating instructions for Miele canister vacuum cleaners, covering safety, usage, maintenance, and troubleshooting for models SGDE0, SGEE0, SGFE0, SGJE0, and SGDE3. Includes guidance on accessories and warranty information.
 en Operating Instructions Canister Vacuum Cleaner es Instrucciones de funcionamiento de la aspiradora fr Mode d'emploi Aspirateur-châssis SKCE0 HS16 PL-Nr. 10 698 991	Miele SKCE0 Canister Vacuum Cleaner Operating Instructions Comprehensive operating instructions for the Miele SKCE0 canister vacuum cleaner, covering safety, usage, maintenance, and troubleshooting. Learn how to effectively use and care for your Miele vacuum.
 AU, NZ Warranty BR Termo de Garantia CA Limited Warranty Garantie limitée EXP Appliance Warranty MX Póliza de Garantía US Limited Warranty HS16 PL-Nr. 10 698 991	Miele Appliance Warranty Information and Terms Comprehensive guide to Miele appliance limited warranties across Australia, New Zealand, Brazil, Canada, Mexico, and the United States, detailing coverage, exclusions, and claim procedures.



[pdf] Declaration of Conformity

SBxxx SEE 08062022 11 288 651 02 StÅ½hnout 1 98 MB PodlahovÅ½ vysavaÅ½ Miele Classic C1 Flex PowerLine bÅ½Å½ DATART doc 5195033 datart cz document 3 0 |||


cs Nvod k obsluze Podlahov½ vysavac el es Instrucciones de manejo Aspirador hu Hasznlati utasts Padlporszv pl Instrukcja uytkovania odkurzacza pt Instrues de utilizao Aspirador sk Nvod na pouzitie Vysvac tr Kullanim Kilavuzu Elektrik Sprgesi HS12 M.-Nr. 11 288 651 cs

lang:es score:19 filesize: 1.98 M page_count: 188 document date: 2022-06-08



[pdf]

V2 aspirateur imr administrator 4002516553854 f 0 boulanger scene7 is content Boulanger ||| Aspirateur AVEC SAC Classic C1 Flex PowerLine Caractristiques Informations logistiques Code EAN : 4002516553854 Code SAP :12029770 Aspirateur: SBAF5 Dim. nettes HxLxP : 221 x 463 x 279 mm Dim. brutes HxLxP : 387x576x240 mm Poids brut : 7,4 kg Poids net : 5,54 kg Lieu de fabrication : Allemagne C... lang:fr score:18 filesize: 548.39 K page_count: 1 document date: 2022-05-18



[pdf]

Vysavače Miele Vysavace prehled sort 2 2024 CZ media miele ex cz Prospekty ||| Vysavace Miele Pehled sortimentu Miele. Immer Besser. Vydn nor 2024 CHARAKTERISTIKA ADY Podlahov½ vysavace ady Complete C3 elektronick regulace vkonu tlackty /- svteln displej pro indikaci vkonu originln scek HyClean GN s objemem 4,5 l komfortn teleskopick trubice oboustrann parkovac systm ... lang:hr score:18 filesize: 3.13 M page_count: 12 document date: 2024-01-23



lang:no score:17 filesize: 3.26 M page_count: 12 document date: 2023-05-16

lang:tl score:17 filesize: 3.27 M page_count: 12 document date: 2023-05-16

lang:fr score:17 filesize: 196.24 K page_count: 1 document date: 2023-06-16



[\[pdf\]](#)

Stáhnout Prospekty a informace Vysavace prehled sort 9 2024 CZ media miele ex cz |||

Vysavace Miele Pehled sortimentu Miele. Immer Besser. Vydán z 2024

CHARAKTERISTIKA ADY Podlahov vysavace ady Complete C3 elektronick regulace vkonu tlactky /- svteln displej pro indikaci vkonu originln scek HyClean GN s objemem 4,5 l komfortn teleskopick trubice oboustrann parkovac systm se...

lang:hr **score:17** filesize: 3.29 M page_count: 12 document date: 2024-08-08



[\[pdf\]](#)

Vysávače MieleVysavace prehled sort 9 2024 SKmedia miele ex sk Prospekty Vysavace SK |||

Vys va e Miele Preh ad sortimentu Miele. Immer Besser. Vydanie september 2024

CHARAKTERISTIKA RADU Podlahov vys va e radu Complete C3 elektronick regul cia v konu tla idlami /- sveteln displej pre indik ciu v konu origin lne vrecko HyClean GN s objemom 4,5 l komf...

lang:af **score:16** filesize: 3.31 M page_count: 12 document date: 2024-09-04



[\[pdf\]](#) Borchure

untitled Miele Experience Center Oktober 2022 Kapacitet 9 kg tvätt 6 tork Skontrumma 64 l Lutande panel

Yttre ring Chrome inre svart Centrifugering 1 600 varv Emaljerad front LL media miele ex se Brochures |||

Miele Experience Center Oktober 2022 Innehllsfrteckning Tvttmaskiner - NYHET 4

Vakuumfrpackare 79 Torktumlare - NYHET 13 Kaffemaskiner 80 Kombinerad tvtt-och tork 20 HiLighthllar 81 Toppmatade tvttmaskiner 21 Induktionshllar 82 Strykmangel 22 Induktionshllar med TempControl 89 ...

lang:no **score:10** filesize: 6.72 M page_count: 148 document date: 2022-11-28

