

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [FIMEI](#) /
- › [FIMEI Modern Floor Lamp Instruction Manual](#)

FIMEI PY-1203

FIMEI Modern Floor Lamp

MODEL: PY-1203

Introduction

The FIMEI Modern Floor Lamp is designed to provide versatile and eye-protecting illumination for your living space. Featuring a unique rotatable Saturn-shaped design, this LED standing lamp offers adjustable lighting to suit various needs, from reading and working to creating a relaxing ambiance. It combines modern aesthetics with advanced functionality, including stepless dimming and multiple color temperature options, all controllable via touch or remote.

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your FIMEI Modern Floor Lamp to ensure optimal performance and longevity.

Setup and Assembly

The FIMEI Modern Floor Lamp is designed for simple assembly, typically taking only a few minutes without the need for additional tools. Please handle the internal wiring carefully during assembly to prevent damage from excessive pulling.

Package Contents:

- Lamp Head (Saturn-shaped light)
- Multiple Pole Sections
- Lamp Base
- Power Adapter
- Remote Control (requires 2 AAA batteries, not included)
- User Manual

Package List



Image: Components included in the FIMEI Modern Floor Lamp package, showing the lamp head, pole sections, base, power adapter, remote control, and user manual.

Assembly Steps:

1. Carefully unpackage all components and verify against the package list.
2. Screw the pole sections together, ensuring the wires are not pinched or damaged.
3. Attach the assembled pole to the lamp base by screwing it securely.
4. Connect the lamp head to the top of the pole, ensuring a firm connection.
5. Plug the power adapter into the lamp and then into a suitable power outlet.
6. Insert 2 AAA batteries into the remote control.



Image: Disassembled components of the FIMEI Modern Floor Lamp, illustrating the lamp head, pole sections, base, and power accessories ready for assembly.

Operating Instructions

Your FIMEI Modern Floor Lamp offers flexible lighting control through both touch and remote interfaces, allowing you to customize brightness, color temperature, and light direction.

Light Adjustment:

- **Stepless Dimming:** Adjust brightness from 5% to 100% to suit your preference.
- **3 Color Temperatures:** Choose between Warm Yellow (3000K), Natural Warm Light (4500K), and Cool White Light (6000K).
- **Memory Function:** The lamp will remember your last brightness and color temperature settings when turned off and on.


Stable light care for your eyes



Image: Visual representation of the stepless dimming capability from 5% to 100% brightness, and the three available color temperatures (warm, natural, cool white).

Control Methods:

- **Touch Control:** Located on the lamp pole. Tap to change light temperature. Long press to adjust brightness.
- **Remote Control:** Offers 10M control distance. Can be magnetically attached to the lamp pole for convenient storage. Features two sets of control buttons to operate the central round lamp and the outer ring light separately.



TOUCH

- Tap the button to change light temperature
- Long press to adjust brightness



REMOTE

- 10 M control distance
- Can be magnetically attached to the lamp pole
- Two sets of control buttons control the planet light and star ring light separately



Image: Illustration of the touch control panel on the lamp pole and the remote control, detailing their functions for adjusting light temperature and brightness.

Rotatable Lamp Head:

The unique Saturn-shaped lamp head features two independently rotatable light sources:

- **Central Round Lamp:** Can be rotated 90 degrees vertically.
- **Side Ring Light:** Can be rotated 330 degrees vertically.

This allows you to direct light precisely where needed, whether for ambient room lighting or focused task illumination.

Three Rotating Systems



Image: Diagram showing the three rotating systems of the FIMEI Modern Floor Lamp, illustrating the 90-degree vertical rotation of the central light and the 330-degree vertical rotation of the outer ring.

Maintenance

To ensure the longevity and optimal performance of your FIMEI Modern Floor Lamp, follow these simple maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to wipe down the lamp. Avoid abrasive cleaners or solvents that could damage the finish.
- **Dusting:** Regularly dust the lamp head and pole to prevent dust buildup, which can affect light output.
- **Power Cord:** Periodically inspect the power cord for any signs of damage or fraying. If damage is found, discontinue use and contact customer support.
- **Stability:** Ensure the lamp base remains stable on a flat surface to prevent tipping.

Troubleshooting

If you encounter any issues with your FIMEI Modern Floor Lamp, please refer to the following common troubleshooting steps:

Remote Control Not Responding / Pairing Issues:

If the remote control loses pairing with the lamp (e.g., after a power cut), follow these steps to re-pair:

1. **Clear Lamp Pairing Code:** Unplug the lamp (ensure lights are off). Plug it back in and immediately unplug it again, repeating this 5 times. The lamp will flicker, indicating that the unpairing is complete.
2. **Pair Remote with Lamp:** Unplug the lamp again. Press and hold the first button on the upper left of the remote control. While still holding the button, plug the lamp back into the power outlet. Continue holding the remote button until the lamp flickers, indicating successful pairing. The remote's red light should also be on during this process.

Lamp Head Wobbly After Assembly:

Ensure all connections, especially where the lamp head attaches to the pole and where pole sections connect, are screwed together tightly. If the issue persists, gently re-tighten all connections. Avoid excessive force when adjusting the lamp head if it feels loose.

No Light Output:

- Check if the power adapter is securely plugged into both the lamp and the wall outlet.
- Verify that the wall outlet is functional by plugging in another device.
- Ensure the remote control batteries are not depleted and are inserted correctly.
- Confirm that the lamp is turned on via touch control or remote.

Specifications

Brand	FIMEI
Model	PY-1203
Product Dimensions	11"D x 11"W x 68.5"H
Item Weight	10.98 pounds
Color	Black
Shade Color	black
Light Source Type	LED
Wattage	36 watts
Brightness	1800 Lumen
Control Method	Remote, Touch
Power Source	Battery Powered (for remote)
Room Type	Office, Living Room, Bedroom
Installation Type	Freestanding

Assembly Required	Yes
Water Resistance Level	Not Water Resistant

Warranty and Support

FIMEI stands behind the quality of its products. The FIMEI Modern Floor Lamp comes with a **2-year warranty** from the date of purchase.

If you have any questions, concerns, or require assistance with your product, please do not hesitate to contact FIMEI customer support. Our team is available to help you with any issues you may encounter.

For support, please refer to the contact information provided on the product packaging or the official FIMEI website.

© 2025 FIMEI. All rights reserved.

Related Documents - PY-1203

	<p>Fujitsu Server PRIMERGY External Option Configuration Guide</p> <p>This document details the configuration options and specifications for external components and accessories for Fujitsu PRIMERGY servers, including KVM switches, UPS units, storage solutions, networking equipment, and rack systems.</p>
	<p>Peiyang GPS Navigation Software Update Guide for PY-GPS5015, PY-GPS7014, PY-GPS9000</p> <p>Detailed instructions for updating the software on Peiyang PY-GPS5015, PY-GPS7014, and PY-GPS9000 GPS navigation devices. Includes download link and step-by-step guide.</p>
	<p>Juniper QFX5120-48Y</p> <p>Juniper QFX5120-48Y</p>
	<p>XO POPPY Firefly SOUND LAMP: User Manual and Features</p> <p>The XO POPPY Firefly SOUND LAMP is a versatile bedside device combining a Bluetooth speaker, ambient light, and alarm clock functions. It offers adjustable lighting, FM radio capabilities, and easy control via touch sensors and buttons. The device is FCC certified and designed for consumer use.</p>

 <p>CFN-1203 Instruction Manual</p> <p>Eastman Kodak Company Eastman Kodak Company</p>	<p>Merra CFN-1203 Ceiling Fan Installation and Operation Manual</p> <p>Comprehensive instruction manual for the Merra CFN-1203 ceiling fan, covering installation, operation, safety, and troubleshooting. Includes details on remote control and light features.</p>
 <p>Bulletin 1203 Serial Communications Module User Manual</p>	<p>Allen-Bradley Bulletin 1203 Serial Communications Module User Manual</p> <p>User manual for the Allen-Bradley Bulletin 1203 Serial Communications Module (Catalog Numbers 1203-GD9, -GK9), providing detailed information on installation, configuration, troubleshooting, and specifications for industrial automation applications.</p>