

[Manuals.plus](#) /

> [VOJSALDR](#) /

> VOJSALDR D4.5V-1 Charger Instruction Manual for Andis Cordless Clippers

VOJSALDR D4.5V-1

VOJSALDR D4.5V-1 Charger Instruction Manual for Andis Cordless Clippers

Model: D4.5V-1

INTRODUCTION

This manual provides essential instructions for the safe and effective use of your VOJSALDR D4.5V-1 charger. This charger is designed as a replacement power adapter for specific Andis 4.5V cordless clippers and trimmers. Please read this manual thoroughly before use and retain it for future reference.

SETUP

Package Contents

Upon opening the package, you should find the following item:

- 1 x VOJSALDR DC4.5V Replacement Charger

Compatibility

This charger is specifically designed for Andis 4.5V cordless clippers and trimmers. It is compatible with the following models:

- Andis 73000 Envy Li Cordless Clipper
- Andis 73102 Cordless Envy Li
- Andis 73105
- Andis 73106
- Andis 73005
- Andis 73010
- Andis 73045
- Andis 73050
- Andis 73060
- Andis 73095

- Andis 77511 Supra Li 5
- Andis 73500 SupraLi LCL-2
- Andis 73035
- Andis 73505 Pulse Li 5
- Andis 73515 PulseLi Cordless Clipper Trimmer

Important: This charger is ONLY for the models listed above. It is NOT compatible with any other models.

**4.5V Shaver charger
for Andis SPA045120DU 73102
Cordless Envy Li 395059
EnvyLi LCL 73000 73105 73106 73005 73010 73045
73050 73060 73095 77511
Supra Li 5 SupraLi LCL-2 73500 73035 73505
Pulse Li 5 PulseLi 73515 Cordless Clipper Trimmer**



Image: The VOJSALDR D4.5V-1 charger shown alongside a list of compatible Andis cordless clipper and trimmer models, including 73000, 73060, 73095, 73130, 73500, and 73515.

Connecting the Charger

1. Ensure your Andis cordless clipper/trimmer is turned off.
2. Insert the barrel connector end of the charger cable into the charging port of your Andis device.
3. Plug the AC adapter into a standard wall outlet (AC 100V-240V).

OPERATING INSTRUCTIONS

Charging Your Device

Once connected, your Andis cordless clipper/trimmer will begin charging. Refer to your device's specific instruction manual for indicators of charging status (e.g., LED lights).

Input: AC 100V-240Volt

Output: DC 4.5V class 2 power supply



Image: The VOJSALDR D4.5V-1 charger with text overlays indicating its input (AC 100V-240Volt) and output (DC 4.5V class 2 power supply).

Safety Features

The VOJSALDR D4.5V-1 charger incorporates multiple protection mechanisms to ensure safe charging:

- **Over Current Protection:** Prevents damage from excessive current flow.
- **Over Charge Protection:** Safeguards against overcharging the device's battery.
- **Short Circuit Protection:** Protects against damage from short circuits.
- **Temperature Protection:** Monitors and regulates operating temperature.

- **Over Load Protection:** Prevents damage from excessive power draw.
- **Over Voltage Protection:** Shields against damage from voltage spikes.

MULTI-PROTECTION MORE SAFE WHILE CHARGING



Over Current
Protection



Over Charge
Protection



Short Circuit
Protection



Temperature
Protection



Over Load
Protection



Over Voltage
Protection



Image: The VOJSALDR D4.5V-1 charger displayed with six icons and text labels illustrating its multi-protection features: Over Current, Over Charge, Short Circuit, Temperature, Over Load, and Over Voltage Protection.

MAINTENANCE

Care and Storage

- Keep the charger clean and dry. Avoid exposure to moisture or extreme temperatures.
- Do not attempt to disassemble or modify the charger.
- Store the charger in a cool, dry place when not in use.
- Avoid bending or kinking the power cord excessively to prevent internal damage. The cord length is approximately 6.0 feet (1.8 meters).

5.9FT Extra Long Power Cord LONG ENOUGH,CAN BE USE ANYWHERE




Image: The VOJSALDR D4.5V-1 charger with its cable extended, showing a measurement of 5.9 feet (1.8 meters) for the cord length.

TROUBLESHOOTING

Common Issues and Solutions

- **Device not charging:**
 - Ensure the charger is securely plugged into both the wall outlet and the device.
 - Verify that the wall outlet is functional by testing it with another appliance.
 - Confirm that your Andis device model is listed as compatible with this charger.
- **Charger feels warm:**
 - It is normal for the charger to become slightly warm during operation. If it becomes excessively hot or emits smoke/odor, unplug it immediately and discontinue use.

SPECIFICATIONS

Feature	Specification
---------	---------------

Model Number	D4.5V-1
Input Voltage	AC 100V-240V
Output Voltage	DC 4.5V
Wattage	5.4 watts
Cord Length	6.0 ft (1.8 m)
Connector Type	Barrel Connector
Item Weight	3.52 ounces
Package Dimensions	3.94 x 2.76 x 1.85 inches




Image: The VOJSALDR D4.5V-1 charger with its physical dimensions indicated: 2.4 inches in length, 1.57 inches in width, and 1.41 inches in height.

WARRANTY AND SUPPORT

Warranty Information

This product comes with a **30-day refund policy** and a **12-month exchange warranty** from the date of purchase. This warranty covers manufacturing defects under normal use.

Customer Support

For any questions, concerns, or warranty claims, please contact the seller directly through your purchase platform. Provide your order number and a detailed description of the issue for prompt assistance.

© 2023 VOJSALDR. All rights reserved.