

ViewSonic LS832WU

ViewSonic LS832WU Ultra Short Throw Projector User Manual

Model: LS832WU | Brand: ViewSonic

1. INTRODUCTION

This user manual provides detailed instructions for the setup, operation, and maintenance of your ViewSonic LS832WU Ultra Short Throw Projector. Please read this manual thoroughly before using the projector to ensure proper and safe operation.

The ViewSonic LS832WU is a high-performance ultra-short throw laser projector designed for various environments, including auditoriums, conference rooms, and educational settings. It features 5,000 ANSI lumens brightness, WUXGA (1920x1200p) resolution, and a 0.25 throw ratio, allowing for large, bright images from a very short distance.



Figure 1.1: ViewSonic LS832WU Projector, top-down view.

2. WHAT'S IN THE BOX

Verify that all items listed below are included in your package. If any items are missing or damaged, please contact ViewSonic customer support.

- ViewSonic LS832WU Projector
- Power Cord

- Remote Control
- User Manual (this document)




Figure 2.1: Package Contents. Note: Power cable type may vary by region.

3. PRODUCT OVERVIEW

3.1. Projector Features

- **Ultra-Short Throw Laser Projector:** WUXGA (1920x1200p) resolution with a 0.25 throw ratio and 5,000 ANSI lumens for bright, detailed images in compact spaces.
- **Vibrant Colors & HDR Support:** SuperColor technology and HDR/HGL compatibility deliver a wide color gamut with enhanced contrast and visual depth.
- **Flexible Screen Size & Throw Range:** Projects screen sizes from 30" to 150" with a throw distance of 6" - 19"; displays a 100" image from 11 inches away.
- **Instant Power On/Off:** Enables quick startup and shutdown with optional settings for automatic power control.
- **Versatile Installation Options:** Supports table or ceiling installation and is compatible with ViewSonic mounts PJ-WMK-305 and PJ-WMK-007.

3.2. Connectivity Ports

The LS832WU projector offers a comprehensive set of connectivity options for various devices.

- 1 x HDMI 2.0
- 1 x HDCP 1.4
- 1 x RS232
- 1 x RJ45 (LAN Control)
- 1 x USB Type-A
- 1 x USB Type-B
- 1 x Audio In/Out (3.5mm Jack)
- 1 x VGA In/Out



Figure 3.1: Flexible Connectivity Ports.

4. SETUP

4.1. Placement and Installation

The ultra-short throw design allows for flexible placement close to the projection surface. Consider the desired screen size and the throw distance when positioning the projector.

- **Table-top Placement:** Place the projector on a stable, flat surface directly in front of the screen or wall.
- **Ceiling Mount:** For permanent installations, the projector can be mounted to the ceiling using compatible ViewSonic mounts (PJ-WMK-305 and PJ-WMK-007). Ensure the mount is securely fastened and the projector is oriented correctly.



ULTRA SHORT-THROW PROJECTOR

Ceiling or table-mounted, in front of the screen

Figure 4.1: Ultra Short-Throw Projector Placement.

Refer to the following image for approximate throw distances and corresponding image sizes:




Figure 4.2: Projector Distance and Image Size Guide.

4.2. Connecting Power and Source Devices

1. Connect the power cord to the projector's power inlet and then to a grounded electrical outlet.
2. Connect your source device (e.g., laptop, Blu-ray player, gaming console) to the projector using an appropriate cable (HDMI, VGA, etc.).
3. Press the power button on the projector or remote control to turn on the unit.

5. OPERATING INSTRUCTIONS

5.1. Basic Operation

- **Power On/Off:** Press the power button on the remote or projector. The laser light source provides instant on/off capabilities.
- **Source Selection:** Use the "Source" button on the remote or projector control panel to cycle through available input sources (HDMI, VGA, etc.).

- **Menu Navigation:** Use the arrow keys and "Enter" button on the remote or control panel to navigate the on-screen display (OSD) menu.

5.2. Image Adjustment

To optimize your projection, use the following image adjustment features:

- **Keystone Correction:** Corrects trapezoidal distortion when the projector is not perfectly perpendicular to the screen. Access this setting via the OSD menu.
- **4-Corner Adjustment:** Allows for precise adjustment of each corner of the image independently, ideal for irregular surfaces or complex installations.
- **Digital Zoom:** Adjusts the size of the projected image (0.8x–2.0x) without moving the projector.




Figure 5.1: Keystone and 4-Corner Adjustment.

5.3. Advanced LAN Control

The LS832WU supports advanced LAN control for centralized management and scheduling. It is compatible with Crestron, AMX, Extron, PJ Link, ATEN, and ViewSonic vController systems. Connect the projector to your network via the RJ45 port and configure settings through the OSD menu or your chosen control software.

6. MAINTENANCE

The ViewSonic LS832WU utilizes laser phosphor technology, offering a maintenance-free projection experience without the need for lamp replacements. However, regular cleaning is recommended to ensure optimal performance and longevity.

- **Cleaning the Lens:** Gently wipe the projector lens with a soft, lint-free cloth specifically designed for optical surfaces. Do not use abrasive cleaners or excessive force.
- **Cleaning the Projector Body:** Use a soft, dry cloth to wipe down the exterior of the projector. For stubborn marks, a slightly damp cloth with mild detergent can be used, followed by a dry wipe. Ensure no liquid enters the projector.
- **Ventilation:** Ensure the projector's ventilation openings are clear and not obstructed to prevent overheating.

The laser light source is designed for extended use, with a lifespan of up to 30,000 hours in SuperEco+ Mode, which translates to more than 10 years of use at 8 hours per day.

7. TROUBLESHOOTING

If you encounter issues with your projector, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No image projected	Power cable disconnected, incorrect input source selected, source device not powered on.	Check power connections. Select correct input source. Ensure source device is on and outputting signal.
Image is blurry or out of focus	Projector lens dirty, incorrect focus adjustment, projector too close/far from screen.	Clean the lens. Adjust digital zoom. Ensure projector is within optimal throw distance.
Image is distorted (trapezoid shape)	Projector not perpendicular to the screen.	Use Keystone Correction or 4-Corner Adjustment from the OSD menu.
No audio	Audio cable disconnected, volume too low, incorrect audio output on source device.	Check audio cable connections. Increase projector volume. Verify audio settings on source device.

For further assistance, please contact ViewSonic customer support.

8. SPECIFICATIONS

Feature	Detail
Model Number	LS832WU
Display Resolution	WUXGA (1920 x 1200)
Brightness	5000 ANSI Lumens

Feature	Detail
Throw Ratio	0.25
Screen Size (Diagonal)	30" to 150" (up to 170" / 432 cm visible screen diagonal)
Throw Distance	6" - 19" (100" image from 11 inches away)
Light Source	Laser Phosphor
Light Source Life	Up to 30,000 hours (SuperEco+ Mode)
Connectivity Technology	3.5mm Jack, HDMI, USB, RJ45, RS232, VGA
Special Features	3D-Ready, Built-In Speaker, Digital Keystone Correction, SuperColor, Ultra Short Throw, HDR/HGL compatibility, 4-Corner Adjustment, Advanced LAN Control
Product Dimensions (L x W x H)	15 x 12.5 x 5.2 inches (38.1 x 31.75 x 13.2 cm)
Item Weight	12.8 pounds
Manufacturer	ViewSonic



Figure 8.1: Projector Dimensions.

9. WARRANTY AND SUPPORT

9.1. Warranty Information

ViewSonic products typically come with a manufacturer's warranty. For specific warranty terms and conditions applicable to your LS832WU projector, please refer to the warranty card included in your product packaging or visit the official ViewSonic website.

Common warranty coverage includes:



- 3-Year Limited Warranty (for the projector unit)
- Specific coverage for the laser light source (often aligned with the projector warranty or a separate extended period).


9.2. Customer Support

If you require technical assistance, have questions about your product, or need to initiate a warranty claim, please contact ViewSonic customer support. Have your product model number (LS832WU) and serial number ready when contacting support.

You can typically find support contact information on the official ViewSonic website (www.viewsonic.com) or in the Quick Start Guide provided with your projector.

Related Documents

	ViewSonic LS832WU Series DLP Projector Quick Start Guide This document provides a quick start guide for the ViewSonic LS832WU Series DLP Projector, covering setup, connections, and basic operation.
	ViewSonic PJD6353 Short Throw Networkable DLP Projector Discover the ViewSonic PJD6353, a short-throw, networkable DLP projector offering XGA resolution, 2500 ANSI lumens, DynamicEco™ technology, and 6000-hour lamp life for exceptional presentations.
	ViewSonic LSD300W-ST Short Throw LED Projector: Features and Specifications Detailed overview of the ViewSonic LSD300W-ST short-throw LED projector, highlighting its advanced features, specifications, and suitability for educational environments. Includes key benefits like long lifespan, dustproof design, and versatile connectivity.
	ViewSonic LSD300W-ST Projector User Manual LSD300W-ST Comprehensive user manual for the ViewSonic LSD300W-ST projector, covering setup, operation, safety, features, and troubleshooting. Learn how to install and use your projector effectively.



[\[pdf\]](#) User Manual Instructions Guide Warranty

Manual ViewSonic LS832WU Projection Projectors ls832wu manual assetserver net assets viewsonic |||

LS832WU Projector User Guide IMPORTANT: Please read this User Guide to obtain important information on installing and using your product in a safe manner, as well as registering your product for future service. Warranty information contained in this User Guide will describe your limited coverage fro...

lang:en score:41 filesize: 7.61 M page_count: 82 document date: 2023-08-18



[\[pdf\]](#) User Manual Guide

LS832WU UG RUS pass viewsonicglobal public products user guide projector |||

LS832WU VS19516 : **LS832WU** Obrigado por ter escolhido a ViewSonic Como lder mundial de solues visuais, a ViewSonic est empenhada em exceder as expectativas mundiais de evoluo tecnolgica, inovao e simplicidade. Na ViewSonic acreditamos que os nossos produtos tm potencial para criar um impacto ...

lang:en score:40 filesize: 7.69 M page_count: 78 document date: 2023-08-21



[\[pdf\]](#) Guide

LS832WU UG SCH pass viewsonicglobal public products user guide projector |||

LS832WU VS19516 **LS832WU** ViewSonic ViewSonic ViewSonic ViewSonic

ViewSonic - 20 50 10 15 45 3 100 240 10 UPS ViewSonic / 2 RG2 IEC 62471-5:2015

4 - I IEC 60825-1:2014, EN 60825-1:...

lang:en **score:40** filesize: 8.3 M page_count: 79 document date: 2023-11-15



[\[pdf\]](#) Guide

LS832WU UG TCH pass viewsonicglobal public products user guide projector |||

LS832WU VS19516 **LS832WU** ViewSonic ViewSonic ViewSonic ViewSonic

ViewSonic - 20 50 10 15 45 3 100 240 10 UPS ViewSonic / AC RG2 IEC 62471-

5:2015 4 - CLASS I IEC 60825-1:2014, EN 608...

lang:en **score:40** filesize: 8.19 M page_count: 78 document date: 2023-08-22



[\[pdf\]](#) Guide

LS832WU UG ARB pass viewsonicglobal public products user guide projector |||

LS832WU VS19516 **LS832WU** : ViewSonic ViewSonic ViewSonic . ViewSonic .

ViewSonic 2 - 50 20 10 . 15

lang:en **score:40** filesize: 8.26 M page_count: 78 document date: 2023-08-18



[\[pdf\]](#) Guide

LS832WU UG KRN pass viewsonicglobal public products user guide projector |||

LS832WU VS19516 : **LS832WU** ViewSonic ViewSonic , . ViewSonic , ViewSonic .
ViewSonic . - . . . 20 50cm 10 15

lang:en **score:40** filesize: 7.85 M page_count: 77 document date: 2023-08-21



[\[pdf\]](#) Guide

LS832WU UG JPN pass viewsonicglobal public products user guide projector |||

LS832WU VS19516 **LS832WU** ViewSonic ViewSonic ViewSonic ViewSonic
ViewSonic - 20 50 cm 10 15 45 3 2 1 2 1 3 AC100 240V 10V UPS ViewSonic / RG2
IEC 62471-5:2015 4 - ...

lang:en **score:40** filesize: 7.78 M page_count: 78 document date: 2023-08-21




[\[pdf\]](#) Guide

LS832WU UG THA pass viewsonicglobal public products user guide projector |||

LS832WU VS19516 : **LS832WU** ViewSonic ViewSonic ViewSonic ViewSonic
ViewSonic - 20 50 . 10 15 45 , 3 AC 100 240 10 ...

lang:en **score:39** filesize: 7.72 M page_count: 78 document date: 2023-08-22



[\[pdf\]](#) Instructions Guide Warranty

LS832WU User Guide English 5 000 ANSI Lumen WUXGA Ultrakurzdistianz Laser Installations Beamer
ViewSonic Deutschland UG ENG viewsonicglobal public products user guide projector |||

LS832WU Projector User Guide IMPORTANT: Please read this User Guide to obtain important information on installing and using your product in a safe manner, as well as registering your product for future service. Warranty information contained in this User Guide will describe your limited coverage fro...

lang:en score:39 filesize: 8.12 M page_count: 83 document date: 2025-04-22




[\[pdf\]](#) User Manual Guide

LS832WU User Guide Deutsch 5 000 ANSI Lumen WUXGA Ultrakurzdistianz Laser Installations Beamer
ViewSonic Deutschland UG DEU viewsonicglobal public products user guide projector |||

LS832WU Projektor Benutzerhandbuch Modellnr. VS19516 Modellname: **LS832WU**
Vielen Dank fr Ihre Wahl von ViewSonic Als weltweit fhrender Anbieter von visuellen Lsungen ist ViewSonic bestrebt, die Erwartungen der Welt an technologische Entwicklung, Innovation und Einfachheit zu bertreffen. Wir bei Vie...

lang:de score:39 filesize: 7.79 M page_count: 79 document date: 2024-11-15




[\[pdf\]](#) Instructions Guide

LS832WU User Guide Français 5 000 ANSI Lumen WUXGA Ultrakurzdistianz Laser Installations Beamer
ViewSonic Deutschland UG FRN viewsonicglobal public products user guide projector |||

LS832WU Projecteur Guide d utilisation N de modle VS19516 Nom de modle : **LS832WU** Merci d avoir choisi ViewSonic ViewSonic, un des principaux fournisseurs mondiaux de solutions visuelles, s engage dpasser les attentes du monde en matire d volution technologique, d innovation et de simplicit. Chez ...

lang:fr score:38 filesize: 7.78 M page_count: 79 document date: 2024-11-15




[\[pdf\]](#) User Manual Instructions Guide Warranty

viewsonic ls832wu manual projectisle au Images Products 77296 |||

LS832WU Projector User Guide IMPORTANT: Please read this User Guide to obtain important information on installing and using your product in a safe manner, as well as registering your product for future service. Warranty information contained in this User Guide will describe your limited coverage fro...

lang:en **score:37** filesize: 4.36 M page_count: 82 document date: 2024-04-10



[\[pdf\]](#) Instructions Guide Warranty

LS832WU UG ENG pass viewsonicglobal public products user guide projector |||

LS832WU Projector User Guide IMPORTANT: Please read this User Guide to obtain important information on installing and using your product in a safe manner, as well as registering your product for future service. Warranty information contained in this User Guide will describe your limited coverage fro...

lang:en **score:36** filesize: 7.87 M page_count: 82 document date: 2023-12-06



[\[pdf\]](#) Guide

LS832WU UG FIN pass viewsonicglobal public products user guide projector |||

LS832WU Projektori Kyttohje Mallinro VS19516 Mallinimi: **LS832WU** Kiitos ViewSonic-tuotteen valitsemisesta Maailman johtava visuaalisten ratkaisujen tarjoaja ViewSonic on sitoutunut ylittmn teknologiseen kehitykseen, innovaatioon sek yksinkertaisuuteen liittyvt maailmanlaajuiset odotukset. ViewSonic...

lang:fi **score:36** filesize: 7.67 M page_count: 78 document date: 2023-08-18



[\[pdf\]](#) Guide

LS832WU UG POL pass viewsonicglobal public products user guide projector |||

LS832WU Projektor Podręcznik użytkownika Numer modelu VS19516 Nazwa modelu:

LS832WU Dziękujemy za wybranie produktu firmy ViewSonic Jako wiatowy lider w zapewnianiu rozwiązań wizualnych, firma ViewSonic jest zaangażowana w przekraczanie oczekiwań w zakresie ewolucji technologicznej, innowacyjności i prostoty...

lang:pl **score:36** filesize: 7.65 M page_count: 78 document date: 2023-08-21




[\[pdf\]](#) Guide

LS832WU UG SWD pass viewsonicglobal public products user guide projector |||

LS832WU Projektor Bruksanvisning Modellnr. VS19516 Modellnamn: **LS832WU** Tack för att du valt ViewSonic Som världsledande leverantör av visuella lösningar är ViewSonic engagerad i att utföra världens förväntningar för teknisk utveckling, innovationer och enkelhet. Hos ViewSonic vill vi tro att våra produkter har...

lang:no **score:36** filesize: 7.6 M page_count: 78 document date: 2023-08-22



[\[pdf\]](#) Guide

LS832WU UG CZE pass viewsonicglobal public products user guide projector |||

LS832WU Projektor Uživatelská příručka Č. modelu VS19516 Nzev modelu: **LS832WU**

Děkujeme vám, že jste si vybrali ViewSonic Jako světová jednotka v poskytování zobrazovacích řešení se společnost ViewSonic maximálně snaží, aby splnila a překonala očekávání zákazníků z hlediska technologického vývoje, inovací a jednoduchosti. ...

lang:hr **score:36** filesize: 7.63 M page_count: 78 document date: 2023-08-18




[\[pdf\]](#) Guide

LS832WU UG IND pass viewsonicglobal public products user guide projector |||

LS832WU Proyektor Panduan Pengguna Model No. VS19516 Nama Model:

LS832WU Terima kasih Anda telah memilih ViewSonic Sebagai penyedia solusi visual terdepan di dunia, ViewSonic berdedikasi untuk melampaui ekspektasi dunia akan evolusi, inovasi, dan kesederhanaan teknologi. Di ViewSonic, kami percaya...
lang:id **score:36** filesize: 7.55 M page_count: 78 document date: 2023-08-21



[\[pdf\]](#) User Manual Installation Guide Instructions Guide Warranty

ManualViewSonic LS832WU Projection Install Projectors 5000 Lumensls832wu manualcdn assetserver net assets viewsonic ls832wu manual |||

LS832WU Projector User Guide IMPORTANT: Please read this User Guide to obtain important information on installing and using your product in a safe manner, as well as registering your product for future service. Warranty information contained in this User Guide will describe your limited coverage fro...

lang:en **score:36** filesize: 7.61 M page_count: 82 document date: 2023-08-18



[\[pdf\]](#) Guide

LS832WU UG TRK pass viewsonicglobal public products user guide projector |||

LS832WU Projektr Kullanım Kılavuzu Model No. VS19516 Model Adı:**LS832WU**

ViewSonic rnrlerini tercih ettiiniz iin teekkr ederiz Dnyanın nde gelen grsel zmler salayicisi olan ViewSonic, teknolojik evrim, yenilik ve basitlik anlamında dnyanın beklentilerini amayi hedeflemektedir. Biz ViewSonic olarak r...

lang:id **score:36** filesize: 7.63 M page_count: 81 document date: 2023-08-22



[\[pdf\]](#) Guide

LS832WU UG ITL pass viewsonicglobal public products user guide projector |||

LS832WU Proiettore Manuale per l'utente Codice modello: VS19516 Nome del modello: **LS832WU** Grazie per aver scelto ViewSonic In qualità di fornitore leader mondiale di soluzioni visive, ViewSonic dedica al superamento delle aspettative di evoluzione tecnologica, innovazione e semplicità a livello mon...

lang:it score:36 filesize: 7.61 M page_count: 78 document date: 2023-08-21




[\[pdf\]](#) User Manual Guide

LS832WU UG PTG pass viewsonicglobal public products user guide projector |||

LS832WU Projector Manual do utilizador N. do modelo: VS19516 Nome do modelo: **LS832WU** Obrigado por ter escolhido a ViewSonic Como líder mundial de soluções visuais, a ViewSonic está empenhada em exceder as expectativas mundiais de evolução tecnológica, inovação e simplicidade. Na ViewSonic acreditamos que o...

lang:pt score:36 filesize: 7.63 M page_count: 78 document date: 2023-08-21




[\[pdf\]](#) Instructions Guide

LS832WU UG FRN pass viewsonicglobal public products user guide projector |||

LS832WU Projecteur Guide d'utilisation N de modèle VS19516 Nom de modèle : **LS832WU** Merci d'avoir choisi ViewSonic ViewSonic, un des principaux fournisseurs mondiaux de solutions visuelles, s'engage à dépasser les attentes du monde en matière d'évolution technologique, d'innovation et de simplicité. Chez ...

lang:fr score:35 filesize: 7.84 M page_count: 78 document date: 2023-12-07




[pdf] User Manual Guide

LS832WU UG ESP pass viewsonicglobal public products user guide projector |||

LS832WU Proyector Gua de usuario IMPORTANTE: Lea esta gua de usuario para obtener informacin importante sobre la instalacin y el uso seguros del producto y para registrarlo para su mantenimiento en el futuro. La informacin sobre la garanta contenida en la gua de usuario describe la cobertura limitada...

lang:es score:35 filesize: 7.7 M page_count: 81 document date: 2023-08-21



[pdf] Guide

LS832WU UG VIE pass viewsonicglobal public products user guide projector |||

LS832WU My chiu Hng dn s dng S kiu my VS19516 Tn kiu my: Dng**LS832WU** Cm n bn chn ViewSonic L mt nh cung cp cc gii php hnh nh dn u ton cu, ViewSonic n lc vt ln trn k vng ca th gii v s pht trin, i mi v n gin ca cng ngh. Ti ViewSonic, chng ti tin rng cc sn phm ca chng ti c th to ra tc ng tch cc i vi...


lang:tl score:35 filesize: 7.6 M page_count: 78 document date: 2023-08-22



[pdf]

Spec Sheet ViewSonic LS832WU Projection Projectors ls832wu spec assetserver net assets viewsonic ||| 9/7/23, 4:09 PM Key Features **LS832WU** 5,000 ANSI Lumens WUXGA Ultra Short Throw Laser Installation Projector PROJECTOR **LS832WU** 0.25 ultra short throw for space-saving installation 2nd generation Laser Phosphor technology with up to a 30,000-hour lifespan 5,000 ANSI Lumens offering bright images in ...

lang:en score:34 filesize: 518.71 K page_count: 3 document date: 2023-09-07



[pdf] Datasheet

ViewSonic LS832WU Datasheet EN beamer nbsp viewsonic ls832wu datasheet en 6907514445399 thenextshop nl files |||


Key Features 0.25 ultra-short throw for space-saving installation 2nd generation Laser Phosphor tech ... r costper-inch H/V keystone and 4corner adjustment for enhanced installation flexibility PROJECTOR **LS832WU** Product Description The **LS832WU** is part of ViewSonic s Luminous Superior series, a lamp-free... lang:en score:33 filesize: 519.04 K page_count: 3 document date: 2023-05-11



[pdf] Installation Guide

Spec SheetViewSonic LS832WU Projection Install Projectors 5000 Lumensls832wu speccd assetsserver net assets viewsonic ls832wu spec |||

9/7/23, 4:09 PM Key Features **LS832WU** 5,000 ANSI Lumens WUXGA Ultra Short Throw Laser Installation Projector PROJECTOR **LS832WU** 0.25 ultra short throw for space-saving installation 2nd generation Laser Phosphor technology with up to a 30,000-hour lifespan 5,000 ANSI Lumens offering bright images in ... lang:en score:32 filesize: 518.71 K page_count: 3 document date: 2023-09-07



[pdf]

Fiche constructeur ViewSonic LS832WU Tous les vidéoprojecteurs sur EasyLounge ls832wu 6501bbeb4ca7e easylounge Produits 6f405623 58a9 4beb b054 ee6e2f7cb3bde |||

Videoprojecteur Laser Full HD Tv Wifi 4k, 3D, UHD Pas Cher ViewSonic VIDOPROJECTEURS https://www.viewsonic.com/fr/products/sheet/**LS832WU** Vidoprojecteur Laser **LS832WU** Ultra-courte focale pour une installation optimise Technologie de Phosphore Laser de 2me gnration avec une dure de vie de 30 000... lang:fr score:32 filesize: 492.22 K page_count: 3 document date: 2023-09-13



[pdf]

VIEWSONIC LS832WU viewsonicls832wu hc en projektoren datenbank |||


Viewsonic **LS832WU** VIEWSONIC **LS832WU** Screen Projector Brief Introduction Beta 2.5 Display Type Ansi-Lumen Contrast Black Level Offset Resolution Video Modes Disc Recognition 3D Compatibility Application Light Source Light Life Operating Costs Focus Zoom Objective Throw Ratio Audio Connections The ... lang:en score:32 filesize: 167.89 K page_count: 2 document date: 2024-10-26



[pdf] Borchure

Viewsonic LS832wu Brochure projectisle au Images Products 77296 |||

PROJECTOR 0.25 ultra short throw for space-saving installation 2nd generation Laser Phosphor techn ... lower costper-inch H/V keystone and 4 corner adjustment for enhanced installation flexibility The **LS832WU** is part of ViewSonic s Luminous Superior series, a lamp-free high brightness projector lineu... lang:en score:31 filesize: 197.8 K page_count: 3 document date: 2023-07-27



[pdf]

Prospekt englisch Viewsonic Projektoren LS832WU WUXGA DLP Beamer viewsonicls832wu en hcinema de |||

LS832WU 5,000 ANSI Lumens WUXGA Ultra Short Throw Laser Insta...

PROJECTOR https://www.viewsonic.com/eu/products/sheet/**LS832WU** 0.25 ultra short throw for space-saving installation 2nd generation Laser Phosphor technology with up to a 30,000hour lifespan 5,000 ANSI Lumens offering bright images ... lang:en score:31 filesize: 473.94 K page_count: 3 document date: 2023-07-27



[pdf] Datasheet

Andreas Fernandez Viewsonic Projector LS832WU Laser ANSI lumen 5000 Im 1920 x 1200 WUXGA

3000000 1 White Conrad datasheet 2865143 viewsonic projector ls832wu laser ansi wuxga white asset

conrad media10 add 160267 c1 gl 002865143DS00 |||

Beamer **LS832WU** 16:10 LASER INSTALLATIONSBEAMER Hauptmerkmale 0,253

Throw Ratio fr platzsparende Installation Laser-Phosphor-Technologie der 2.

Generation mit bis zu 30.000 Stunden Lebensdauer 5.000 ANSI-Lumen fr lichtstarke

Bilder in jeder Umgebung Groformatige Bilder zum attraktiven Preis-Leist...

lang:de score:30 filesize: 269.75 K page_count: 2 document date: 2023-03-07



[pdf] Datasheet

viewsonic ls832wu projector data sheet 1 media bechtle asrc 180712

1c4b3d4ee288fc9434f5175bf56070570 c3 d8f998c9cdc646c586491103d4396989 |||

22.05.23, 14:42 **LS832WU** 5,000 ANSI Lumens WUXGA Ultra Short Throw Laser

Installation Projector PROJECTOR **LS832WU** Key Features 0.25 ultra-short throw for

space-saving installation 2nd generation Laser Phosphor technology with up to a

30,000hour lifespan 5,000 ANSI lumens offering bright images in ...

lang:en score:30 filesize: 520.78 K page_count: 3 document date: 2023-05-22



[pdf] Specifications

LS832WU 5 000 ANSI Lumens WUXGA Ultra Short Throw Laser Installation Projector ViewSonic United

Kingdom Specification sheet Viewsonic Projector Future Visuals 5000 futurevisuals co uk 2024 02 |||


26/04/2024, 15:56 **LS832WU** 5,000 ANSI Lumens WUXGA Ultra Short Throw Laser

Installation Projector- ViewSonic United Kingdom PROJECTOR **LS832WU** Key

Features 0.25 ultra-short throw for space-saving installation 2nd generation Laser

Phosphor technology with up to a 30,000hour lifespan 5,000 ANSI lumen...

lang:en score:30 filesize: 539.46 K page_count: 4 document date: 2024-04-26



[pdf] Quick Start Guide

ViewSonic® K 12 Education Solutions 9 hours ago — Start your meetings with a education solutions

quick start guides and additional resources 25 IT CERTIFIED Page 14 The ViewSonic Educator

Community viewsonic lookbook 5 avisystems hubfs website partners |||


ViewSonic K-12 Education Solutions Transforming Schools into Immersive Learning

Environments Campus ... LABEL MODELS: LS510WH-2 LS560WH LS610WH

LS610HDH LS711HD LS740HD LS740W LS741HD LS751HD **LS832WU** LS920WU

LS921WU LX700-4K 17 Esports Solutions Our monitors, large format commercial di...


lang:en score:30 filesize: 21.56 M page_count: 15 document date: 2024-08-15



Key Features



Product Description



Key Features



Product Description



Key Features



Product Description

[\[pdf\]](#) Borchure

[\[pdf\]](#)

[\[pdf\]](#) Specifications

ViewSonic  PROJECTOR **LS832WU**

Key Features

- 0.25 ultra-short throw with space saving installation
- 2160 generation Laser Phosphor technology with up to 150,000-hour lifespan
- 5,000 ANSI lumens offering bright images in any environment
- Up to 170° ultra-large screen with lower cost-per-inch
- HiV Keystone and 6-corner adjustment for enhanced installation flexibility

Product Description

The LS832WU is part of ViewSonic's Ultimate Superior series, a lamp-free high brightness projector lineup designed for both commercial and educational applications. This advanced 5,000 ANSI lumens WXGA short throw laser projector is a portable digital signage solution for public and commercial applications, such as in museums, universities, shopping malls, and airports. The LS832WU's 0.25 ultra-short throw ratio allows for a 170° screen size with very low cost, and the screen can be further expanded up to 170°, offering a lower cost per inch compared to other types of commercial displays. Adding the 2160-generation Laser Phosphor technology, it produces consistent high brightness for up to 30,000 hours lifespan. With HiV keystone and 6-corner stage adjustment, the LS832WU offers flexible installation options. Complete with remote controls, LAN control, and web-based management of multiple devices and is compatible with Crestron, AMX, Extron, and JMLAN-4 control systems.

[\[pdf\]](#) Borchure

Viewsonic LS832WU BrochureDownload Projectorpoint 5000 ANSI Lumens WUXGA Ultra Short Throw

Laser Installation Projector ViewSonic United Kingdom projectorpoint.co.uk 2023 11 |||

Key Features 0.25 ultra-short throw for space-saving installation 2nd generation Laser Phosphor tech ... r costper-inch H/V keystone and 4corner adjustment for enhanced installation flexibility PROJECTOR **LS832WU** Product Description The **LS832WU** is part of ViewSonic s Luminous Superior series, a lamp-free...

lang:en score:29 filesize: 494.92 K page count: 4 document date: 2023-11-28

[illegible]

[\[pdf\]](#)

ViewSonic LS832WU Datenblatt WUXGA 5000 Ansi Ultrakurzdistanz Laser DLP Projektor M10176 m

medientechnik24 de media 40 d6 1689760178 |||

Hauptmerkmale 0,25 Ultra-Kurzdistanz für platzsparenden Einbau Laser-Phosphor-Technologie der 2. Generation pro Zoll H/V-Trapez- und 4-Ecken-Einstellung für mehr Flexibilität bei der Installation **PROJEKTOR LS832WU**

Produktbeschreibung Der **LS832WU** ist Teil der Luminous Superior-Serie von ViewSonic, einer I...

lang:de score:29 filesize: 513.09 K page count: 3 document date: 2023-07-19



L832HW • 5000 ANSI LUMENS WXGA ULTRA SHORT THROW LASER DISPLAY PROJECTOR

Key Features

- High brightness 5000 Lumens WXGA laser projector with 0.25 ultra short throw and advanced optical technology
- Long lasting laser phosphor light source allows the lamp to glow bright for up to 30,000 hours
- 1.25 ultra short throw ratio, 100 Keystone, 4 corner autoalignment and 360 degree rotation
- HDMI and manage the projector remotely with ControlLink, Apple, Roku, iLuv, XBox, and Playstation 3 controllers
- Support multiple display setups, 3D ready, and mobile devices with built-in USB, HDMI and Bluetooth link





0.25:1 throw
display



PANEL



1080p 1280
resolution



Product Description

The ViewSonic® ultra short throw L832HW projector is the ultimate digital signage solution for public and commercial spaces such as advertising, retail, education, and corporate training rooms. With a throw ratio of 0.25:1, the L832HW can project a 1080p image and display data in 1080p resolution in less than 10 inches from the screen. This makes it a perfect choice for product presentations and training in the boardroom. The L832HW also features a 1.25:1 ultra short throw ratio, 100 Keystone, 4 corner autoalignment, and 360 degree rotation. This makes it a perfect choice for product presentations and training in the boardroom. The L832HW also features a 1.25:1 ultra short throw ratio, 100 Keystone, 4 corner autoalignment, and 360 degree rotation. This makes it a perfect choice for product presentations and training in the boardroom. The L832HW also features a 1.25:1 ultra short throw ratio, 100 Keystone, 4 corner autoalignment, and 360 degree rotation. This makes it a perfect choice for product presentations and training in the boardroom.

[\[pdf\]](#) Datasheet

LS832WU 5 000 ANSI lms WUXGA Ultra Short Throw Laser Installation Projector ViewSonic Corp AV iQ

cdn docs av iq dataSheet |||

LS832WU - 5000 ANSI LUMENS WUXGA ULTRA SHORT THROW LASER
INSTALLATION PROJECTOR Key Features High brightness 5000 Lumens WUXGA
laser projector with 0.25 ultra short throw and advanced visual features Long-lasting
laser phosphor light source allows the lamp to shine bright for up to 30,000 hours 0...

lang:en score:28 filesize: 2 M page count: 3 document date: 0000-00-00




[\[pdf\]](#) Datasheet

Product DatasheetViewSonic LS832WU 5 000 ANSI Lumens WUXGA Ultra Short Throw Laser Inst

ViewSonic StoreLS832WU Installation Projectorcdn.shopify.s/files/1/0600/4883/4772/Projector_v1686107409_|||

6/7/23, 11:09 AM Key Features **LS832WU** 5,000 ANSI Lumens WUXGA Ultra Short Throw Laser Installation Projector PROJECTOR **LS832WU** 0.25 ultra short throw for space-saving installation 2nd generation Laser Phosphor technology with up to a 30,000-hour lifespan 5,000 ANSI Lumens offering bright images in...

lang:en score:28 filesize: 508.67 K page_count: 3 document date: 2023-06-07



[\[pdf\]](#)

Videoprojecteur Laser Full HD Tv Wifi 4k 3D UHD Pas CherLe rapport de projection ultra courte 25 du LS832WU permet d obtenir un écran 100 à une distance 28 cm seulement et la taille l ls832wu


6501bbeb4ca7eeasylounge Produits 6f405623 58a9 4beb b054 ee6e2f7cb3de ls832wu 6501bbeb4ca7e
srsltid AfmBOOpK6Nw C4si1qjCgHbTk4xDqh58JC2ueoVUsTnReEG4zaRjpAm |||

Videoprojecteur Laser Full HD Tv Wifi 4k, 3D, UHD Pas Cher ViewSonic

VIDOPROJECTEURS <https://www.viewsonic.com/fr/products/sheet/LS832WU>

Vidoprojecteur Laser **LS832WU** Ultra-courte focale pour une installation optimisée
Technologie de Phosphore Laser de 2^{me} génération avec une durée de vie de 30 000...

lang:fr score:27 filesize: 492.22 K page_count: 3 document date: 2023-09-13




[\[pdf\]](#)

Andreas Fernandez LS832WU de datenblatt laratech shop out media |||

Beamer **LS832WU** 16:10 LASER INSTALLATIONSBEAMER Hauptmerkmale 0,253
Ultrakurzdistanz fr platzsparende Installation Laser-Phosphor-Technologie der 2.
Generation mit bis zu 30.000 Stunden Lebensdauer 5.000 ANSI-Lumen fr lichtstarke
Bilder in jeder Umgebung Groformatige Bilder zum attraktiven P r e i s

lang:de score:27 filesize: 331.63 K page count: 2 document date: 2023-05-30



LS832WU - 5000 ANSI LUMENS WUXGA ULTRA SHORT THROW LASER
INSTALLATION PROJECTOR Key Features High brightness 5000 Lumens WUXGA
laser projector with 0.25 ultra short throw and advanced visual features Long-lasting
laser phosphor light source allows the lamp to shine bright for up to 30,000 hours 0...
lang:en score:26 filesize: 2 M page_count: 3 document date: 0000-00-00




LS832WU 5,000 ANSI Lumens WUXGA Ultra Short Throw Laser Insta...
<https://www.viewsonic.com/eu/products/sheet/LS832WU> Key Features **LS832WU**
 PROJECTOR 0.25 ultra short throw for space-saving installation 2nd generation
 Laser Phosphor technology with up to a 30,000hour lifespan 5,000 ANSI Lumens
 lang:en score:25 filesize: 444.16 K page_count: 3 document date: 2023-07-07



LS832WU 5 000 ANSI Lumens WUXGA Ultra Short Throw Laser Installation Projector ViewSonic United Kingdom Die visunext Group 1 Remote Control QSG Yes OPTIONAL ACCESSORY Wall Ceiling Mount PJ WMK 304 007 Copyright © Corporation 2000 2025 All rights reserved manufacturer 1000030450 en datasheet images visunextgroup documents |||

Key Features PROJECTOR **LS832WU** 0.25 ultra-short throw for space-saving installation 2nd generation Laser Phosphor technology with up to a 30,000-hour lifespan 5,000 ANSI lumens offering bright images in any environment Up to 170 ultra-large screen with lower cost-per-inch H/V keystone and 4-corne...

lang:en score:25 filesize: 462.86 K page_count: 2 document date: 2025-03-05



[pdf] Instructions Guide

Manuel d'utilisation ViewSonic LS832WU Tous les vidéoprojecteurs sur EasyLounge ls832wu 6501bc5070860 easylounge Produits 56f446ed c14f 4e7a b1d4 70462c3b2bdb |||

LS832WU Projecteur Guide d'utilisation N de modle VS19516 Nom de modle :

LS832WU Merci d'avoir choisi ViewSonic ViewSonic, un des principaux fournisseurs mondiaux de solutions visuelles, s'engage à dépasser les attentes du monde en matière d'évolution technologique, d'innovation et de simplicité. Chez ...

lang:fr score:24 filesize: 4.37 M page_count: 78 document date: 2023-09-13



[pdf] Datasheet

LS832WU 5 000 ANSI Lumens WUXGA Ultra Short Throw Laser Installation Projector

5000 Projector Datasheet abshop in th 2025 05

|||

LS832WU 0.25 ultra short throw for space-saving installation 2nd generation Laser Phosphor technology with up to a 30,000-hour lifespan 5,000 ANSI Lumens offering bright images in any environment Up to 170 ultra-large screen with lower cost-per-inch H/V keystone and 4 corner adjustment for enh...

lang:en score:24 filesize: 490.18 K page_count: 3 document date: 2025-05-26