

Ibergrif M41001-2

Ibergrif M41001-2 Universal D-Shape Toilet Seat

Model: M41001-2 | Brand: Ibergrif

1. INTRODUCTION

This manual provides instructions for the installation, operation, maintenance, and troubleshooting of your Ibergrif M41001-2 Universal D-Shape Toilet Seat. Please read these instructions carefully before installation and retain them for future reference. This toilet seat is designed for universal D-shape toilets and includes both an adult and a child seat, featuring soft-close functionality and a quick-release mechanism for easy cleaning.

2. PRODUCT FEATURES

- **High-Quality Material:** Constructed from durable Polypropylene (PP) which is anti-stain, anti-fading, and anti-scratch, ensuring a long service life.
- **Integrated Child Seat:** Includes both an adult and a child toilet seat, ideal for families and assisting children in developing toilet habits.
- **Soft-Close Function:** The adult seat features a slow-lowering, soft-close mechanism to prevent slamming and reduce noise. *Note: The child seat does not have a soft-close function.*
- **Quick-Release Design:** Easily remove the toilet seat for thorough daily cleaning and maintenance.
- **Easy Installation:** Designed for straightforward installation with all necessary hardware included.
- **Universal Fit:** Adjustable hinge distance accommodates most standard U or D-shaped toilet bowls. Please measure your toilet bowl before ordering to ensure compatibility.



Image: Overview of premium features including anti-bacterial material, silent soft-close, durability, scratch resistance, and ergonomic design.

Toilettensitz mit Soft-Close-Funktion



Lautloses Soft-Close



Mit 4
Dämpfungspolstern



Lautlos

Image: Illustration of the soft-close function, showing the lid gently closing without noise, supported by four damping cushions.



Image: Demonstrates the quick-release mechanism, allowing the seat to be easily removed for cleaning hard-to-reach areas.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Ibergrif M41001-2 Toilet Seat (Adult and Child seats)
- Mounting Hardware (bolts, washers, nuts)
- Installation Instructions (this manual)



4. SPECIFICATIONS

Attribute	Detail
Brand	Ibergrif
Model Number	M41001-2
Color	White
Material	Polypropylene (PP)
Style	Type D-2
Shape	D-Shaped
Product Dimensions	18.5"L x 14.17"W (470mm L x 360mm W)
Item Weight	2.3 Kilograms (5.06 pounds)

Wählen Sie den Toilettensitz, der am Besten zu Ihnen Passt





Reduziert 99,9 %
der Bakterien



Tragkraft:
150 KG



Kratzfest



D-Form **O-Form**

Neue Größe

Image: Detailed dimensions of the toilet seat, indicating length, width, and hinge spacing for proper fitment.

Wählen Sie die Toilettensitz-Form die am Besten zu Ihnen Passt




Image: Comparison of toilet seat shapes (O-shape, D-shape, Rectangular), highlighting the D-shape as the compatible type for this product.

5. SAFETY INFORMATION

- Do not stand on the toilet seat or lid.
- Avoid using abrasive cleaners or harsh chemicals, as they can damage the surface.
- Ensure all mounting hardware is securely tightened to prevent movement or injury.
- Keep small children supervised when using the toilet, especially with the child seat feature.

6. INSTALLATION

Follow these steps for proper installation of your Ibergrif M41001-2 toilet seat:

1. **Prepare the Toilet:** Ensure the toilet bowl is clean and free of any old mounting hardware.
2. **Insert Bolt Sets:** Place the two bolt sets into the mounting holes on the toilet bowl.
3. **Temporarily Tighten Bolts:** Hand-tighten the bolts slightly, but do not fully tighten them yet. This allows for adjustment.
4. **Position the Seat:** Place the toilet seat vertically onto the bolt sets, aligning the hinges with the

bolts.

5. **Adjust Seat Position:** Adjust the seat until it is centered and in a satisfactory position on the toilet bowl.
6. **Firmly Tighten Screws:** Once the seat is correctly positioned, release the seat and firmly tighten the screws using a screwdriver.
7. **Place Bolt Covers:** Snap the decorative bolt covers over the tightened bolts.
8. **Test Functionality:** Gently lower the seat and lid to ensure the soft-close mechanism functions correctly and the seat is stable.



Image: Visual guide showing the components for quick installation, including the bolts and mounting plates.

Installation Video Guide

Your browser does not support the video tag.

Video: A general guide demonstrating the installation process for a quick-release toilet seat. While not specific to the Ibergrif brand, the steps are broadly applicable.

7. OPERATION

- **Soft-Close Function:** To engage the soft-close feature, simply push the adult seat and lid down gently. They will lower slowly and quietly on their own. Do not force them down, as this can damage

the mechanism.

- **Child Seat Usage:** The integrated child seat can be lowered for use by children and lifted back into the adult lid when not needed.
- **Quick Release:** To remove the seat for cleaning, locate the quick-release buttons or levers near the hinges (refer to installation images for visual guidance). Press or lift these mechanisms to detach the seat from the mounting posts.



Image: Highlights the ergonomic design of the toilet seat, which aims to distribute pressure evenly and enhance comfort during use.

8. MAINTENANCE AND CLEANING

Regular cleaning and proper maintenance will extend the life of your toilet seat.

- **Daily Cleaning:** Use a soft cloth with mild soap and water to clean the surface of the seat and lid.
- **Deep Cleaning:** Utilize the quick-release feature to easily remove the seat. This allows for thorough cleaning of the hinges and hard-to-reach areas around the toilet bowl.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, strong acids, or alkaline detergents, as these can scratch or discolor the polypropylene material.
- **Drying:** Always wipe the seat dry after cleaning to prevent water spots and maintain hygiene.

9. TROUBLESHOOTING

If you encounter any issues with your Ibergrif M41001-2 toilet seat, refer to the following common problems and solutions:

- **Seat is Loose:** Check if the mounting bolts are securely tightened. If they have loosened over time, re-tighten them firmly.
- **Soft-Close Not Working:** Ensure no obstructions are preventing the lid from closing smoothly. If the mechanism seems faulty, contact customer support. Avoid forcing the lid down.
- **Seat Does Not Fit Properly:** Verify that your toilet bowl is a standard U or D-shape. Re-check the dimensions against the product specifications. The adjustable hinges allow for some flexibility in fitment.
- **Difficulty with Quick Release:** Ensure you are pressing the release buttons/levers correctly. If the mechanism is stiff, ensure it is clean and free of debris.

10. WARRANTY AND SUPPORT

Ibergrif products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty information provided at the point of purchase or contact Ibergrif customer service directly. If you require further assistance or have questions not covered in this manual, please reach out to Ibergrif customer support through their official channels.