Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Yaheetech /
- > Yaheetech Twin Size Metal Platform Bed Frame Instruction Manual

Yaheetech YT-00123773-001

Yaheetech Twin Size Metal Platform Bed Frame Instruction Manual

Model: YT-00123773-001 Brand: Yaheetech

Introduction

This manual provides detailed instructions for the assembly, operation, and maintenance of your Yaheetech Twin Size Metal Platform Bed Frame. Please read all instructions carefully before assembly and use to ensure proper setup and safe operation. Keep this manual for future reference.



Image: The Yaheetech Twin Size Metal Platform Bed Frame, featuring a diamond pattern headboard and footboard, in a bedroom setting.

SAFETY INFORMATION

- Do not exceed the maximum weight recommendation of 450 pounds.
- · Be cautious of sharp edges during assembly.
- Securely store items in under-bed storage to prevent shifting.
- Ensure non-slip foot caps are properly secured to prevent slipping.
- Always follow assembly instructions precisely to ensure structural integrity.
- Periodically check all bolts and connections to ensure they remain tight.

PACKAGE CONTENTS

Before beginning assembly, verify that all components are present and undamaged. If any parts are missing or damaged, please contact customer support.

- · Headboard and Footboard panels
- Side Rails
- · Steel Slats
- Support Legs
- Hardware Pack (bolts, washers, nuts, Allen wrench)
- · Assembly Instructions Sheet

ASSEMBLY INSTRUCTIONS

Assembly is designed to be intuitive and efficient. It is recommended to have two people for assembly. Please follow these steps:

- 1. **Unpack and Identify Parts:** Lay out all components on a soft, clean surface to prevent scratches. Refer to the parts list to ensure everything is accounted for.
- 2. Attach Side Rails to Headboard and Footboard: Align the side rails with the designated connection points on the headboard and footboard. Secure them using the provided bolts and the Allen wrench. Do not fully tighten bolts until all connections are made.
- 3. Install Center Support Legs: Attach any center support legs to the main frame as indicated in the diagrams.
- 4. **Insert Steel Slats:** The bed frame features a 12-slat support system. Carefully insert each metal slat into the designated notches on the side rails. Ensure each slat is firmly seated.



Image: Illustration showing how to align the metal pipe with the notch during assembly.



Image: Illustration demonstrating to press firmly to secure the connection point.

5. **Secure Slats with L-shaped Plates:** For enhanced stability, fasten the L-shaped plates to secure the slats, as shown in the diagram.




Image: Close-up view of L-shaped plates being fastened to secure the bed slats, enhancing stability.

- 6. **Tighten All Bolts:** Once all components are in place, go back and securely tighten all bolts. Do not overtighten.
- 7. Place Mattress: Position your twin-size mattress directly onto the installed slats. No box spring is required.

For a visual guide to assembly, please refer to the official product video:

Video: Official Yaheetech assembly guide for the Vintage Twin Size Metal Bed Frame. This video demonstrates the step-by-step process of putting together the bed frame, highlighting key connection points and ensuring proper setup.

OPERATING INSTRUCTIONS

- **Mattress Placement:** Place your twin-size mattress directly on the steel slats. The 12-slat support system eliminates the need for a box spring. The slats are spaced approximately 5.3-5.5 inches apart.
- Mattress Security: The side rails are designed to be higher than the inserted slats, along with a higher foot end, to prevent the mattress from sliding or shifting during use.




Image: Diagram illustrating how the built-in slats and frame design prevent the mattress from sliding.

• **Under-Bed Storage:** The bed frame provides approximately 13 inches of clearance from the ground, offering ample space for under-bed storage. Utilize this space for boxes, bins, or other items to maximize room organization.



Image: View showing the 13-inch ground clearance under the bed frame, suitable for storage containers.

MAINTENANCE

- Cleaning: Wipe clean with a dry cloth. Avoid using harsh chemicals or abrasive cleaners that may damage the finish.
- Regular Inspection: Periodically inspect all bolts and connections to ensure they are tight. Re-tighten if necessary to maintain stability and prevent squeaking.
- Foot Caps: Ensure the protective foot caps are intact to prevent floor damage and maintain stability.

TROUBLESHOOTING

- Squeaking Noises: If the bed frame squeaks, check all bolts and ensure they are securely tightened. Loose connections are a common cause of noise.
- Instability/Wobbling: Verify that all components are correctly assembled according to the instructions. Ensure the bed is on a level surface. Re-tighten all hardware.
- Missing Parts: If any parts are missing upon arrival, refer to the package contents list and contact Yaheetech

customer support for assistance.

• Mattress Sliding: Ensure the mattress is properly centered on the slats and that the footboard and side rails are correctly installed to contain the mattress.

SPECIFICATIONS

Feature	Detail
Standard Size	Twin
Material	Iron
Weight Capacity	450 lb
Applicable Mattress Size	75"x39"
Overall Dimensions (L x W x H)	77.5"L x 41"W x 41.5"H
Ground Clearance	13 Inches
Color	White
Finish Type	Powder Coated
Assembly Required	Yes



Image: Detailed diagram illustrating the dimensions and key specifications of the bed frame.

WARRANTY AND SUPPORT

For warranty information, product support, or to inquire about replacement parts, please contact Yaheetech customer service directly. Refer to your purchase documentation or the official Yaheetech website for contact details.

Online resources and FAQs may also be available on the Yaheetech Store.

© 2025 Yaheetech. All rights reserved.

