

VTech CS1501

VTech CS1501 DECT Cordless Phone User Manual (2-Handset)

Model: CS1501

INTRODUCTION

This manual provides detailed instructions for the setup, operation, and maintenance of your VTech CS1501 DECT Cordless Phone system. Please read this manual thoroughly to ensure proper use and to take full advantage of all features.

PACKAGE CONTENTS

Your VTech CS1501 package includes the following items:

- 2 x Cordless Handsets
- 2 x Handset Chargers (Bases)
- 4 x NiMH Rechargeable Batteries (2 per handset)
- 1 x Telephone Line Cord
- 1 x Power Adapter for Base Unit
- 1 x Quick Start Guide (not included in this digital manual)



Image: Two VTech CS1501 cordless handsets with their respective charging bases.

SETUP

1. Battery Installation

1. Open the battery compartment cover on the back of each handset.
2. Insert the two supplied NiMH rechargeable batteries, observing the correct polarity (+ and -).
3. Close the battery compartment cover securely.

2. Base Unit Connection

1. Connect the power adapter to the base unit and plug it into a standard electrical outlet.
2. Connect one end of the telephone line cord to the base unit and the other end to your telephone wall jack.

3. Charging the Handsets

Place each handset on its respective charging base. The innovative dual-charging design allows you to place the handset face down or face up. Face-up orientation allows for easy screen viewing, while face-down is convenient for quick placement and maintaining the unit's sleek design.

Combiné avec deux modes de recharge



La conception innovante du chargement permet aux utilisateurs de charger le combiné face vers le bas ou face vers le haut. L'orientation vers l'avant permet de voir facilement l'écran, tandis que l'orientation vers l'arrière permet de placer facilement le téléphone.

Image: A VTech CS1501 handset being charged, illustrating the dual-charging capability (face up or face down).
Allow the handsets to charge for at least 16 hours before initial use to ensure optimal battery performance.

OPERATING INSTRUCTIONS

Making and Receiving Calls

- **To Make a Call:** Press the **TALK/FLASH** button, then dial the number.
- **To Receive a Call:** When the phone rings, press the **TALK/FLASH** button.
- **To End a Call:** Press the **OFF/CLEAR** button or place the handset back on the charger.

Hands-Free Speakerphone

To activate the hands-free speakerphone during a call, press the **SPEAKER** button. Press it again to return to handset mode.

Mains libres



Appelez en mode mains libres en appuyant sur une simple touche.

Image: A VTech CS1501 handset in a kitchen, with an overlay indicating the speakerphone button for hands-free calling.

Caller ID / Call Waiting

The handset displays the name, number, time, and date of incoming calls. The phone stores up to 20 caller ID records. If you subscribe to Call Waiting service, the phone will alert you to a second incoming call.

ID appellant/ Appel en attente* — mémorise 20 appels



*Visualisation du numéro entrant avec ID appellant/appel en attente.
Le combiné affiche le nom, le numéro, l'heure et la date des appels entrants.*

Image: A VTech CS1501 handset showing a phone number on its display, with an adjacent graphic illustrating a list of stored caller ID entries.

Phonebook (Directory)

You can store up to 60 names and numbers in the phonebook for quick dialing. Refer to the on-screen menu for adding, editing, and deleting entries.

Répertoire de 60 noms et numéros



Numéros souvent appelés faciles à enregistrer et à composer.

Image: A VTech CS1501 handset displaying a phone number on its screen, indicating the phonebook feature for storing up to 60 contacts.

Call Blocker

The nuisance call blocker allows you to block unwanted calls. You can add up to 60 numbers to the blacklist. Access this feature through the handset menu to manage blocked numbers.

Bloqueur d'appels importuns et indésirables



Enregistrez jusqu'à 60 noms et numéros dans la liste de blocage des appels pour empêcher les appels indésirables de sonner.

Image: A close-up of the VTech CS1501 handset keypad, with a magnified view of the call blocker button, indicating its function.

3-Way Conferencing

The handset call transfer and intercom features enable multiple users to participate in a conversation simultaneously. This allows for a three-way conference call.

Conférence à trois



Le transfert d'appel et l'intercom du combiné permettent à plusieurs utilisateurs de prendre part à la conversation simultanément.

Image: A collage of three individuals engaged in phone conversations, representing the 3-way conferencing capability of the phone system.

Redial

The phone stores the last 10 numbers dialed. To redial a number, press the **REDIAL** button and select the desired number from the list.

Rappel automatique des 10 derniers numéros composés



Recomposez les 10 derniers numéros appelés par simple pression sur un bouton.

Image: A VTech CS1501 handset displaying a phone number, with an arrow pointing to the redial button, illustrating the 10-number redial feature.

Additional Functions

- **Alarm Function:** Set practical alarms on the handset.
- **Mute Function:** Mute your voice during calls when privacy is needed.

Fonction d'alarme et de sourdine



Définissez des alarmes pratiques sur le combiné ou mettez votre voix en sourdine lors des appels lorsque vous avez besoin d'intimité.

Image: A split image showing a person exercising (with an alarm clock icon) and a couple relaxing (with a mute icon), representing the alarm and mute functions of the phone.

ECO Mode

The handset automatically adjusts and minimizes radio frequency power based on its distance from the base unit, promoting energy efficiency.

Mode ECO



Le combiné ajuste et minimise automatiquement la puissance des fréquences radio en fonction de sa distance entre le combiné et l'unité de base.

Image: A VTech CS1501 handset on its charging base in a home setting, with an ECO mode leaf icon, indicating its energy-saving feature.

Backlit Display and Keypad

The backlit LCD screen and keypad illuminate, making dialing and reading information easy, even in low-light conditions.

Afficheur rétroéclairé



L'ensemble de l'afficheur LCD s'illumine, ce qui facilite la visualisation dans des conditions de faible luminosité.

Image: A VTech CS1501 handset on its charging base, with its backlit display clearly visible in a dimly lit environment.

Adjustable Ringtone Volume and Melodies

Easily adjust the ringtone volume and select your preferred melody through the handset settings.

Volume de la sonnerie et mélodie réglables



Réglez facilement le volume de la sonnerie et la mélodie souhaitée.

Image: A VTech CS1501 handset on its charging base, with musical notes emanating from it, symbolizing the adjustable ringtone volume and melody options.

Long Range Reliability

Benefit from reliable coverage and clear, long-range clarity throughout your home.

Longue portée fiable



Bénéficiez d'une couverture et d'une clarté longue portée dans toute votre maison.

Image: A VTech CS1501 handset and its base unit placed in different areas of a spacious home, with signal waves indicating long-range coverage.

Battery Life

The handset offers up to 13 hours of talk time and 200 hours of standby time on a full charge.

Jusqu'à 13 heures d'autonomie en conversation



La batterie offre jusqu'à 13 heures d'autonomie en conversation et 200 heures en veille.

Image: A graphic highlighting '13 hours talk time' with a battery icon, illustrating the VTech CS1501's extended battery performance.

MAINTENANCE

- **Cleaning:** Wipe the phone and base unit with a soft, damp cloth. Do not use cleaning sprays or harsh chemicals.
- **Battery Care:** For optimal battery life, avoid fully discharging the batteries frequently. If the phone will be unused for an extended period, remove the batteries.
- **Environmental Conditions:** Keep the phone away from excessive heat, direct sunlight, and moisture.

TROUBLESHOOTING

Problem	Solution
No dial tone	Ensure the telephone line cord is securely connected to both the base unit and the wall jack. Check if the power adapter is properly connected.
Cannot make/receive calls	Verify that the handset batteries are charged. Check the telephone line connection. Ensure the handset is registered to the base.


Problem	Solution
Poor sound quality	Move closer to the base unit. Check for interference from other electronic devices. Ensure the telephone line cord is not damaged.
Handset not charging	Ensure the handset is correctly seated in the charging cradle. Clean the charging contacts on both the handset and the base with a dry cloth.
Display is blank	Charge the handset batteries. If the problem persists, try resetting the phone by unplugging the base unit's power adapter for a few minutes, then plugging it back in.

SPECIFICATIONS


- **Brand:** VTech
- **Model Number:** CS1501
- **Color:** White
- **Type:** DECT Cordless Phone
- **Number of Handsets:** 2
- **Compatible Devices:** Fixed telephone networks only
- **Battery Type:** NiMH rechargeable batteries (4 included)
- **Material:** Plastic
- **Power Source:** Battery Powered (Handset), AC Adapter (Base)
- **Dialer Type:** Simple Keypad
- **Item Weight:** Approximately 499.2 Grams (total package)
- **Talk Time:** Up to 13 hours
- **Standby Time:** Up to 200 hours
- **Features:** Call Blocking, Caller ID/Call Waiting, Hands-Free Speakerphone, Backlit LCD, 60-Name Directory, 3-Way Conferencing, ECO Mode, 10 Last Number Redial, Adjustable Ringtone, Alarm Function, Mute Function.

WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation provided with your purchase or visit the official VTech website. Specific warranty terms may vary by region and retailer.

VG 208 208-2  vttech User's manual	VTech VG208 / VG208-2 User Manual: Features, Safety, and Operation Guide Comprehensive user manual for the VTech VG208 and VG208-2 DECT 6.0 cordless phones. Learn about installation, operation, features like answering machine, caller ID, call blocking, intercom, safety instructions, and technical specifications.
	VTech IS8151 Smart Call Blocker: User Guide and Setup Learn how to use the VTech IS8151 Smart Call Blocker to filter robocalls and unwanted calls. This guide provides setup instructions, configuration options, and tips for managing your call lists for your DECT 6.0 cordless telephone system.
	VTech CS5229 Cordless Phone Quick Start Guide This guide provides instructions for setting up and using the VTech CS5229 DECT 6.0 cordless telephone, including installation, basic operation, phonebook, caller ID, call blocking, and answering system features.
	VTech CS2050/CS2051/CS2052/CS2053 Quick Start Guide Comprehensive guide to setting up and using your VTech CS2050, CS2051, CS2052, or CS2053 cordless phone system, including safety instructions, product registration, warranty information, and feature setup.
	VTech CS5209 DECT 6.0 Accessory Handset User Manual User manual for the VTech CS5209 DECT 6.0 accessory handset, providing instructions on setup, registration, operation, and safety precautions. Learn how to install the battery, connect the charger, register new handsets, and understand display icons and features.
	VTech LS6331 Series Cordless Phone System User Manual A comprehensive guide to the VTech LS6331 series cordless phone system, detailing setup, operation, features such as Bluetooth connectivity and Smart Call Blocker, safety precautions, warranty information, and technical specifications.

Documents - VTech – CS1501




[pdf] User Manual Quick Start Guide Instructions Guide

User Manual VTech CS1501 2 Handset Dual Charging DECT Cordless Phone with Call Block Caller ID Waiting Handsfree Speakerphone Backlit Display and Keypad White Electronics Photo C1Aud2HpEcL m media amazon images I |||

CS1500 **CS1501** CS1502 CS1503 CS1550 CS1551 CS1552 CS1553 Scan the QR code for support information Quick Start Guide Important safety instructions When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury, including...

lang:en score:34 filesize: 4.45 M page_count: 2 document date: 2023-06-22




[\[pdf\]](#) Decleration of Conformity

Microsoft Word CS1500 CS1501 Declaration of Conformity CE docx VTT07806 Product Support Official VTechProduct VTechcdn vtech jouets assets 853cb807 7607 4310 88f5 bff05454a6ee CEcdn ||| EU Declaration of Conformity Manufacturer Name: VTech Telecommunications Limited Address: 23/F, Tai Ping Industrial Centre, Block 1, 57 Ting Kok Road, Tai Po, Hong Kong Product: DECT Phone Model Name: CS1500, **CS1501** We, VTech, declare under our sole responsibility that the above referenced product ... lang:en score:28 filesize: 78.75 K page_count: 1 document date: 2022-06-15




[\[pdf\]](#) User Manual Installation Guide Instructions Troubleshooting Guide

VTech CS1501 Casa Duo Cordless Telephone DECT Landline Phone with Handsfree and Call Block Dual Charge ID LCD Backlit Display Keyboard ECO Mode White Amazon it ElectronicsA1emFVIUnaLm media amazon images | A1emFVIUnaL ||| CS 1500 1501 1502 1503 CS 1550 1551 1552 1553 Scan the QR code for support information Congratul ... elecommunication equipment. VTech Telecommunication Ltd. hereby declares that this telephone CS1500/**CS1501**/CS1502/CS1503/CS1550/CS1551/CS1552/CS1553 is in compliance with the essential requirements a... lang:en score:25 filesize: 1.51 M page_count: 24 document date: 2024-02-20




[\[pdf\]](#) Quick Start Guide Instructions Guide

English Product Support Official VTech CS150X CS155X UK QSG V1 220520 cdn vtech jouets assets 8405adf1 82d1 4c99 bc98 22cfb4333103 ||| CS1500 **CS1501** CS1502 CS1503 CS1550 CS1551 CS1552 CS1553 Scan the QR code for support information Quick Start Guide Important safety instructions When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury, including... lang:en score:23 filesize: 4.45 M page_count: 2 document date: 2022-05-20



[\[pdf\]](#) Decleration of Conformity


Microsoft Word CS150X Declaration of Conformity docx VTT07806 English Product Support Official VTech vtechphones eu assets cc382b81 9b54 4899 ba78 2c9f004310ba ||| UKCA Declaration of Conformity Manufacturer Name: VTech Telecommunications Limited Address: 23/ ... k, Abingdon, Oxfordshire, OX14 3YT, United Kingdom Product Model Name: DECT phone Model No.: CS1500/**CS1501**/CS1502/CS1503 We, Vtech Telecommunications Limited. hereby declares that the above equipment ... lang:en score:21 filesize: 114.91 K page_count: 1 document date: 2023-03-24



[VTech CS1500/CS1550 Series Cordless Phone Quick Start Guide and User Information](#)

This document provides essential setup instructions, safety guidelines, feature configurations, and technical specifications for the VTech CS1500 and CS1550 series cordless phones. It includes multilingual support and warranty details.

lang:en **score:19** filesize: 15.58 M page_count: 2 document date: 2022-04-13




[\[pdf\] Quick Start Guide Installation Guide Instructions Guide](#)

Einlegen der Batterie Charge the battery Laden Sie VTech Telecommunication Ltd hereby declares that this telephone CS1500 1501 1502 1503 CS1550 1551 1552 1553 is in compliance with essential A1kEPp J6FL ref dp product quick view m media amazon images I |||

Scan the QR code for support information Scannen Sie den QR-Code fr SupportInformationen Scannez le code QR pour obtenir des informations sur l assistance Escanee el cdigo QR para obtener informacin de soporte Scansiona il codice QR per ottenere informazioni sull assistenza CS1500 **CS1501** CS1502 CS1...

lang:en **score:18** filesize: 1.02 M page_count: 2 document date: 2023-12-06



[\[pdf\] Quick Start Guide Instructions Guide](#)

CS150X CS155X UK QSG V3 231108 vtechphones eu assets bb46ac56 28a1 476e b64c 9dd7731c32f6

|||

CS1500 **CS1501** CS1502 CS1503 CS1550 CS1551 CS1552 CS1553 Scan the QR code for support information Quick Start Guide Important safety instructions When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury, including...

lang:en **score:17** filesize: 4.54 M page_count: 2 document date: 2023-11-08



[\[pdf\] User Manual Installation Guide Instructions Troubleshooting Guide](#)

CS 1500 1501 1502 1503 1550 1551 1552 1553 2023 11 14 — When using your telephone equipment basic safety precautions should always be followed to reduce the risk of fire electric shock and injury including CS150x CS155x UK WEBCIB v1 231108 vtechphones eu assets 7367b8c2 58f3 448e 91e1 6a11ee5e9cfa |||

CS 1500 1501 1502 1503 CS 1550 1551 1552 1553 Scan the QR code for support information Congratul ... elecommunication equipment. VTech Telecommunication Ltd. hereby declares that this telephone CS1500/**CS1501**/CS1502/CS1503/CS1550/CS1551/CS1552/CS1553 is in compliance with the essential requirements a...

lang:en **score:15** filesize: 14.61 M page_count: 24 document date: 2023-11-08



[\[pdf\] User Manual Installation Guide Instructions Troubleshooting Guide](#)

CS150x CS155x UK WEBCIB v2 240529 vtechphones eu assets 506d6229 2433 47e7 b475 e0eff3160e00 |||

CS 1500 1501 1502 1503 CS 1550 1551 1552 1553 Scan the QR code for support information Congratul ... elecommunication equipment. VTech Telecommunication Ltd. hereby declares that this telephone CS1500/**CS1501**/CS1502/CS1503/CS1550/CS1551/CS1552/CS1553 is in compliance with the essential requirements a...


lang:en **score:15** filesize: 14.64 M page_count: 24 document date: 2024-05-29



[\[pdf\]](#) User Manual Installation Guide Instructions Troubleshooting Guide

CS150x CS155x DE EN WEBCIB v2 240529 vtechphones eu assets 8a03efd3 6725 47c5 9689 5898322d4c19 |||


CS 1500 1501 1502 1503 CS 1550 1551 1552 1553 Scan the QR code for support information Congratul ... elecommunication equipment. VTech Telecommunication Ltd. hereby declares that this telephone CS1500/**CS1501**/CS1502/CS1503/CS1550/CS1551/CS1552/CS1553 is in compliance with the essential requirements a...
lang:en **score:15** filesize: 14.72 M page_count: 24 document date: 2024-05-29



[\[pdf\]](#) Quick Start Guide Installation Guide Instructions Guide

CS150X CS155X QSG V4 0 230314 EU 5 langs vtechphones eu assets acad1b6b c40e 4e88 8f6c e1d7ded4e475 |||

Scan the QR code for support information Scannen Sie den QR-Code fr SupportInformationen Scannez le code QR pour obtenir des informations sur l assistance Escanee el cdigo QR para obtener informacin de soporte Scansiona il codice QR per ottenere informazioni sull assistenza CS1500 **CS1501** CS1502 CS1...
lang:en **score:15** filesize: 15.71 M page_count: 2 document date: 2023-03-14



[\[pdf\]](#) Quick Start Guide Installation Guide Instructions Guide

Batterie Charge the battery Connect base Schließen Sie die Basisstation an Install Einlegen der Laden CS150X CS155X QSG V5 230926 EU 5 langs vtechphones eu assets 5c8dfd8f 2e0b 4f0f b9f7 db7860489e0f |||

Scan the QR code for support information Scannen Sie den QR-Code fr SupportInformationen Scannez le code QR pour obtenir des informations sur l assistance Escanee el cdigo QR para obtener informacin de soporte Scansiona il codice QR per ottenere informazioni sull assistenza CS1500 **CS1501** CS1502 CS1...
lang:en **score:15** filesize: 16.99 M page_count: 2 document date: 2023-09-26



[\[pdf\]](#) Instructions

CS150x CS155x DE EN WEBCIB v1 230817 FR 240611 vtechphones eu assets 4a2ab66f 88ca 4cee b196 a7b9d16ccb49 |||

CS 1500 1501 1502 1503 CS 1550 1551 1552 1553 Scannez le code QR pour obtenir des informations F ... e d limination approprie. VTech Telecommunication Ltd. dclare par la prsente que ce tlphone CS1500/**CS1501**/CS1502/CS1503/CS1550/CS1551/CS1552/CS1553 est conforme aux exigences essentielles et aux aut...

lang:fr **score:13** filesize: 2.1 M page_count: 46 document date: 2024-06-11



[\[pdf\]](#) Instructions

CS150x CS155x DE EN WEBCIB v1 230817 FR CS 1500 1501 1502 1503 1550 1551 1552 1553 vtechphones eu assets 8a7ed660 9fd6 4cb3 b246 453ebb3fa9a0 |||

CS 1500 1501 1502 1503 CS 1550 1551 1552 1553 Scannez le code QR pour obtenir des informations F ... e d limination approprie. VTech Telecommunication Ltd. dclare par la prsente que ce tlphone CS1500/**CS1501**/CS1502/CS1503/CS1550/CS1551/CS1552/CS1553 est conforme aux exigences essentielles et aux aut...

lang:fr **score:13** filesize: 2.26 M page_count: 46 document date: 2023-11-29